

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the engine and emission control systems produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles. Production vehicles shall be in all material respects the same as those for which certification is granted. The manufacturer shall ensure that character "C" or "3" is <u>not</u> used in the eighth (8th) position of the vehicle identification number (VIN) of all vehicles in the engine family listed below. Violation of this VIN provision may result in incorrect registration of the vehicles.

egisti ation of t		E AND Y	ENGINE DISPLACEMENT (cc)	CLASS		
MODEL YEAR	ENGINE FAMILY	EVAPORATIVE FAMILY	1639, 1442	111		
	6BMIC01.6BMC	6BMIE0066BMC		* = not		
SPECIAL FEATURES & EMISSION CONTROL SYSTEMS		VEHICLE MODELS (equivalent inertia mass in kilograms, kg) All Displacements:				
EM		918 Big Daddy 918 Big Daddy ST Hooligan 541 Hooligan 541/240 Hooligan 541/240 ST				
		ABBREVIATIONS: H02S=heated 02	EM=engine modification S EGR=exhaust gas recircu	TWC=three-way catalyst OC=oxidiz lation AIR=secondary air injection in linjection TC/SC=turbo/super charg	ng catalyst WUTWC/WUOC=warm-up TWC/OC PAIR=pulsed AIR MFI=multi port fuel injection er CAC=charge air cooler 2 (prefix)=parallel	O2S=oxygen sense SFI=sequential MFI (2) (suffix)=in serie
TBI=throttle body f	uel injection Dri-direct luc	i injection		noted UC		

The following are the exhaust hydrocarbon (HC) and carbon monoxide (CO) standards, or designated HC standard as applicable, and certification levels in grams per kilometer (g/km), and evaporative standard and certification level in grams per test (g/test) for this engine/evaporative family. The designated HC standard, as applicable, shall be listed on the permanent tune-up label.

applicable, shall be need a				CO (g/km)		EVAPORATIVE (g/test)	
CORPORATE	DESIGNATED	(g/km) (DIRECT) STANDARD	CERTIFICATION		CERTIFICATION LEVEL	STANDARD	CERTIFICATION LEVEL
AVERAGE STANDARD	STANDARD *	1.4	1.1	12	5	2.0	0.7
							:blo io

BE IT FURTHER RESOLVED: That certification to the designated HC standard listed above, as applicable, is subject to the following terms, limitations and conditions:

The designated HC standard shall be the exhaust emission limit for this engine family and cannot be changed during the model year. It serves as the HC exhaust standard applicable to this engine family for determining compliance with Title 13, California Code of Regulations, Sections 1958(b) and 2101.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all materials required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Sections 2035 et seq.).

BE IT FURTHER RESOLVED: That because the listed motorcycles are certified to 0.2 grams per test or more below the applicable evaporative standard, the vehicles are exempt from complying with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order is only granted to the engine family and model-year listed above. Vehicles in this family that are produced for any other model-year are not covered by this Executive Order.

Executed at El Monte, California on this ______ day of February 2006.

Allen Jons, Chief

Mobile Source Operations Division