State of Cailfornia AIR RESOURCES BOARD

EXECUTIVE ORDER R-6-1 Relating to Certification of New Noncomplying Heavy-Duty Motor Vehicle Engines

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following noncomplying General Motors Corporation 1988 model-year gasoline engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) of 8,501 to 14,000 pounds:

Engine Family	Displacement Liters (Cubic Inches)		Exhaust Emission Control Systems (Special Features)		
JGM05.7AGN3	5.7	(350)	Air injection — Pump Exhaust Gas Recirculation		
JGMO7.4AGN3	7.4	(454)	Air injection - Pump Exhaust Gas Recirculation		

Engine models and codes are listed on attachments.

The following are the emission standards for hydrocarbons and nitrogen oxides and the upper limit for carbon monoxide emissions for these engine families:

Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhb-hr_	
1.1	37.1	6.0	

The following are the certification emission values for these engine families:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhb-hr	
JGM05.7AGN3	0.6	25.3	4.6	
JGM07.4AGN3	0.9	24.9	5.3	

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

BE IT FURTHER RESOLVED: This Certification is conditioned upon the manufacturer's establishment of a carbon monoxide emissions compliance level at or below the applicable upper limit and paying resultant nonconformance penalties as prescribed in the California Exhaust Emission Standards and Test Procedures for 1987 and Subsequent Model Heavy-Duty Gasoline-Powered Engines and Vehicles and the incorporated 40 CFR 86 Subpart L. If the carbon monoxide emissions compliance level exceeds the applicable upper ilmit, this Executive Order will be suspended pursuant to the California Exhaust Emission Standards and Test Procedures for 1987 and Subsequent Model Heavy-Duty Gasoline-Powered Engines and Vehicles and the incorporated 40 CFR 86.1114-87(e).

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 44 day of June, 1988.

K. D. Drachand, Chief Mobile Source Division

(For CARB Use Only) (1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **GASOLINE HEAVY DUTY ENGINES**

Manufacturer: General Motors Corporation

Executive Order No.: R-6-1

Engine Families:

JGM05.7AGN3

JGM07.4AGN3

Engine CID (Liters) - Type: 350 (5.7), 454 (7.4)

ABBREVIATIONS:

<u>Ignition System</u>

CA-Centrifugal Advance

EEC-Electronic Engine Control

EI-Electronic Ignition

ESAC-Electronic Spark Advance

Control

VA-Vacuum Advance

VR-Vacuum Retard

FOU-Electronic Control Unit

Fuel System

CFI, CL, DID, DIP, EFI, MFI

nV-nVenturi Carburetor

GM Abbreviations

A/C-Air Conditioning

FC-Forward Control

HD-Heavy Duty

CID-Cubic Inch Displacement

TBI-Throttle Body Injection

RMD-Rear Wheel Drive

4x2-Two Wheel Drive

4x4-Four Wheel Drive

6x4-Four Wheel Drive

Exhaust Emission Cont System

AIP-Air Injection Pump

AIV-Air Injection Valve

CL-Closed Loop

DBC-Dual Bed Catalyst

EGR-Exhaust Gas Recirculation

EIC-Electronic Injection Control

EM-Engine Modification

OC-Oxidation Catalyst System

OS-Oxygen Sensor

HOS-Heated Oxygen Sensor

SPL-Smoke Puff Limiter or

Throttle Delay

TOC-Trap Oxidizer, Continual

TOP-Trap Oxidizer, Periodical

TR-Thermal Reactor

TWC-Three-Way Catalyst System

Special Features

CCV-Combustion

Chamber Valve

CFI-Central Fuel

Injection

DID-Diesel

Injection-

Direct

DIP-Diesel

Injection-

Prechamber

EFI-Electronic

Fuel Injection

IC-Intercooler/

Aftercooler

MFI-Mechanical

Fuel Injection

TC-Turbocharger

Engine: Front (all Vehicles)

Drive: See Chassis Type (Page 2), all 4x2 vehicles are RWD.

ISSUED: 11-09-87

REV. NO.:

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY GASOLINE ENGINES

Manufacturer: General Motors Corporation Executive Order No.: R-6-1

Engine Family: JGM05.7AGN3 Exhaust Emission Control System: AIP/EGR

Liter (CID): 5.7 (350)

ENG MODEL (ENG CODE)	MAXIMUM RATED HP AT RPM	RATED TORQUE AT RPM	IGNITION SYS (DISTRIBUTOR) MFR PART NO.	FUEL SYSTEM (CARBURETOR) MFR PART NO.	EGR VALVE MFR PART NO.	CATALYST MFR PART NO.
LT9 (1)	185 9 3600	285 @ 2400	Delco Remy 1103606	Rochester 17088040, 17088041	17084724, 17085920	NA

11-09-87

REV. NO.:

0410U

(For CARB Use Only)

(1988)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

HEAVY-DUTY GASOLINE ENGINES

Manufacturer: General Motors Corporation

Executive Order No.: R-6-1

Engine Family: JGM07.4AGN3

Exhaust Emission Control System: AIP/EGR

Liter (CID): 7.4L (454)

ENG MODEL	MAXIMUM RATED HP AT RPM	RATED TORQUE AT RPM	IGNITION SYS (DISTRIBUTOR) MFR PART NO.	FUEL SYSTEM (CARBURETOR) MFR PART NO.	EGR VALVE MFR PART NO.	CATALYST MFR PART NO.
LE8 (1) 454 CID	230 @ 3800	370 € 2800	Delco Remy 1103717	Rochester 17085212, 17085004	17085919	NA

ፕኖSUED: 11-09-87

REV. NO.: