## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-21-60 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1990 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GYWR) over 8,500 pounds:

Engine Family		placement (Cubic Inches)	Exhaust Emission Control Systems (Special Features)
LCE0855FZB8 (093M	) 14	(855)	Powertrain Control Module Smoke Puff Limiter (Charge Air Cooler)

Engine models and codes are listed on attachments.

The following are the certification emission standards for these engine families:

Hydrocarbons Monoxide  gm/bhp-hr gm/bhp-hr		Nitrogen Oxides gm/bhp_hr	Particulates gm/bhp-hr	
1.3	15.5	6.0	0.60	

The following are the certification emission values for these engine families:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp_hr	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
LCE0855FZB8 (09	93M) 0.2	2.0	5.3	0.26

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036.)

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Les R. B. Summerfield

Assistant Division Chief Mobile Source Division

Reglad fasasvit

E.O.#	A-21-60
Page	1 of 1

## 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Liter (C	ID)14	(855) and (Special	Eng. T	ype In	line 6	
Engine Model	Electronic Control Module Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)	Torque	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)
N14-454E CPL 1272		Cummins 3068356	454@1600	293 (158)	1550@1200	287 (116)
	Issue		R	evisions:		

030186

SUBMITTED MAR 1 5 1990

E.O.#	A-21-60	
Page	1 of 1	

## 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

	Liter (C		14 (855)		Eng.	_	•	LCEU855F	<u>ZB8 (</u>	093M)
					_	Type Inline 6 s) PCME. SPL (			ÇAC)	
	Engine Model	Electroni Control Module Mfr. Part Numb	Inje	ector Mfr. t Number	Maximum Rated HP at RPM	mm <sup>3</sup>	el Rate /stroke lbs/Hr)	•	mm <sup>3</sup> /s	Rate troke s/Hr)
	N14-4541 CPL 1272	•		mins 8356	454@1600	293	(158)	1550@1200	287	(116)
(1	)N14-4601 CPL 1324			mins 0739	460@1700	273	(157)	1550@1200	282	(114)
(2	)N14-4601 CPL 1384			mins 0739	460@1700	273	(157)	1550@1200	282	(114)
(2	)N14-430			mins 0739	430@1700	255	(146)	1450@1200	262	(106)
(2	)N14-430 CPL 138			mins 10739	430@1700	253	(145)	1450@1200	262	(106)
(2	)N14-370 CPL 139			umins '0739	370@1600	235	(127)	1400@1200	255	(103)
(3	)N14-370 CPL 138			mins '0239	370@1600	226	(122)	1400@1200	255	(103)

Date of Issue	May 25.	1990	Revisions:	(1) 6	-15-	90
				(2) 9	J-14-	90
030186				(3)11	-01-	90

REVISED

NOV 0 1 1990