### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-86-109 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

#### MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Mitsubishi Motors Corporation 1990 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Engine Family	•	acement ubic Inches)	Exhaust Emission Control Systems
LMM0201EAA0	3.3	(201)	Engine Modification Direct Injection Turbocharger Charge Air Cooler
LMM0302EAAX	5.0	(302)	Engine Modification Direct Injection Turbocharger
LMM0400EAA8	6.7	(400)	Engine Modification Direct Injection Turbocharger
LMM0400EAB9	6.7	(400)	Engine Modification Direct Injection Turbocharger
LMM0460FAA8	7.5 ************************************	(460)	Engine Modification Direct Injection Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments.

Carbon

The following are the emission standards for these engine families:

Hydrocarbons Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
1.3	6.0	0.60

The following are the certification emission values for these engine families:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide <u>gm/bhp-h</u> r	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
LMM0201EAA0	0.9	2.4	5.0	0.56
LMM0302EAAX	1.1	2.8	5.5	0.52
LMM0400EAA8	0.9	2.4	5.1	0.44
LMM0400EAB9	0.9	2.8	5.0	0.44
LMM0460FAA8	0.6	2.3	5.4	0.40

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205.5).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this \_

\_\_\_\_\_

K. D. Drachand, Chief Mobile Source Division

E.O.	# <u>A-86-109</u>
Page	1.

# 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

LHOD

Manufacturer <u>Mitsubishi Motors Corporation</u>	Engine Family LMMO201FAA0
Liter (CID) 3.3 Liter (201 CID)	Eng. Type Direct Injection Turbochamed Div. 3
Emission Control Sys. and (Special Features) _E	ngine Modification/Direct Injection & TC

Engine Code	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (1bs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)
4D310AT-C 4D310AT-D	ME016329 ME016330	ME016306 ME016306	114 hp	62 mm³/stroke 48.6 lbs/hr 62 mm³/stroke 48.6 lbs/hr	@ 2000rpm 203 ft-1b	64 mm³/stroke 28.6 lbs/hr 64 mm³/stroke 28.6 lbs/hr
		,				
				·		

ate	of	Issue	Dougladana
			 Revisions:

E.O.	# <u>A-86-109</u>
Page	2.

1990	AIR	RESOURCES	BOARD	SUPP	LEMENTAL	DATA	SHEET
		HEAVY-D	ום צדט	ESEL	ENGINES		

LHDD

Manufacturer <u>Mitsubishi Motors Corporation</u>	Engine FamilyLMMO302EAAX
Liter (CID) 5 Liters (302 CID)	Eng. Type Direct Injection Turbocharged Diesel
Emission Control Sys. and (Special Features) <u>Er</u>	ngine_Modification/Direct Injection & Turbocharged

Engine Code	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)
6D310AT-A	ME086582	ME086584	145 hp @ 3200 rpm	56 mm³/stroke 60.2 lbs/hr		55 mm³/stroke 36.9 lbs/hr
6D310AT-B	ME086583	ME086584	145 hp @ 3200 rpm	56 mm³/stroke 60.2 lbs/hr	į.	55 mm³/stroke 36.9 lbs/hr
			·			

Date of	Issue	 Revisions
Date of	Issue	 Revisi

E.O.	A-86-109
Page	3.

# 1990. AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

MHDD

Fuel					
Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum ·Rated HP at RPM	Fuel Rate mm³/stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)
ME076456	ME076250	185 hp @ 2900 rpm	79 mm³/stroke 75.8 lbs./hr	i .	86 mm³/stroke 45.6 lbs./hr
	Injection Pump Mfr. Part Number	Injection Pump Injector Mfr. Mfr. Part Number Part Number	Injection Pump Injector Maximum Mfr. Mfr. Rated HP Part Number Part Number at RPM  ME076456 ME076250 185 hp	Injection Pump Injector Maximum Fuel Rate Mfr. Rated HP mm³/stroke Part Number At RPM (1bs/Hr)  ME076456 ME076250 185 hp 79 mm³/stroke	Injection Pump Injector Maximum Fuel Rate Rated Mfr. Rated HP Fuel Rate Rated Torque at RPM  ME076456  ME076250  185 hp  79 mm³/stroke 408 ft-1b

Date	٥f	Issue	 Revisions
D4 CC	٠,	13346	 VEA 12 10112

E.O.	# .	A-86-109
Page		4.
9-		

# 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

MHDD

Manufacturer <u>Mitsubishi Motors Corporation</u>	
Liter (CID) 6.7 Liters (400 CID)	Eng. Type Direct Injection Turbochanged Discal
Emission Control Sys. and (Special Features)	Engine Modification/Direct Injection & Turbocharged

Engine Code	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)
6D142AT-B	ME076455	ME076250	170 hp @ 2900 rpm	72 mm³/stroke 69.2 lbs/hr		70 mm³/stroke 37.1 lbs/hr
6D142AT-C	ME076460	ME076250	170 hp @ 2900 rpm	72 mm³/stroke 69.2 lbs/hr		70 mm³/stroke 37.1 lbs/hr
		.*				

Date	of	Issue	 Revisions:

E.O.	# _A-86	-109
Page	5.	

## 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

MHOD

Manufacturer <u>Mitsubishi Motors Corporation</u> Liter (CID) <u>460</u> Emission Control Sys. and (Special Features)		Eng. Type Direct Injection Aftercooled Dies				
Engine Code	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP at RPM	Fuel Rate mm³/stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm³/stroke (lbs/Hr)
6D16OAT2	ME076342	ME076434	220 hp @ 2700 rpm	97 mm³/stroke 86.7 lbs/hr	İ	91 mm <sup>3</sup> /stroke 42.2 lbs/hr

Date	of	Issue		Revisions