## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-21-71

Relating to Certification of New Heavy-Duty Motor Vehicle Engines
CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1992 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Fuel Type: Diesel

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
NCE0239FAA3 (383A)	3.9	(239)	Smoke Puff Limiter Charge Air Cooler Turbocharger
NCE0359FAB9 (403B)	5.9	(359)	Smoke Puff Limiter Charge Air Cooler Turbocharger

Engine models and codes are listed on attachments.

The certification emission standards for these engine families in grams per brake-horsepower-hour are as follows:

Total	Carbon	Nitrogen	Particulates
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	( <u>Average</u> )
1.3	15.5	5.0	0.25

The certification emission values and particulates emission limits for these engine families in grams per brake-horsepower-hour are as follows:

Engine <u>Family</u>	Total <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Particula Emission Limit	
NCE0239FAA3 (383A)	0.4	1.8	4.4	0.31	0.31
NCE0359FAB9 (4038)	0.2	1.0	4.2	0.20	0.20

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That these engines are included in a diesel heavy-duty particulate averaging program as permitted in the "California Exhaust Emission Standards for 1985 and Subsequent Model Heavy-Duty Engines and Vehicles, as Amended on May 15, 1990", referenced section 86.091-11(a)(1)(iv)(c).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 30 day of October, 1991.

1 Smul

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Е.	0.#	A-21-7/

Page \_\_\_1\_\_

## 1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

	Cummins Engi	ne Company, Inc.	Engine Fam		ICEO239FAA3
Emission Con		ecial Features	<u>-</u>		<u>, , , , , , , , , , , , , , , , , , , </u>
Engine Model			Maximum Rated HP and RPM	Fuel Rate at Maximum HP mm <sup>3</sup> /stroke	Particulate Trap Mfr. Part Number
B3.9-105 (1260)	Robert Bosch 3913443 (12V) 3919006 (24V)	Robert Bosch 3918965	105 @ 2500	74.7	NА

Revisions: 031390 030186

E.O.# A-21-7/

## 1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

		•		,	Page1
Manufacturer	Cummins Engi:	ne Company, Inc.	. Engine Faπ	ily <u>(40</u> :	BB) NCEO359FAB9
Liter (CID) _	5.9 (3!	<u>59)</u>	Eng. Type	<u> </u>	
	rol Sys. & Spe tions per SAE	ecial Features J1930 Jun88)	SPL (TC.	CAC)	
Engine Model (Eng. Code)	Fuel Injection Pump Mfr. Part Number	Injector Mfr. Part Number	Maximum Rated HP and RPM	Fuel Rate at Maximum HP mm <sup>3</sup> /stroke	Particulate Trap Mfr. Part Number
B5.9-230 (0987)	Robert Bosch 3913440 3921769	Robert Bosch 3919091	230 @ 2500	104.0	NA
B5.9-210 (1422)	Robert Bosch 3918321 3921776	Robert Bosch 3919091	210 @ 2500	96.0	NA
B5.9-190 (1261)	Robert Bosch	Robert Bosch	190 @ 2500	89.0	NA

Revisions: 031390 030186 3921777