State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-72

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Cummins Engine Company, Inc. 1992 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Fuel Type: Diesel

Engine Family	Liters	(Cubic Inches)	Exhaust Emission Control Systems and Special Features
NCE0359FAA8 (403A)	5.9	(359)	Smoke Puff Limiter Charge Air Cooler Turbocharger

Engine models and codes are listed on attachments.

The certification emission standards for this engine family in grams per brake-horsepower-hour are as follows:

Total	Carbon	Nitrogen	<u>Particulates</u>
Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>	
1.3	15.5	5.0	0.25

The certification emission values for this engine family in grams per brakehorsepower-hour are as follows:

Engine	Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Family</u>	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
NCE0359FAA8 (403A)	0.3	1.1	4.9	0.25

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 30 day of October, 1991.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

Ε.	٥,	#	A-21-72

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

		BAVI-BUIL BIB.			Page <u>1 of 2</u>			
Manufacturer	Cummins Engin	e Company, Inc	. Engine Fa	mily <u>(403A)</u>	NCEO359FAA8			
Liter (CID) 5.9 (359) Eng. Type 1-6								
	rol Sys. & Spe tions per SAE		SPL (TC,	CAC)				
	Fuel Injection Pump	Injector	Maximum	Fuel Rate at Maximum	Particulate Trap Mfr.			
Engine Model (Eng. Code)	Mfr. Part Number	Mfr. Part Number	Rated HP and RPM	HP mm ³ /stroke	Part Number			
B5.9-160	Robert	Robert	160@2500	74.0	NA			
(1351)	Bosch	Bosch						
	3913442(12V) 3918964(24V)	3918965						
	3918991(12V)	3710703						
	3918992(24V)							
	3919712(12V)							
	3919713(24V)		•					
	3919714(12V)							
	3919715(24V)							
	3923346(12V)							
	3923347(12V)							
	3923348(12V)							
	3923349(12V)							

Revisions: 031390 030186

E.	.0	١.	#	A-21-72	

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

					Page 2 of
Manufacturer	Cummins Engine	e Company, Inc.	Engine Fa	mily <u>(403A)</u>	NCEO359FAA8
Liter (CID) _	5.9 (35)	<u>9)</u>	Eng. Type	I-6	
	col Sys. & Spe		SPL (TC.	CAC)	
(Use abbreviat	cions per SAE	J1930 Jun88)		****	
	Fuel				Particulate
	Injection			Fuel Rate	Trap
	Pump	Injector	Maximum	at Maximum	Mfr.
Engine Model	Mfr.	Mfr.	Rated HP	HP mm ³ /stroke	Part Number
(Eng. Code)	Part Number	Part Number	and RPM	mm-/stroke	Mailiper
(1)B5.9-160	Robert	Robert	160@2500	74.0	МА
(1579)	Bosch	Bosch			
	3923346(12V)	3918965			
	3923347(12V)				
	3923348(12V)				
	3923349(12V)				
• •	3919712(12V)				
, ,	3919713(24V)				
• •	3919714(12V)		•		
• •	3919715(24V)				
	3913442(12V)				
• • •	3918964(24V)				
	3918991(12V)				
(2)	3918992(24V)				

Revisions: (1) RCI-403A-92

031390

(2) RC2-403A-92

030186

SUBMITTED FFR 1 7 1992