State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-290-44

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

DETROIT DIESEL CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Detroit Diesel Corporation 1995 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	<u>Liters</u>	(Cubic Inches)	Systems and Special Features
SDD8.5FJDABA (Series 50-bus)	8.5	518	Powertrain Control Module Charge Air Cooler Turbocharger Oxidation Catalytic Converter

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake-horsepower-hour:

Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
1 3	15.5	5.0	0.07

The following are the certification exhaust emission values for this engine family in grams per brake-horsepower-hour:

Engine	Total	Carbon	Nitrogen	<u>Particulates</u>
<u>Family</u>	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
SDD8.5FJDABA (Series 50-bu	0.1 (s)	1.3	4.9	0.06

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed engine family is certified for use in urban buses.

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this

day of December, 1994.

R. B Summerfield Assistant Division Chief Mobile Source Division

17-SDD8,5FJDABA-9A

E.O. No. A-290-44

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Page 1 of 1 Engine Family: SDD8.5FJDABA Manufacturer: Detroit Diesel Corporation 518 Cubic Inches Displacement: 8.5 Liters Engine Configuration: I-4 Maximum Rated Power: 315 HP @ 2100 RPM Compression with Glow Plug Spark Ignition: Compression X Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Diesel X M100 M85 CNG LNG LPG Other (specify) 40 CFR 86.1313-94 X 40 CFR 86.1313-90 Diesel Cert Fuel: 13 CCR 2282 Urban Bus X Primary Intended Service Class: LHD ___ MHD ___ HHDPCM, CAC, (TC), OC Exhaust ECS (include, MFI, TC, CAC): PTOX / **EGR** Fuel Rate Fuel Pump Valve Catalytic & Injector ECM/PCM Rated HP @Rated HP Engine Model Converter Part No. Part No. Part No. @ RPM mm³/Stroke (Eng Code) Part No. (lbs/hr) SERIES 50 BUS W/CONVERTER 23515381 23513553 201.5 5235550 1B 275@2100 1-(25152400) (93.8)23515901 179.3 23513553 5235550 2B 250@2100 1-(25161035) (83.5)23516102 23513553 3B 250@2100 179.3 5235550 2-(25373-A) (83.5) 23516427 23513553 4B 275@2100 208.1 5235550 2-(25454-A) (92.7)23513553 23516791 185.9 5235550 5B 250@2100 2-(25511-A) (83.1)6B 250@2100 185.9 5235550 23513553 23517041 2-(25452-A) (83.1) 23517261 23513553 7B 315@2100 225.9 5235575 2-(25777-A) (105.2)23517630 5235575 23513553 315@2100 241.5 8B 2-(25**895-**A) (107.6)

Manufacturers' Part Numbers:

1-AC Rochester

2-Nelson Muffler

Date Issued: 09-15-94

Rev.: