CATERPILLAR INC.

EXECUTIVE ORDER A-013-0148

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC) Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9; and

Pursuant to the December 15, 1998 Settlement Agreement between the Air Resources Board and the manufacturer, and any modifications thereof to the Settlement Agreement;

IT IS ORDERED AND RESOLVED: That the following engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	ENGINE FAMILY	ENGINE SIZE (liter)	FUEL TYPE	STANDARDS & TEST PROCEDURE	INTENDED SERVICE CLASS					
2002	2CPXH0629ERK	9.9	Diesel	Diesel	Heavy-Heavy- Duty					
		FEATURES & NTROL SYSTEMS	(1	ENGINE MODELS / CODES (rated power in horsepower, hp)						
	DDI, TC,	CAC, ECM								
fuel injection /indirect dies EGR=exhaus SP=smoke p	IONS: OC≖oxidizing catalyst alyst O2S=oxygen sens in MFl=multiport fuel inject sel injection TC/SC=turbo tt gas recirculation AIR=se uff limiter ECMPCM=eng nodification 2 (prefix)=par	or HO2S=heated O2S tion SFI=sequentialMi super charger CAC: econdary air injection	TBI=throttle body I DDI/IDI=direct charge air cooler PAIR=pulsed AIR	See Attachment						

The following are the exhaust emission standards (STD), or family emission limit(s) (FEL) as applicable, and certification levels (CERT) for this engine family for hydrocarbons (HC) or non-methane hydrocarbons (NMHC), oxides of nitrogen (NOx), or NMHC+NOx, carbon monoxide (CO), particulate matter (PM), and formaldehyde (HCHO) in grams per brake horsepower-hour (g/bhp-hr) under the "Federal Test Procedure" (FTP) (Title 13, California Code of Regulations, (13 CCR) Section 1956.1 (urban bus) or 1956.8 (other than urban bus)), and under the "Euro III Test Procedure" (EURO) in the Settlement Agreement, including a EURO's "Not-to-Exceed" NOx standard: (The emission standards and certification levels for default operations permitted under 13 CCR Section 1956.1 or 1956.8 are in parentheses.) Section 1956.1 or 1956.8 are in parentheses.)

4 4	T .	10								EURO'S NOT-TO-EXCEED NOx STD 7.0							
* = not applicable	HC		NMHC		NOx		NMHC+NOx		co		PM		нсно				
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO			
(DIRECT) STD	1.3	1.3	*		4.0	6.0	*	1 -	15.5	15.5	0.10	0.10	*	*			
AVERAGE STD	•	*	*	*	*	•	*	*	•		*	•		 			
FEL	•	*		•	*	*	*	*	*	+ +			*	-			
CERT	0.2	0.1	*	*	3.7	4.5	*	*	1.1	0.5	0.08	0.04	•	-			

BE IT FURTHER RESOLVED: That certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR Sections 1965 (emission control labeling), and 2035 et seq. (emission control system warranty).

BE IT FURTHER RESOLVED: That the listed engine models are conditionally certified subject to the following conditions: (1) The Settlement Agreement is in effect; and, (2) The manufacturer is in compliance with all applicable certification requirements of the Settlement Agreement and any modifications thereof.

Engines certified under this Executive Order shall conform to all applicable California emission regulations and all requirements under the Settlement Agreement and any modifications thereof.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order is not valid for engines produced on or after October 1, 2002.

Executed at El Monte, California on this

day of December 2001

P. B. Summerfield, Chief Mobile Source Operations Division

Engine Model Smany Form

Manufacturer: CATERPILLAR INC.

Engine category: On-highway HDDE

EPA Engine Family: 2CPXH0629ERK

Mfr Family Name: NA

Process Code: New Submission

									<i>(</i> -	7 f	7/	40	H	W	6N	T		i i i i i i i i i i i i i i i i i i i	
8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE 11930				EM, DI, IC, ESM,	EM DI TO'ECM,	100		, c	, c	<u>}</u> }	ר : ה': ה':	5	/ DI, IC,		÷ /	5	/ Tag		
8.Fuel Rate: (lbs/hr)@peak torque	opacy New	may change.	000	00	96	100	6	<u></u>	60	2 & &	3 3	\$ 1		91 /	7	<i></i>			
7.Fuel Rate: mm/stroke@peak torque	these fuel rates	239	245	245	238	248	225	225	228	206	80c	404	131 295	225					
6.Torque @ RPM (SEA Gross)	ion engine avgs.	1350 @ 1200	1350 @ 1200	1350 @ 1200	1350 @ 1200	1350 @ 1200	1250 @ 1200	1250 @ 1200	1250 @ 1200	1150 @ 1200	1150 @ 1200	1050 @ 1200	1250 @ 1200	1250 @ 1200	-				
5.Fuel Rate: (lbs/hr) @ peak HP (for diesels only)	Due to product-	116.1	126	126	120	117	111	114	113	104	104	101	114	111					
4.Fuel Rate: mm/stroke @ peak HP (for diesel only)	nominal values.	192	208	208	198	193	183	188	187	172	172	167	188	183					
3.BHP@RPM (SAE Gross)	fuel rates are	370 @ 1800	370 @ 1800	370 @ 1800	350 @ 1800	365 @ 1800	350 @ 1800	335 @ 1800	335 @ 1800	305 @ 1800	320 @ 1800	315 @ 1800	335 @ 1800	350 @ 1800	•				
2.Engine Model	and Peak Torque	C - 10	C-10	C - 10	C-10	C-10	<u>ا</u> و ا	05 0.4	C-10	C-10	C-10	C-10	C-10	C-10					
1.Engine Code	Note: Peak HP	Cert Eng	- (2 0	Ω ≺	ֆ և	י כ	0 1	~ (∞ (ာ	10	: :	12					