

INTERNATIONAL TRUCK AND ENGINE CORPORATION

EXECUTIVE ORDER A-004-0299

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Section 26, 2022.

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

engines	shall be in all m	nateriai respe		STANDARDS	INTENDED	ECS & SPECIAL FEATURES 3
MODEL	ENGINE FAMILY	ENGINE SIZES (L)	FUEL TYPE '	& TEST PROCEDURE	SERVICE CLASS 2	
YEAR		 	Diesel	Diesel	LHDD	DDI, TC, CAC, ECM, EGR,OC
2006	6NVXH06.0AEC	6.0	ENGINE MOI	ELS / CODES (rated power, in	hp)
ENGINE (L)		A325 / A32	5 (325 hp), A23	5 / A235 (235 h	p)
6.0				•		
<u> </u>				*	otion war: 40 CFR	86.abc=Title 40, Code of Federal Regulations, Section 86.abc;
* =not app	licable; GVWR=gross vehic =horsepower; kw=kilowatt;	cle weight rating; 13	CCR xyz=Title 13, California Code	of Regulations, Sections,	lti fuel a.k.a. BF=b	86.abc=Title 40, Code of Federal Regulations, Section 86.abc; of fuel; DF=dual fuel; FF=flexible fuel;

iliter; hp=horsepower; kw-kilowatt;
CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a. BF=bi fuel; DF=dual fuel; FF=flexible fuel;
L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Olto;
L/M/H HDD=light/medium/heavy heavy-duty diesel; UB=urban bus; HDO=heavy duty Olto;
ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2s/O2S=heated/oxygen sensor; GCARB=gaseous carburetor;
ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2s/O2S=heated/oxygen sensor; GCARB=gaseous carburetor;
ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2s/O2S=heated/oxygen sensor; GCARB=gaseous carburetor;
ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2s/O2S=heated/oxygen sensor; GCARB=gaseous carburetor;
ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2s/O2S=heated/oxygen sensor; HAFS/AFS=heated/airECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2s/O2S=heated/oxygen sensor; HAFS/AFS=heated/airECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2s/O2S=heated/oxygen sensor; GCARB=gaseous carburetor;
ECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2s/O2S=heated/oxygen sensor; HAFS/AFS=heated/airECS=emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel particulate filter; HO2s/O2S=heated/oxygen sensor; HAFS/AFS=heated/airECS=emission control system; TWC/OC=three

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.1 (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California (urban bus) or 13 CCR 1956.8 (other than urban bus); 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and exhaust emission standards and test procedures for this engine family. "Diesel" CO, EURO and NTE certification 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu compliance may have been demonstrated by the manufacturer as provided under the applicable. For multi-fueled of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.1 or 13 CCR 1956.8 are in parentheses.)

engines, the	STD and	CERT val	ues for u	stautt open						M	HC	НО
	NMHC		NOx		NMHC+NOx		CO EURO		FTP	EURO	FTP	EURO
	FTP	EURO	FTP	EURO	FTP	EURO	FTP		0.10	0.10	*	*
		0.5	*		2.5	2.5	15.5	15.5		 	*	*
STD	0.5		├	+	- - -		<u> </u>		0.10	0.07	*	•
FEL	 	 -	 -	*	2.3	2.2	1.2	0.4				*
CERT	0.1 0.1				3.125		19.375		0.125		=standard or emission test cap;	
NTE		625	<u></u>	e Edwal Ta	st Procedure;	FURO=Euro II	European Steady-State Cycle; NTE=Not-to-Exceed; STD=standard or emission test ca					HO≃formaldehy

⁴ g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed; STD=standard or emission test cap; FL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels) and 13 CCR 2035 et seq. (emission control warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

day of April 2005. Executed at El Monte, California on this _

Rephal Surrent Allen Lyons, Chief ${\cal O}$

Mobile Source Operations Division