

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-105-4
Relating to Certification of New Motor Vehicles

PANTHER WESTWINDS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Panther Westwinds Limited exhaust emission control systems for 1977 model-year passenger cars are certified for the engine family described below:

Engine Family: J72 4.2
Engine: 258 CID
Transmission: 3-speed Automatic
Exhaust Emission Control Systems: Air Injection, Exhaust Gas
Recirculation, Oxidation Catalyst

Models: Deville

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
J72 4.2	0.32	7.3	1.3

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 9 day of June, 1977.


G. C. Hass, Chief
Vehicle Emissions Control Division

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-105-4-1
Relating to Certification of New Motor Vehicles

PANTHER WESTWINDS LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Panther Westwinds Limited exhaust emission control systems for 1977 model-year passenger cars are certified for the engine family described below:

Engine Family: 4.2L/50
Engine: 258 CID
Transmission: 3-speed Automatic
Exhaust Emission Control Systems: Air Injection, Exhaust Gas
Recirculation, Oxidation Catalyst

Models: Panther J72

This Executive Order supercedes Executive Order A-105-4 dated June 9, 1977.


The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
4.2L/50	0.32	7.3	1.3

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 11 day of July, 1977.



G. C. Hass, Chief
Vehicle Emissions Control Division

Manufacturer PANTHER WESTWINDS LTD Executive Order No. A-105-4-1 Page 1
 Engine Family 4.2L/50 Engine (CID) 258 Engine 4.2L LFC-76/50
 Code 4.2L LFC-77/50
 Emission Control System AI + EGR + OC +10%(A/C) Yes ☒ No ☐

Vehicle Models (If Coded see attachment)	Trans	Inertia Weight	Distributor Type **	Fuel System Type 1-2V	EGR System	Tune-Up Specification
			Mfgr. Part Number	Mfgr. Part Number	Part No. Service*	(1) Basic Timing (2) Idle Mixture (3) Idle Speed
Panther J72	A-3	4500	Lucas C45829 (41649) **C,V for engine code 4.2L LFC-76/50 DAC 1087 (41711) **C for engine code 4.2L LFC-77/50	Zenith C45857 (3848R) front C45858 (3848L) rear	C41866 (5640) for engine code 4.2L LFC-76/50 EAC1618 (5709) for engine code 4.2L LFC-77/50	(1) 8°BTDC @ 750 RPM trans- mission in neutral. (2) 2% - 4.5% with air injection diverted. (3) 750 RPM with trans- mission in neutral (All settings with air conditioning switched off.) (Carburetors to be adjusted with air cleaner removed and engine at normal operating temperature).

Comments Numbers in parenthesis refer to visual identification numbers.

Date of Issue Refer to British Leyland E.O. A-5-32

Abbreviations

Distributor

C-Centrifugal Advance
 V-Vacuum Advance
 VR-Vacuum Retard
 HEI-High Energy Ignition
 EI-Electronic Ignition
 Fuel System
 EFI, FI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Exhaust Emission Control System

AI-Air Injection
 CAI-Catalyst Air Injection
 EFI-Electronic Fuel Injection
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 EFE-Early Fuel Evaporation
 ESAC-Electronic Spark Advance
 Control
 FI-Fuel Injection

OC-Oxidation Catalyst
 PAI-Pulse Air Injection
 RC-Reduction Catalyst
 TR-Thermal Reactor
 TWC-Three Way Catalyst
 λ-Air Fuel Ratio Sensor
 *Service
 I-Inspect, repair/replace
 as needed
 R-Replace