## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-16-18 Relating to Certification of New Motor Vehicles

TOYO KOGYO CO., LTD.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Toyo Kogyo Co., Ltd. exhaust emission control systems for 1977 model-year light-duty trucks are certified for the engine family described below:

Engine Family: CWBT

Engine: 140 CID

Transmission: 4 and 5-Speed Manual, 3-Speed Automatic

Exhaust Emission Control Systems: Air Injection, Exhaust Gas

Recirculation, Oxidation Catalyst

Model: Courier

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
CWBT	.7	6	1.4

BE IT FURTHER RESOLVED: That this certification is contingent upon Toyo Kogyo Co., Ltd. affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this certification is also contingent upon Toyo Kogyo Co., Ltd. listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this \_\_\_\_\_ day of February, 1977.

G. C. Hass, Chief

L.l. Man

Vehicle Emissions Control Division

Manufacturer TOYO KOGYO			Executive Order No. A-16-18 Page 1 Engine CWBT-M Engine (CID) 140. Code CWBT-A			
Engine Famil	y CWB	T		Engine (CID)	140.	CodeCWBT-A
Emission Cor	itrol Sy	ystem	AI + EGR +	0 <b>C</b>	+10%	(A/C) Yes NoX
Vehicle Models (If Coded see attachment)		Inertia Weight	Type <sub>C,V</sub>	Fuel System Type 1,2V Mfgr. Part Number	Part No.	Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
Courier	M-4 M-5 M-3	3000	Mitsubishi Electric Corporation T3T60771	Hitachi DCJ328-31 for manual transmissio DCJ328-32 for automatic transmissio		1)6 + 10 BTDC @ 700-900 RPM in neutral (with distributor vacuum line disconnected). 2)*4.0 + 0.5% (without AI; disconnect air hose between air pump and check valve, and plug the port of the check valve). 3)*870 + 50 RPM in neutral for manual trans.  700 + 50 RPM in "D" range for automatic trans. (See label attached)  *All accessories off.
Comments  Date of Issue						

Distributor
C-Centrifugal Advance
V-Vacuum Advance
R-Vacuum Retard
HEI-High Energy Ignition
EI-Electronic Ignition
Fuel System
EFI, FI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emission Control System
AI-Air Injection
CAI-Catalyst Air Injection
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EFE-Early Fuel Evaporation
ESAC-Electronic Spark Advance
Control
FI-Fuel Injection

OC-Oxidation Catalyst
PAI-Pulse Air Injection
RC-Reduction Catalyst
TR-Thermal Reactor
TWC-Three Way Catalyst
λ-Air Fuel Ratio Sensor

\*Service I-Inspect, repair/replace as needed

P-Penlace