

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-152
Relating to Certification of New Motor Vehicles

DAVLIN CAMPERS

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Davlin Campers exhaust emission control systems for 1978 model-year light-duty trucks are certified for the vehicles described below:

Engine Family: 20R (TC)
Displacement: 133.6
Exhaust Emission Control Systems: Air Injection, Exhaust Gas
Recirculation, Oxidation Catalyst

Models, Transmissions and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
20R (TC)	0.2	9	1.6

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".


DAVLIN CAMPERS

EXECUTIVE ORDER A-152
(Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 6 day of March, 1978.



G. C. Hass, Chief
Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Davin Campers Executive Order No. A-152 Page 1
 Engine Family 20R (TC) Engine (CID) 133.6

ABBREVIATIONS

Distributor

C-Centrifugal Advance

V-Vacuum Advance

VR-Vacuum Retard

HEI-High Energy Ignition

EI-Electronic Ignition

Fuel System

EFI, FI

nV-nVenturi Carburetor

VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection

CAI-Catalyst Air Injection

CAB-Chamber Air Bleed

DD-Dual Displacement

EFI-Electronic Fuel Injection

EGR-Exhaust Gas Recirculation

EM-Engine Modification

EFE-Early Fuel Evaporation

ESAC-Electronic Spark Advance
Control

FI-Fuel Injection

OC-Oxidation Catalyst

PAI-Pulse Air Injection

RC-Reduction Catalyst

TC-Turbo Charged

TR-Thermal Reactor

TWC-Three Way Catalyst

(Feedback Control)

EGR Syst. Service

I-Inspect, repair/replace
as needed

R-Replace

Engine Code

CM-CT

Model

Davlin/Toyota

Transmission

4M

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

☐ Passenger Cars ☒ Light-Duty Trucks ☐ Medium Duty Vehicles

Manufacturer Davlin Campers Executive Order No. A-152 Page 2

Engine Family 20R (TC) (Toyota) Engine (CID) 133.6 Engine Code

Emission Control System AI, EGR, OC +10%(A/C) Yes ☐ No ☒

Eng. Code	Vehicle Models (If Coded see attachment)	Trans	Inertia Weight Class	Distributor Type	Fuel System Type	EGR System	Tune-Up Specification
				Mfgr. Part Number	Mfgr. Part Number	Part No. Service	(1) Basic Timing (2) Idle Mixture (3) Idle Speed
CM-CT	Davlin/Toyota	4M	3500	19100-38060	21100-38161	25620-38121	(1) 8° BTDC @ Idle. (2) Lean drop idle. (3) 800 RPM. <u>Lean Drop Method</u> Set to the following value at best idle 870M, 920A, RPM turn idle mixture adjusting screw until 800M, 850A

Comments: No models have special road load HP settings.
See page 1 for abbreviations and model codes.

(40 Sq. Ft.) x 0.58 = 23 H.P.

Date of Issue March 1, 1978 Revisions: