State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-46 Relating to Certification of New Motor Vehicles

TRIUMPH MOTORS OF BRITISH LEYLAND (UK) LIMITED

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That Triumph Motors of British Leyland (UK) Ltd. exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)		
SL4/2/50C/C	122	Exhaust Gas Recirculation Air Injection Oxidation Catalyst		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
	Grams per Mile	Grams per Mile	Grams per Mile	
SL4/2/50C/C	0.26	7.0	0.8	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ____ day of December, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer _	British Leyland	Executive Order No. A-5-46	Page <u>1</u>
Engine Family	S14/2/50C/C	Engine (CID) 122	

ABBREVIATIONS
Ignition System
CA-Centrifugal Advance
EI-Electronic Ignition
ESAC
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AI-Air Injection
CCAV-Comb. Chamber Air Valve
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification
EEC-Electronic Engine Control
ESAC-Electronic Spark Advance
Control
MFI-Mechanical Fuel Injection

OC-Oxidation Catalyst
PAI-Pulse Air Injection
TC-Turbo Charged
TR-Thermal Reactor
TWC-Three Way Catalyst
(Feedback Control)
WOC-Warm-up Oxidation
Catalyst

Vehicle Model

Triumph TR7

E.O. #A <u>5 - 46</u>

1070	ΛTD	DECUMPLES	BUVDU	SUPPLEMENTAL	DATA SHEET
19/9	AIK	KESUUKUES.	BUARD	SUPPLEMENTAL	DATA SHEET

	χ Passeng	er Cars		Light-Duty	/ Trucks	Medium-Dut	y Vehicles
	anufacturer <u>T</u> i	riumph Mo	tors of E	British Ley	land (UK) Limi	ited	Page 2
Engine Family SL4/2/50C/C			C/C	Engir	ne (CID) <u>122</u>	2	Engine Code <u>PE124/2/50</u> C/C
Emission Control SystemAI, EGR, CATALYST + 10% (A/C)					PE124/2/50C/C-N Yes X No		
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys.	Fuel System	EGR Valve	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
	Triumph TR7	M-4 M-5	2750	Lucas 41700A BL Part # TKC 3330	Zenith 3862 BL Part # TCK 3145	7975704 BL Part # TKC 3523	 (1) 2° ATDC at idle. (2) 5% + 2% CO of idle. Disconnect and plug air injection system at air pump, vent pump to atmosphere. (3) 800 + 100 RPM with warm engine in neutral.
Commo	ntc Coo nago o	no for a	hhnoviati	one and ove	anomativo omic	cion family	identification

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -