State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-29 Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Daimler-Benz Aktiengesellschaft exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)		
79/2/V8E/69 417		Air Injection Exhaust Gas Recirculation Oxidation Catalyst (Mechanical Fuel Injection)		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
79/2/V8E/69	0.29	5.2	1.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ day of September, 1978.

G. C. Hass, Chief

Vehicle Emissions Control Division

E.O. #A <u>3-29</u>

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	XX Passeng	ger Cars		Light-Duty	y Trucks	Medium-Duty	Vehicles
	Manufacturer			Engi	ne (CID) 417	7	Page <u>1A</u> Engine Code M 100
	Emission Control					0% (A/C)	Yes <u>X</u> No
Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*		Fuel System Type: MFI Mfgr. Part Number	EGR Valve	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
M100	Mercedes- Benz 6.9	A-3	4500	Bosch 0 237 405 002 MB Part No 002 158 2901	100 Q1 2 MB Part No. 000 070 0706	293 MB Part No. 000 140 3560	(1) TDC at idle, vacuum connected. (2) 0.5-2.0% measured on l.h. exhaust manifold tap cyl. 5-8 (disconnected orange line to EGR transducer). Air injection disconnected (disconnect wh/pu/bl vacuum line at blue thermo valve and plug vacant port). Transmission in neutral. Accessories not in operation. (3) 600 RPM with air injection disconnected, transmission in neutral and A/C in "off" position.
	ents. See page of se refer to manu						

equipment and inertia weight class.

 $\star Axle$ ratio is that of medium duty certification vehicle.

Date of Issue -

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer	Daimler-Benz AG	Executive Order No. A-3-29	Page1
Engine Family _	79/2/V8E/69	Engine (CID)417	
ABBREVIATIONS Ignition System	ı Exhau	st Emissions Control System	

ABBREVIATIONS
Ignition System
CA-Centrifugal Advance
EI-Electronic Ignition
ESAC
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System AI-Air Injection CCAV-Comb. Chamber Air Valve EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification

ESAC-Electronic Spark Advance Control MFI-Mechanical Fuel Injection OC-Oxidation Catalyst
PAI-Pulse Air Injection
TC-Turbo Charged
TR-Thermal Reactor
TWC-Three Way Catalyst
(Feedback Control)
WOC-Warm-up Oxidation
Catalyst

Vehicle Model

Mercedes-Benz 6.9