

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-22
Relating to Certification of New Motor Vehicles

TOYOTA MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Toyota Motor Company, Ltd. exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
2T-C(C)	96.9	Air Injection Exhaust Gas Recirculation Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
2T-C(C)	0.26	6.1	1.0

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-14-2 series.

TOYOTA MOTOR COMPANY, LTD.

EXECUTIVE ORDER A-14-22
(Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 22 day of September, 1978.

A handwritten signature in cursive script, appearing to read "G. C. Hass".

G. C. Hass, Chief
Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Toyota Executive Order No. A-14-22 Page 1
 Engine Family 2T-C(C) Engine (CID) 96.9

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EI-Electronic Ignition
 ESAC
 VA-Vacuum Advance
 VR-Vacuum Retard

Fuel System

EFI, MFI
 nV-nVenturi Carburetor
 VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection
 CCAV-Comb. Chamber Air Valve
 EFI-Electronic Fuel Injection
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification

ESAC-Electronic Spark Advance
 Control
 MFI-Mechanical Fuel Injection

OC-Oxidation Catalyst
 PAI-Pulse Air Injection
 TC-Turbo Charged
 TR-Thermal Reactor
 TWC-Three Way Catalyst
 (Feedback Control)
 WOC-Warm-up Oxidation
 Catalyst

Engine Code

Model

CMD-X
 CMS-X

Corolla 2 dr. Sedan
 Corolla 4 dr. Sedan
 Corolla Sport Coupe
 Corolla Sport Coupe - SR5
 Corolla Liftback
 Corolla Liftback - SR5
 Corolla Station Wagon

CAD-X
 CAS-X

Corolla 2 dr. Sedan
 Corolla 4 dr. Sedan
 Corolla Liftback
 Corolla Station Wagon

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A 14-22

☒ Passenger Cars☐ Light-Duty Trucks☐ Medium-Duty VehiclesManufacturer Toyota Motor Company, Ltd.Page 2

Engine

Code

Engine Family 2T-C(C)Engine (CID) 96.9Emission Control System AI,EGR,OC

+ 10% (A/C)

Yes No X

Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. CA,VA,EI Distributor Part No.	Fuel System Carburetor Part No.	EGR Valve Part No.	Tune-up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
CMD-X CMS-X	Corolla	4M 5M	2500	Nippondenso 19100- 26232	Aisan 21100- 26397	25620- 26070	(1) 10° BTDC @ 900 rpm (2) Lean drop method (3) 850 rpm in Neutral
CAD-X CAS-X		3A					

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -