State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-30 Relating to Certification of New Motor Vehicles

AUDI NSU AUTO UNION AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year Audi NSU Auto Union AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

| Engine Family | Displacement Cubic Inches (Liters) | Exhaust Emission Control Systems (Special Features) | | | |
|---------------|---------------------------------------|---|--|--|--|
| DAD2.2V6FCC7 | 131 (2.1) | Three-Way Catalyst With Closed Loop (Mechanical Fuel Injection) | | | |

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per Mile |
| 0.41 | 7.0 | 0.7 |

The following are the certification emission values for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per Mile |
| 0.20 | 1.9 | 0.5 |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Notor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and Executed at El Monte, California this 27 day of May, 1982.

K. D. Drachand, Chief Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHLET

| "anufacturer _ | Audi | Executive Order No. | A-30-30 | Page _ | 1 |
|----------------|--------------|---------------------|-----------|--------|---|
| Engine Family | DAD2.2V6FCC7 | Evaporative Family | ADBI | | |
| • | | Engine CID (Liters) | 131 (2.2) | | |

ABBREVIATIONS

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel

Injection
DID-Diesel
Injection-

Direct DIP-Diesel Injection-Prechamber

MFI-Mechanical Fuel Injection TC-Turbocharged

Vehicle Models

5000 Sedan 4 *4000/Coupe

DRIVE SYSTEM: Front-engine/Front Wheel Drive

ISSUE Date: 05/28/82

evision: *06/24/82- RC#- Ol/AD2.2CC:Addition of model

| Page 2 | |
|--------|--|
|--------|--|

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| X Passenger Cars Light-Duty Trucks | Medium-Duty Vehicles X Gas Diesel |
|--|-----------------------------------|
| Manufacturer <u>Audi</u> | E.O. #A-30-30 |
| Engine Family <u>DAD2.2V6FCC7</u> | CID (liter) - Type 131 (2.1) 15 |
| ECS (Special Features) <u>TWC-CL (MFI)</u> | |
| | |

| Engine Code | Vehicle Models (If Coded see attachment) | Trans. | Equiv. Test Weight | Ign. System Part No. | Fuel System (MFI) Part No. | EGR Valve | Label Ident. Part No. |
|-----------------------|--|------------|--------------------------|--|---|-----------|---|
| 2.2NLBOI2A | 5000 | A3 | 3125 | Bosch OXS-Control Unit O35 906- | 431 906 091 431 906 0911 | or | VECI 433 000- 331 BE Vac. Hose |
| 2.2NLBHI2A 2.2NLCOI2M | | | | 263 D or F | 431 906 0911 Bosch Fuel Injec- | | 035 000- 363 CB |
| 2.2NLCHI2M | | | | | tion Control Unit 035 133 353K | | |
| | *4000/Coupe | A 3 | 2875 | | | | Vac. Hose 035 000 363 CG |
| | | M5 | 2750 | | | | |
| | | | | | | | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 05/28/82 Revisions: *06/24/82 - (RC#-01/AD2.2CC--07/15/82) Add'n of model

