

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-66
Relating to Certification of New Motor Vehicles

MAZDA MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Mazda Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
FTK1.5V2HCG4	90.9 (1.5)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.12	1.4	0.6

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 31 day of May, 1984.


K. D. Drachand, Chief
Mobile Source Division

Manufacturer Mazda Motors Corporation Executive Order No. A-16-66
Engine Family FTK1.5V2HCG4 Evaporative Family F
Engine CID (Liters) 90.9 (1.5)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
V-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TOC-Trap Oxidizer Continual
TOP-Trap Oxidizer Periodical
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DID-Diesel
Injection-
Direct
DIP-Diesel
Injection-
Prechamber
EFI-Electronic
Fuel
Injection
IC - Intercooler
MFI-Mechanical
Fuel
Injection
TC-Turbocharged

VEHICLE MODELS:

MAZDA GLC

E SYSTEM: Front Engine/ Front -Wheel Drive

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A-76-66

☒ Passenger Cars ☐ Light-Duty Trucks ☐ Medium-Duty Vehicles ☒ Gas ☐ Diesel

Manufacturer Mazda Motors Corporation

Page 2

Engine Family FTK1.5V2HCG4

Engine Code CE5-M, CE5-MC, CE5-A & CE5-AC

ECS (Special Features) AIV, CL, EGR & TWC

CID (Liter)-Type 90.9 (1.5) - I4

Engine Code	Vehicle Models (If Coded see attachment) (Hp)	Trans.	Equiv. Test Weight	Ign. System CA, VA, EEC Part No.	Fuel System 2V Part No.	EGR Valve Part No.	Label Ident. Part No.
CE5-M (W/O AC)	MAZDA GLC Hatchback 3 Door	M-4 M-5	2250 2375	D4R82-04	DFP306-302	K5T59074	BE39C BE39D
CE5-MC (W/AC)	MAZDA GLC Sedan	M-5					
CE5-A (W/O AC)	MAZDA GLC Hatchback 3 Door & Sedan	A-3					
CE5-AC (W/AC)							

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

te of Issue - May 15, 1984