## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-30-47 Relating to Certification of New Motor Vehicles

## AUDI NSU AUTO UNION AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Audi NSU Auto Union AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)			
GAD2.2V6FEY8	136	(2.2)	Three-Way Catalyst with Closed Loop (Intercooler) (Mechanical Fuel Injection) (Turbocharger)			

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per mile	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.25	1.9	0.4	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of March, 1985

K. D. Drachand, Chief Mobile Source Division

acturer	AUDI AG	Executive Order No.	A-30-47
Engine Family	GAD 2.2 V6	Evaporative Family  Engine CID (Liters)	•
ABBREVIATIONS		Exhaust Emissions Control Syste	m Special Features
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control Vacuum Advance VR-Vacuum Retard		AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System	CCV-Combustion Chamber Val CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic
Fuel System CFI, CL, DID, DII nV-nVenturi Carb	uretor		Fuel Injection IC - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

5000 S quattro

DRIVE SYSTEM: Front Engine/ 4 -Wheel Drive

Manu Engi	1986 Assenger Cars Li  ufacturer Assenting GAD :  (Special Features)	ght-Duty UDI 2.2 V6FE	Y8		AL DATA SHEET uty Vehicles Page Engin Code CID (Liter)-	e TLKOIMH/	Diesel
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve	Label Ident. Part No.
TLKOIMH	5000 S quattro	M÷5	3625	EEC 035 905 383 S	MFI 034 133 353B TC 035 145 703L		TUL 447000331 Q 447010002 H VHRD 034 000 363
TLKOIMP	11	M 5	3625 3750	_ 11 _	MFI 034133353 D TC 035145703 L		TUL 447000331 Q, 447010002 H VHRD 034000363 AS

Comments: See page one for abbreviations and evaporative emission family identification.

Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

<sup>\*</sup>Add 10% to dyno test HP for air conditioning usage.

