## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-3-65-1 Relating to Certification of New Motor Vehicles

## DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
GMB2.3V6FA10	140	(2.3)	Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.31	2.4	0.2

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

This Executive Order supersedes Executive Order A-3-65, dated August 30, 1985.

Executed at El Monte, California this  $\frac{3}{5}$  day of November, 1985.

K. D. Drachand, Chief Mobile Source Division

1300 MIK KESUNKEFS BE	DARD SUPPLEMENTAL DATA SH	EET Page 1
Caimler-Benz AG	Executive Order No	A-3-65-1
GMB2.3V6FA10	Evaporative Family	
	Engine CID (Liters) _	140 (2.3)
		•
Exhaust E	missions Control System	Special Feat
ontrol AIV-Air I CL-Closed dvance EGR-Exhau EM-Engine OC-Oxidat TR-Therma	njection-Valve Loop st Gas Recirculation Modification ion Catalyst System 1 Reactor	CCY-Combustic Chamber CFI-Central Family Injection Direct DIP-Diesel Injection Prechamb EFI-Electroni Fuel Injection MFI-Mechanica Fuel Injection TC-Turbocharge
	GMB2.3V6FA10  Exhaust E AIP-Air 1 CL-Closed EGR-Exhau EM-Engine OC-Oxidat TR-Therma TWC-Three	Exhaust Emissions Control System  AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

E.O. #A -3-65-1

198 <b>6</b> A	IR RESOURC	ES BOARD	SUPPLEMENTAL	DATA	SHEET

<u>x</u> Passe	enger Cars <u>      Li</u>	ght-Duty	/ Trucks	Medium-D	uty Vehicles	X Gas	Diesel
Manu:	facturerDaim	ler-Benz	AG		Page	2	•
Engine Family GMB2.3V6FA10  ECS (Special Features) CL,TWC (MFI)			Engine Code M102-1 CID (Liter)- Type 140 (2.3) L-4				
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System VA Part No.	Fuel System  MFI  Part No.	EGR Valve	Label Ident. Part No.
M102-1	190E2.3	A4,M5	3125	003 158 2801	Fuel Distri- butor: 0 438 101 004 Air Sensor: 0 258 003 015		Tune-up: 2015843421 Vac. Line Diagr.: 2015843021

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -