

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-43
Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES LTD

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Fuji Heavy Industries Ltd exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
HFJ1.8T2HCG2	109 (1.8)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst Oxidation Catalyst Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0-3999	0.41	9.0	1.0

The following are the certification emission values for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.32	6.3	0.2

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27th day of July, 1986.


K. D. Drachand, Chief
Mobile Source Division

198 7 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-2-43Page 1

Manufacturer Fuji Heavy Industries Ltd. Engine Family HFJL8T2HCG2
Evaporative Family NU Engine Type H04
Liters (CID) 1.8 Liters

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
SPL-Smoke Puff Limiter or
Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DID-Diesel
Injection-
Direct
DIP-Diesel
Injection-
Prechamber
EFI-Electronic
Fuel
Injection
IC-Intercooler
or aftercooler
MFI-Mechanical
Fuel
Injection
TC-Turbocharger

Fuel System

CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor

VEHICLE MODELS:

AF5; 2-door Hatchback 4WD

AU5; BRAT 4WD

Engine: Front x Mid. Rear Drive: FWD RWD 4WD Full Time 4WD Part Time x

198 7 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETE.O. # A-2-43
 Passenger Cars _____ Light-Duty Trucks x Medium-Duty Vehicles _____ Gas x Diesel _____

 Manufacturer Fuji Heavy Industries Ltd. Engine Family HFJ1.8T2HCG2

 Liter (CID) 1.8 Liters Eng. Type H04

 Emission Control Sys. (Special Features) AIV, CL, EGR, OC, TWC

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) CA, EI, VA Part No.	Fuel System 1-2V Part No.	EGR Valve Part No.	Catalyst Part No.
H1.8T2CGM	AF5 (9.0) AU5 (9.5)	M4	2625 (2500)#	Distributor: Nippondenso 100291-0300	Hitachi DCP306-24	Atsugi AEY78-14	Fuji's Part No.
H1.8T2CGMA	AF5 (9.0) AU5 (9.5)		2625	Fuji's Part No.	Fuji's Part No. 429979550	Fuji's Part No. 14710AA251	Front: 461088500 or 461088501
H1.8T2CGM ^{1/}	AF5 (9.0) ^{1/}		2500 ^{1/}	429879000			Rear: 461087600
H1.8T2CGMA ^{1/}	AF5 (9.0) ^{1/}		2500 ^{1/}				

Comments: See page one for abbreviations and evaporative emission family identification.
 Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.
 #The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).

Date of Issue June 20, 1986Revisions: 1/Dec. 23, 1986 by R/C No.87-9