State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-266-3 Relating to Certification of New Motor Vehicles

NEW UNITED MOTOR MANUFACTURING, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year New United Motor Manufacturing, Inc. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)		
HNT1.6V2FCC9	96.8	(1.6)	Air Injection - Valve Exhaust Gas Recirculation Oxygen Sensor Three-Way Catalyst		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per <u>Mile</u>	Grams per Mile	Grams per mile	
0.39	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.23 0.27	3.3	0.5		

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _

_ day of August, 1986.

K. D. Drachand, Chief Mobile Source Division

Supplemental data sheets 17.10.00

E.O. # A-266-3 1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page ___l Engine Family HNT1.6V2FCC9 Manufacturer NUMMI Engine type 4 cyl. in-line Evaporative Family ____EV-A Liters (CID) _______1.6 (96.8) ABBREVIATIONS

Ignition System

CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control -

VA-Vacuum Advance VR-Vacuum Retard

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

Exhaust Emissions Control System Special Features AIP-Air Injection-Pump

AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff limiter or Throttle Delay TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor

TWC-Three Way Catalyst System

CCV-Combustion Chamber Valve CFI-Central Fuel Injection

DID-Diesel Injection-Direct

DIP-Diesel Injection-Prechamber **EFI-Electronic**

Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection

TC-Turbocharger

VEHICLE MODELS :

Nova*	Nova*	Corolla FX*
AE82L-FEMDCA	AE82L-FLMDCA	AE82L-EGMDCA
-FEMNCA	-FLMNCA	-EGHDCA
-FEHDCA	-PLHDCA	
-FEHNCA	-FLHNCA	

Engine: Front x Mid. Rear ____ RWD ____ 4WD Full time ____ 4WD Part time ____ Drive:

5 yr/50K Emission warranty

** 2 yr/24K Emission warranty

: 17-29 **∠** Page

Issued: 05/27/86 87-R-3: 11/24/86 Rev. 8: 07/28/87

NUMMI

E.O. #	. A		J	66-	3
--------	-----	--	---	-----	---

	1987 A	LR RESO	URCES BO	DARD SUPPLEM	ental data si	HEET	
Passenger (Cars <u>x</u> Light-Du	aty Truc	cks	Medium-Duty	Vehicles	Page Gas <u>x</u> Die	e2 esel
Manufacture	er <u>Nu</u>	1MI		Engine	family	HNT1.6V	2FCC9
Liter (CID)	1.6	(96.8)		Eng.	Type 4 cyl.	in-line	
	ontrol Sys. (Spec			•			· · · · · · · · · · · · · · · · · · ·
Engine code	Vehicle Models (If Coded see attachment) (Dyno Hp: Refer to 08.13.03.00)	Туре	Test Weight	EI, CA, VA	2V, CL Part No. [Carbure-		Catalyst
lRl thru	AE82L-FEMDCA -FEMNCA -FLMDCA -FLMNCA -EGMDCA	м5	2,500	19030-01022 (19030- 16082)*1	21100-01030	25620-01010 (25620- 15250)*1	18450-01021
5 thru 8 & 5Rl thru 8Rl 5R2 thru 8R2	AE82L-FEHDCA -FEHNCA -FLHDCA -FLHNCA -EGHDCA	A3	2,625			25620-01020 (25620- 15030)*1 25620-01010 (25620- 15250)*1	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Note *1 : Numbers that appeared on parts.

: 17-30

NUMMI

Issued: 05/27/86

Rev. 1 : 07/03/86

87-R-2 & 87-R-3 : 11/24/86