State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-48-17 Relating to Certification of New Motor Vehicles

ROLLS-ROYCE MOTOR CARS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Rolls-Royce Motor Cars Limited exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displac Cubic Inche	ement s (Liters)	Exhaust Emission Control Systems (Special Features)
HRR412V6FNAO	412	(6.8)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst Heated Oxygen Sensor (Mechanical Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per mile	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.29	2.9	0.6	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment. 23'21

Executed at El Monte, California this _

day of December, 1986.

K. D. Drachand, Chief Mobile Source Division

E.O.	*A-48-17
------	----------

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

1351 VIV L	(ESOURCES BI	JAKU SUPPLEMENTAL DATA SHEET	_Page l
Manufacturer Rolls-Royce Motor (Cars Ltd	HRR412VGFNA Engine Family HRR412V6F	O. NAO
Evaporative Family No 1	· · · · · · · · · · · · · · · · · · ·	Engine Type <u>V8</u>	
		Liters (CID) 6.8 (412)	
ABBREVIATIONS	•		
Ignition System	Exhaust	Emissions Control System	Special Features
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIV-Air CL-Close EGR-Exha EM-Engin OC-Oxida SPL-Smok Thrott TOC-Trap TOP-Trap TR-Therm	Injection-Pump Injection-Valve d Loop ust Gas Recirculation e Modification tion Catalyst System e Puff Limiter or le Delay Oxidizer, Continual Oxidizer, Periodical al Reactor e-Way Catalyst System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection
Fuel System , CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor			IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger
VEHICLE MODELS: Rolls-Royce Silver Spirit Rolls-Royce Silver Spur Rolls-Royce Silver Spur Limousin Rolls-Royce Corniche II Bentley Eight Bentley Eight L Bentley Mulsanne Bentley Mulsanne L Bentley Continental	ne		
Engine: Front Mid Drive: FWD RWD		ear WD Full Time 4WD Pa	rt Time

E.O. #A-48-17

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

				AKU SUPPLEMENT		. Page	02
Passenger	Cars Light-	Duty Truc	cks	Medium-Duty Ve	ehicles(ias Die	sel
Manufactui	er Rolls-Royce Mo	tor Cars	Limited	Engine Far	nily <u>HRR412V6</u>	FNAO	
Liter (CII	0) 6.8 (412)		•	Eng. 1	Type <u>va</u>	<u> </u>	
Emission (Control Sys. (Spec	cial Feat	ures) <u>AI</u>	P, EGR, TWC, C	L (MFI)		
Engine Code	Vehicle Models (If Coded see	Trans. Type	Equiv. Test	Ign. System (ECU)	Fuel System	EGR Valve	Catalyst

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve	Catalyst Part No.
	,			CA, VA	MFI		IN/C
A	Rolls-Royce	A3					
•	Silver Spirit Silver Spur Silver Spur Limousine Corniche II		5250 5250 5500 5500	Lucas: 42643 RR: UE 70102	Metering Unit: Bosch: O 438 080026 RR: UE 70568	GM: 07045068 RR: UE 40755	Converter Assembly: UE70187
	Bentley Eight Eight L Mulsanne Mulsanne L Continental	,	5250 5250 5250 5250 5250 5500				
				•			

Comments: See page one for abbreviations and evaporative emission family identification.
Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 122486 Re	evisions:
-------------------------	-----------

E.O. #A-48-17
Pg. 3

MANUFACTURER'S HP LIST

Vehicle Models	Equiv Test Weight	RLHP (incl 10%) for ACU	
Rolls-Royce			
Silver Spirit	5250	13.9	
Silver Spur	5250	13.9	
Silver Spur Limousine	5500	13.9	
Corniche II	5500	14.8	
Bentley			
Eight	5250	13.9	
Eight L	5250	13.9	
Mulsanne	5250	13.9	
Mulsanne L	5250	13.9	
Continental	5500	14.8	

Issue Date	3 Nov '86	© Rolls-Royce Motors Limited 1984			
Revision Date					