State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-259-4 Relating to Certification of New Motor Vehicles

SUZUKI MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Suzuki Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HSK1.0V2FFC6	61	(1.0)	Air Injection-Valve Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.10	1.2	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

1 day of August, 1986.

K. D. Drachand, Chief Mobile Source Division

198 7 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Suzuki Motor Co., Ltd.	Engine Family _	HSK1.0V2FFC6
Evaporative Family EV3	Engine Type	L3
	Liters (CID)	1.0 (61)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
SPL-Smoke Puff Limiter or
Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger

VEHICLE MODELS:

Engine Code	<u>Car Line</u>	Transmission
FA	Chevrolet Sprint 2-Dr Hatchback	M5
	Chevrolet Sprint 4-Dr Hatchback	
FB	Chevrolet Sprint 2-Dr Hatchback	A3
	Chevrolet Sprint 4-Dr Hatchback	
FC	Chevrolet Sprint ER 2-DR Hatchback	M5

Engine:	Front	X	Mid	Rear
Drive:	FWD	X	RWD	4WD Full Time 4WD Part Time

	1 <u>9</u> 8	7 AIR RES	SOURCES BO	ARD SUPPLEMENT	TAL DATA SHEET	E.O. # Page	-259-4 2
	Cars X Light			Medium-Duty V	ehicles	Gas X Di	ese1
	rer <u>Suzuki Moto</u>	or Co., Li	td.	Engine Fa	mily HSK1.	V2FFC6	
	0)1.0 (61)			Eng.	Type L3		
Emission (Control Sys. (Spe	cial Feat	ures) AI	V/EGR/TWC/0xS	· · · · · · · · · · · · · · · · · · ·		
Engine Code	Vehicle Models (If Coded see	Trans. Type	Equiv. Test	Ign. System (ECU)	Fuel System	EGR Valve	Catalyst
	attachment) (Dyno Hp)		Weight	Part No.	Part No.	Part No.	Part No.
FA	Sprint 2-Dr Hatchback (7.0)	M5	1,875	ECM:	Fuel Pump: 15100-82310 Carburetor: 13200-86000	18111-86010	
	Sprint 4-Dr Hatchback (7.0)		2,000	33920-86120	(without A/C) 13201-86000 (with A/C)		
	Sprint 2-Dr Hatchback (7.0)				Fuel Pump: 15100-82310 Carburetor:		
FB	Sprint 4-Dr Hatchback (7.0)	A3	2,000	ECM: 33920-86140	13200-86300 (without A/C) 13201-86300 (with A/C)		14150- 82030
FC	Sprint ER 2-Dr Hatchback (6.2)	M5	1,875	ECM: 33920-82050	Fuel Pump: 15100-82310 Carburetor: 13200-86070 (without A/C) 13201-86070 (with A/C)	18111-86010	
Comments: Please ref Lipment.	See page one for er to manufacture If two test wei	r's HP 1	ist for co	rrect dyno tes	st HP settings	based on mod	del and