(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-112 Relating to Certification of New Motor Vehicles

VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Volkswagen AG exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displace Cubic Inches		Exhaust Emission Control System (Special Features)		
HVW2.1T5CVA9	129	(2.1)	Three-Way Catalyst Oxygen Sensor (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile	
0-3999	0.41	9.0	1.0	
4000-5999	0.50	9.0		

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.19	3.0	0.4
4000-5999	0.32	4.6	0.7

BE IT FURTHER RESOLVED: That the listed models in the 0-3999 equivalent inertia weight class were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and, for the listed vehicles in the 0-3999 equivalent inertia weight class, with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29th day of August, 1986.

K. D. Drachand, Chief Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer	Volkswagen	Executive Order No	A-7-112
Engine Family	HVW2.1T5CVA9	Evaporative Family	1. VW-V 2. VW-VS
		Engine CID (Liters) _	129 (2.1)
			Pg.1

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
'/R-Vacuum Retard
EIC: Electronic Ignition
Control

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TOC-Trap Oxidizer Continual
TOP-Trap Oxidizer Periodical
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC - Intercooler MFI-Mechanical Fue1 Injection TC-Turbocharged

VEHICLE MODELS:

- Vanagon Bus
 Vanagon Kombi
 Vanagon Campmobile
- Vanagon snycro Bus Vanagon syncro Kombi Vanagon syncro Campmobile

ORIVE SYSTEM: 1. RWD Rear Engine/ Two -Wheel Orive

2. Four Wheel Drive

C-2

Issued: 05-09-86

Page-No. 17-16

٠		160 =		unced no.	150 C 00/5		E.O.	·A-7-112	
	Passenger Cars			y Trucks	ARD SUPPLE. Medi		Vehicles	Pg. 2 × Gas	2 _ Diesel
	Manufacturer _		Volks	wagen			Page		
41	Engine Family		HVW2.	1T5CVA9	····		Engir. —Code	e MV	
	ECS (Special F	eatur es)	tures)FI/TWC/EGS (EFI/TWC/C	<u>r)os</u> cii	(Liter)- Type _	129 (2.1)	- 4 HO
-	Engine Vehicle	Models	Trans.	Equiv.	Ign. Syst	em Fu	el System	EGR Valve	Cataly

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System	Fuel System	EGR Valve	Catalyst
	(Hp)			Part No.	Part No.	Part No.	Part No
	Vanagon Bus (16.4) Vanagon Kombi (16.4)	M 4	3,750	EIC Bistributor 025905205 M	Fuel pump 043906091	n. a	025906457
MV	Vanagon Bus (16.4) Vanagon Kombi (16.4)	A 3	3,875		Fuel pressure governor 025133035 Fuel injectio		
	Vanagon Campmobil e (17.4)	M 4/A 3	4,000		control 025906022		
	Vanagon Syncro Bus/Kombi (19.2) Campmobile (20.0)	M 4+ Creeper	4,000 4,250				
	Hp list: see	e page	75-01				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

C-3

071080

Issued:

05-09-86

Page-No. 17-17