Echan

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-24-34 Relating to Certification of New Motor Vehicles

AUTOMOBILES PEUGEOT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1988 model-year Automobiles Peugeot exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

| Engine Family | Displacement Liters (Cubic Inches) | | Exhaust Emission Control System (Special Features) | | |
|---------------|---------------------------------------|-------|---|----------|--|
| JPE2.2V5FAA8 | 2.2 | (132) | Three-Way Catalyst Heated Oxygen Sensor (Electronic Port Fuel In: | jection) | |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per mile | Grams per Mile |
| 0.41 | 7.0 | 0.7 |

The following are the certification emission values for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------------|
| Grams per Mile | Grams per Mile | <u>Grams per Mile</u> |
| 0.25 | 1.8 | 0.2 |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Administrative Code, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

191 day of August, 1987.

K. D. Drachand, Chief Mobile Source Division

E.O. # <u>A-24-34</u>

19 88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| | | Page 1 |
|--|--|---|
| M facturer Automobiles PEUGEO | Engine FamilyJPE2.2V5F | AA8 |
| Evaporative Family 2.2A | Engine Type L4 | |
| | Liters (CID)2.2 (132) | · · · · · · · · · · · · · · · · · · · |
| ABBREVIATIONS | | |
| Ignition System | Exhaust Emissions Control System | Special Features |
| CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard | AIP-Air Injection-Pump AIV-Air Injection-Valve DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical | CCV-Combustion Chamber Valve CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic |
| Fu System | TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst | Fuel Injection |
| CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor | WUTWC-Warm-Up Three-Way Catalyt | IC-Intercooler or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics TC-Turbocharger |
| VEHICLE MODELS: 505 Sedan | | |
| 505 Station Wa | agon | |
| | • | |
| | | |
| | | |
| | | |
| Engine: Front X Mid | Rear | |
| Orive: FWD RWD | X 4WD Full Time 4WD Part | Time |

111506

P.01 2/4

| rer <u>Automobile</u> | s PEUGE |)T | Engine Fam | nily <u>JPE2.2</u> | V5FAA8 | |
|-----------------------|--|--|----------------|-------------------------------------|-----------|--|
|) 2.2 (132) | | | Eng. T | ype <u>r.4</u> | | • |
| Control Sys. (Spec | ial Feat | ures) <u> </u> | TWC HOS/EPFI) | | | |
| Vehicle Models | Trans. | Fauiv. | Ion. System | Fuel System | EGR Valve | Catalysi |
| (If Coded see | Туре | Test | 1 . 2 | | | |
| | Weight | weight | Part No. | Part No. | Part No. | Part No. |
| (bytto rip) | | | | | | |
| SEDAN | | | | | | SEDAN |
| 1 | A4 | 3375 | | 1 | NA | 91539 |
| 1 | A4 | 3250 | 0237 009 | 0280 000 | | 45880 |
| | | | 033 | 344 | | |
| ! | | | | | | STATION WAGON |
| 12.5 | A4 | 3025 | | | | 91536 |
| | | | | | • | 33080 |
| SEDAN | | | | | | |
| 10.0 | M5 | 3375 | | 1 | | |
| 10.3 | M5 | 3250 | | | | |
| STATION WAGON | | | | · | | 1 |
| 12.3 | М5 | 3375 | | | | |
| 12.3 | M5 | 3500 | | | | ļ |
| | | } | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | Vehicle Models (If Coded see attachment) (Oyno Hp) SEDAN 10.0 10.3 STATION WAGON 12.3 12.3 STATION WAGON 10.3 STATION WAGON 10.3 | Vehicle Models (If Coded see attachment) (Oyno Hp) SEDAN 10.0 A4 10.3 A4 STATION WAGON 12.3 A4 SEDAN 10.0 M5 12.3 A4 SEDAN 10.0 M5 12.3 A4 | Vehicle Models | Trans. Equiv. Ign. System (ECU) | Test | Vehicle Models (1f Coded see attachment) Trans. Type attachment) Equiv. Test Weight Ign. System (ECU) Fuel System (ECU) EGR Valve (ECU) SEDAN 10.0 A4 3375 A4 3250 Distributor: BOSCH 0237 009 033 NA STATION WAGON 12.3 A4 3500 A4 3625 033 344 SEDAN 10.0 M5 3375 M5 033 344 SEDAN 10.0 M5 3375 M5 033 344 |

030186

Date of Issue _____ Revisions: