State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-84 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Honda Motor Co., Ltd.* exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LHN1.6V5F5C2 <u>Displacement</u>: 1.6 Liters (97 Inches³)

Exhaust Emission Control Systems (Special Features):

Three-Way Catalyst
Oxygen Sensor
Sequential Multipoint Electronic Fuel Injection
On-Board Diagnostics

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the exhaust emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.39	7.0	0.4		

The following are the certification exhaust emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
<u>(Grams per Mile)</u>	(Grams per Mile)	(Grams per Mile)
0.22	3.4	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{1}{2}$

day of August, 1989.

K. O. Drachand, Chief Mobile Source Division

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-23-84 Page 1							
Manufacturer HONDA		Engine FamilyLHN1.6V5F5C2					
			Med-Duty Vehicles Gas _X Diesel				esel
Eng. Typ	e <u>L-4</u> L	iter (CID)	1.6	(97)	Evap. F	amily 90	OFD
Emission	Control Sys. (Use	SAE Abbry	7.)	····	02S/TWC/SMPI		
Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT							
Code/ (Cert	Veh. Models (If Coded see Attachment.)	Type: A-Auto	Test	or		Sys. Part No.	Catalyst Part No. (Vendor's)
L51	Civic Sedan EX	М	2625	7.6	EI Distributor: 30100-PM6	N/A	18150-PM6 -6610(HEY)
L51/1	Civic Sedan EX	М	2750	8.4	-A020(TD-18U) ECU: 37820-PM6 -L091(37820 -PM6-L09)		
L53	Civic Sedan EX	A	2750	7.6	EI Distributor: 30100-PM6		
L53/1	Civic Sedan EX	A	2750	8.4	-A020(TD-18U) ECU: 37820-PS9 -L501(37820 -PS9-L50)		

s X Lt-Duty	Trucks	Med-D	uty Ve	hicles	Gas X Di	esel
e <u>L-4</u>	Liter (CID)	1.6	(97)	Evap.	Family 9	OFD
Control Sys. (Us	e SAE Abbr	v.)		O2S/TWC/SMPI		<u> </u>
Front X Mid	_ Rear	Drive:	FWD X	K 4WI	D-FT 4	WD-PT
Veh. Models	Trans.				1	Catalyst
(11 Coded	Type:	Test Weight	DPA	Part No.	Dys.	rart no.
Attachment.)	M-MAN.	WEIGHT				(Vendor's)
Civic Sedan EX	A	2750	7.6	EI Distributor: 30100-PM6	N/A	18150-PM6 -6610(HEY)
Civic Sedan EX	A	2750	8.4	ECU:		
	wrer HOI S X Lt-Duty e L-4 Control Sys. (Use Front X Mid. Veh. Models (If Coded see Attachment.) Civic Sedan EX	s X Lt-Duty Trucks e L-4 Liter (CID Control Sys. (Use SAE Abbr Front X Mid. Rear Veh. Models Trans. (If Coded Type: see A-Auto Attachment.) M-MAN. Civic Sedan EX A	s X Lt-Duty Trucks Med-De L-4 Liter (CID) 1.6 Control Sys. (Use SAE Abbrv.) Front X Mid. Rear Drive: Veh. Models Trans. Equiv. (If Coded Type: Test See A-Auto Weight Attachment.) M-MAN. Civic Sedan EX A 2750	wrer HONDA Engine I S X Lt-Duty Trucks Med-Duty Version I S X Lt-Duty Trucks Med-Duty Version I S I S I S I S I S I S I S I S I S I	Note	Veh. Models

Date	of	Issued	11/28/89	Revisions
------	----	--------	----------	-----------