State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-173 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: LNS2.4T5FBC2 Displacement: 2.4 Liters (145.8 Cu. In.)

Exhaust Emission Control Systems (Special Features):

Three-Way Catalyst
Oxygen Sensor
Pulsed Secondary Air Injection
Exhaust Gas Recirculation
Sequential Multipoint Electronic Fuel Injection
On-Board Diagnostics

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Hydrocarbons Weight(lbs.) (Grams per Mile)		Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
0 - 3,750	0.39	9.0	0.4	

The following are the certification emission values for this engine family:

Loaded Vehicle Hydrocarbons Weight(lbs.) (Grams per Mile)		Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
0 ~ 3,750	2.23	3.6	0.2	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of August, 1989.

K. D. Drachand, Chief Mobile Source Division 17.11.00 1990 AIR RESOURCES

11.00	•		E.O.	# A-15-173	3
BOARD	SUPPLEMENTAL	DATA			

Page 1

Manufacturer: NISSAN HOTOR CO., LTD. Engine Family: LNS2.4T5FBC2

Pass Cars____ Lt-Duty Trucks_X_ Med-Duty Vehicles____ Gas_X_ Diesel____

Eng.Type L-4, OHC Liter (CID) 2.4 (145.8) Evap.Family FI4-4

Emission Control Sys. (Use SAE Abbrv.) TWC/PAIR/02S/EGR/SMPI

Engine:Front X Mid. Rear Drive:FVD RWD X 4VD-FT 4VD-PT

	Vehicle Models (If Coded see attachment)	Туре	 Equiv. Test Weight	or	Ign. System (ECU) Part No.	 EGR Valve Part No	**
 AK24ECA9 	HARDBODY 4×2 Regular bed	 	3250 	, 11.7		 	
	HARDBODY 4x2 KING CAB		3375	10.9			Fxx,x6 Fxx,x1 Fxx,x7 Fxx,x2 Fxx,xK Fxx,xL
	HARDBODY 4×2 Regular bed		3125	11.7			
	HARDBODY 4x2 KING CAB		3250	10.9			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. ##EIW of these models are between 4000 - 5999 lbs.

Issue Date: 05/22/89

Revision Date:

^{***}The figures and numbers in the place of the mark x are variable according to lot number and production date.

		+11.11	.00-2			. ^ .	
17.11.00	19 <u>90</u> AIR RESOU	RCES BO	ARD SUP	PLEMENTAL DA	TA SHEET		113
Hanufactu	E.O. # A-JS-J3 1.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2 Carturer: NISSAN HOTOR CO., LTD.						
Pass Cars							
Eng.Type_	L-4, OHC L	iter (C	BOARD SUPPLEMENTAL DATA SHEET				
Emission	Control Sys.(Us	e SAE A	bbrv.)	TWC/PAIR/02	S/EGR/SMPI		
Engine:Fr	ont X Hid.	Rea	r !	Drive:FWD	_ RWD_X4	WD-FT	4WD-PT
Engine Code/	Vehicle Models (If Coded see	Trans. Type	Equiv. Test	RLHP or DPA	Ign. System (ECU) 	EGR Valve 	Catalyst **
	·=·	 	3250	11.7	Unit	AEY77-41 	
	HARDBODY 4x2						Fxx,x1
			3125				Fxx,x2 Fxx,xK
BK24ECH9	 HARDBODY 4×2		3250	10.9			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. ##EIV of these models are between 4000 - 5999 lbs.

Issue Date: 05/22/89

Revision Date:

^{***}The figures and numbers in the place of the mark x are variable according to lot number and production date.