State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-236 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Chrysler Corporation exhaust emission control systems are certified as described below for light-duty trucks and medium-duty vehicles:

Fuel Type: Gasoline

.

Engine Family: NCR3.9T5FGXO <u>Displacement</u>: 3.9 Liters (239 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor Three-Way Catalyst

Exhaust Gas Recirculation

Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

Loaded Vehicle <u>Weight (lbs.)</u>	Non-Methane <u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	Nitrogen Oxides
3751-5750	0.50	9.0	1.0

The certification emission values for this engine family in grams per mile are as follows:

Loaded Vehicle <u>Weight (lbs.)</u>	Non-Methane <u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
3751-5750	0.35	1.8	0.3

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24 day of June, 1991.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

ATTACHMENT TO SDS PGS. 1 & 2 OF EXECUTIVE ORDER A-9-236

VEHICLE MODELS/CARLINE

Engine/Evap: NCR3.9T5FGXO / NCRTF Exhaust Control System: TWC, EGR, HO2S, SMPI

Evap. Control System: Canister

Engine Displacement: 3.9L

Carline	Model Code
DODGE PICKUP	D1E61, D1E62, D1L61, D1L62, D2L62, D5E61, D5L61, D5E62, D5L62, D5E62
DODGE VAN/WAGON	B1L11, B1L12, B2L12, B1L51, B2L13, B3L12, B3L13, B1L52, B1L51, B2L52, B2L11
DODGE DAKOTA PICKUP	N1L62, N1L62, N1L31, N1L61

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-9-236 Page 1 Manufacturer CHRYSLER CORPORATION Engine Family NCR3.9T5FGXO Pass Car____ Lt-Duty Truck x Med-Duty Vehicle x Fuel Type Gasoline OHV Engine Config. V6 Liter (CID) 3.9 (239) Evaporative Family NCRTF Exhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC, EGR, HO2S, SMPI (Use abbreviations per SAE J1930 Jun88) Engine: Front x Mid. Rear Drive: FWD RWD x 4WD-FT 4WD-PT x | Veh. Models | Trans. | Equiv. | RLHP| Ign.Sys. EGR Catalyst Eng. |Type: | Test | [(PCME/PROM)] Syst. Part No. l(If Coded Code/ | Part No. Part |A-Auto| Weight| (Cert. see Attachmt.) [M-Man.] No. Std.) 56027139 4287782 52018134 4200 S A-1 BlL11,B1L12 Α 56027140 52018129 Ε .50/9.0/1.0 4500 52018131 B1L12,B2L12, E 52018136 BILII 52018140 A 52018129 Τ 4750 Т B1L51,B2L13, B3L12,B3L13, Α C H 5000 M B1L52,B1L51, Ε B2L52 N Т 56027127 D1E61,D1E62, 4250 A-2 56027128 D1L61.D1L62 .50/9.0/1.0 4500 D2L62, D5E61, D5L61 4750 D5E62,D5L62 56027123 3875 N1L61,N1L62 A-3 56027124 .50/9.0/1.0 4000 $\overline{N1L31}$

Revisions:

Code/ (Cert. Std.) M-1 9.0/1.0	Veh. Models (If Coded see Attachmt.) N1L61	lType: A-Autol	Equiv. Test Weight	, <u> </u>	Ign.Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalys Part No
M-1 9.0/1.0	N1L61		3750			RU.	
	N1L62			S E	56027131 56027132	4287782	see pg.
			3875	E		-	
	N1L31		4000	A T T			
•	D1E61,D1L61		4250	T A			
	D1E62,D1L62	1	4500	C H M			
	D5E61,D5E62, D5L61,D5L62, D2L62	,	4750	E N T			
M-2	Billi		4250		56027135 56027136		
9.0/1.0	B2L11		4500				:
	B1L51		4750				