

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-236
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Chrysler Corporation exhaust emission control systems are certified as described below for light-duty trucks and medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: NCR3.9T5FGX0 Displacement: 3.9 Liters (239 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor
Three-Way Catalyst
Exhaust Gas Recirculation
Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
3751-5750	0.50	9.0	1.0

The certification emission values for this engine family in grams per mile are as follows:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
3751-5750	0.35	1.8	0.3

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24th day of June, 1991.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

ATTACHMENT TO SDS PGS. 1 & 2
OF EXECUTIVE ORDER A-9-236

VEHICLE MODELS/CARLINE

Engine/Evap: NCR3.9T5FGXO / NCRTF
Exhaust Control System: TWC, EGR, HO2S, SMPI
Evap. Control System: Canister
Engine Displacement: 3.9L

Carline

Model Code

DODGE PICKUP

D1E61, D1E62, D1L61,
D1L62, D2L62, D5E61,
D5L61, D5E62, D5L62,
D5E62

DODGE VAN/WAGON

B1L11, B1L12, B2L12,
B1L51, B2L13, B3L12,
B3L13, B1L52, B1L51,
B2L52, B2L11

DODGE DAKOTA PICKUP

N1L62, N1L62, N1L31,
N1L61

Manufacturer CHRYSLER CORPORATION Engine Family NCR3.9T5FGXOPass Car Lt-Duty Truck x Med-Duty Vehicle x Fuel Type Gasoline
OHVEngine Config. V6 Liter (CID) 3.9 (239) Evaporative Family NCRTFExhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC, EGR, HO2S, SMPI
(Use abbreviations per SAE J1930 Jun88)Engine: Front x Mid. Rear Drive: FWD RWD x 4WD-FT 4WD-PT x

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign.Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
A-1 .50/9.0/1.0	B1L11,B1L12	A	4200	S	56027139	4287782	52018134
				E	56027140		52018129
	B1L12,B2L12, B1L11		4500	E			52018131
				A			52018136
A-2 .50/9.0/1.0	B1L51,B2L13, B3L12,B3L13,		4750	T			52018140
				A			52018129
	B1L52,B1L51, B2L52		5000	T			
				A			
A-3 .50/9.0/1.0	D1E61,D1E62, D1L61,D1L62		4250	T	56027127		
					56027128		
	D2L62,D5E61, D5L61		4500				
A-3 .50/9.0/1.0	D5E62,D5L62		4750				
A-3 .50/9.0/1.0	N1L61,N1L62		3875		56027123		
					56027124		
A-3 .50/9.0/1.0	N1L31		4000				

Manufacturer CHRYSLER CORPORATION Engine Family NCR3.9T5FCXOPass Car Lt-Duty Truck x Med-Duty Vehicle x Fuel Type GasolineEngine Config. OHV V6 Liter (CID) 3.9 (239) Evaporative Family NCRTFExhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC, EGR, HO2S, SMPT
(Use abbreviations per SAE J1930 Jun88)Engine: Front x Mid. Rear Drive: FWD RWD x 4WD-FT 4WD-PT x

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign.Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
M-1 .50/9.0/1.0	N1L61	M	3750	S	56027131	4287782	see pg. 1
				E	56027132		
	N1L62		3875	E			
	N1L31		4000	A			
	D1E61, D1L61		4250	T			
	D1E62, D1L62		4500	T			
M-2 .50/9.0/1.0	D5E61, D5E62, D5L61, D5L62, D2L62		4750	A			
				T			
	B1L11		4250	T	56027135		
				T	56027136		
	B2L11		4500				
	B1L51		4750				

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS P 1 & 2
OF EXECUTIVE ORDER A-9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN MFG TIME SEC	*DYNO HP	TIRE F	PRES R
AB1L11	EHC DDQ RA	4250	5000	Y	STD	92 TPF TAD TZA	12.56	16.70	35	35
					OPT	92 TPF TAD TZH	12.39	16.00	35	35
					OPT	92 TPG TAD TZA	12.56	16.70	35	35
					OPT	92 TPG TAD TZH	12.39	16.00	35	35
					OPT	92 TRE TAD TZA	12.56	16.70	35	35
					OPT	92 TRF TAD TZA	12.56	16.70	35	35
					OPT	92 TSC TAD TZA	12.21	17.40	35	35
					OPT	92 TSC TAD TZH	12.39	16.00	35	35
					OPT	92 TSF TAD TZA	12.21	17.40	35	35
AB1L11	EHC DGG RW	4250	5000	Y	STD	92 TPF TAD TZA	12.06	16.80	35	35
					OPT	92 TPF TAD TZH	11.89	16.10	35	35
					OPT	92 TPG TAD TZA	12.06	16.80	35	35
					OPT	92 TPG TAD TZH	11.89	16.10	35	35
					OPT	92 TRE TAD TZA	12.06	16.80	35	35
					OPT	92 TRF TAD TZA	12.06	16.80	35	35
					OPT	92 TSC TAD TZA	11.85	17.00	35	35
					OPT	92 TSC TAD TZH	11.89	16.10	35	35
					OPT	92 TSF TAD TZA	11.85	17.00	35	35
					OPT	92 TSF TAD TZH	11.89	16.10	35	35
AB1L11	EHC DGN RW	4500	5000	Y	STD	92 TPF TAD TZA	12.71	16.80	35	35
					OPT	92 TPF TAD TZH	12.54	16.10	35	35
					OPT	92 TPG TAD TZA	12.71	16.80	35	35
					OPT	92 TPG TAD TZH	12.54	16.10	35	35
					OPT	92 TRE TAD TZA	12.71	16.80	35	35
					OPT	92 TRF TAD TZA	12.71	16.80	35	35
					OPT	92 TSC TAD TZA	12.49	17.00	35	35
					OPT	92 TSC TAD TZH	12.54	16.10	35	35
					OPT	92 TSF TAD TZA	12.49	17.00	35	35
AB1L12	EHC DGG RW	4500	5000	Y	STD	92 TPF TAD TZA	12.71	16.80	35	35
					OPT	92 TPF TAD TZH	12.54	16.10	35	35
					OPT	92 TPG TAD TZA	12.71	16.80	35	35
					OPT	92 TPG TAD TZH	12.54	16.10	35	35
					OPT	92 TRE TAD TZA	12.71	16.80	35	35
					OPT	92 TRF TAD TZA	12.71	16.80	35	35
					OPT	92 TSC TAD TZA	12.49	17.00	35	35
					OPT	92 TSC TAD TZH	12.54	16.10	35	35
					OPT	92 TSF TAD TZA	12.49	17.00	35	35
					OPT	92 TSF TAD TZH	12.54	16.10	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - TG11 - 400 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS P 1 & 2
OF EXECUTIVE ORDER A -9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AB1L12	EHC DGN RW	4500	5000	Y	STD	92 TPF TAD TZA	12.71	16.80	35	35
					OPT	92 TPF TAD TZH	12.54	16.10	35	35
					OPT	92 TPG TAD TZA	12.71	16.80	35	35
					OPT	92 TPG TAD TZH	12.54	16.10	35	35
					OPT	92 TRE TAD TZA	12.71	16.80	35	35
					OPT	92 TRF TAD TZA	12.71	16.80	35	35
					OPT	92 TSC TAD TZA	12.49	17.00	35	35
					OPT	92 TSC TAD TZH	12.54	16.10	35	35
					OPT	92 TSF TAD TZA	12.49	17.00	35	35
					OPT	92 TSF TAD TZH	12.54	16.10	35	35
AB1L51	EHC DDQ RA	4750	5300	Y	STD	92 TPF TAD TZA	13.77	16.20	35	35
					OPT	92 TPF TAD TZH	13.59	15.20	35	35
					OPT	92 TPG TAD TZA	13.77	16.20	35	35
					OPT	92 TPG TAD TZH	13.59	15.20	35	35
					OPT	92 TRE TAD TZA	13.77	16.20	35	35
					OPT	92 TRF TAD TZA	13.77	16.20	35	35
					OPT	92 TSC TAD TZA	13.36	16.90	35	35
					OPT	92 TSC TAD TZH	13.59	15.20	35	35
					OPT	92 TSD TAD TZA	13.36	16.90	35	35
					OPT	92 TSD TAD TZH	13.59	15.20	35	35
					OPT	92 TSF TAD TZA	13.36	16.90	35	35
					OPT	92 TSF TAD TZH	13.59	15.20	35	35
AB1L51	EHC DGG RW	4750	5300	Y	STD	92 TPF TAD TZA	13.17	17.00	35	35
					OPT	92 TPF TAD TZH	13.00	16.30	35	35
					OPT	92 TPG TAD TZA	13.17	17.00	35	35
					OPT	92 TPG TAD TZH	13.00	16.30	35	35
					OPT	92 TRE TAD TZA	13.17	17.00	35	35
					OPT	92 TRF TAD TZA	13.17	17.00	35	35
					OPT	92 TSC TAD TZA	12.94	17.20	35	35
					OPT	92 TSC TAD TZH	13.00	16.30	35	35
					OPT	92 TSD TAD TZA	12.94	17.20	35	35
					OPT	92 TSD TAD TZH	13.00	16.30	35	35
					OPT	92 TSF TAD TZA	12.94	17.20	35	35
AB1L51	EHC DGN RW	5000	5300	Y	STD	92 TPF TAD TZA	13.65	16.60	35	35
					OPT	92 TPF TAD TZH	13.49	15.60	35	35
					OPT	92 TPG TAD TZA	13.65	16.60	35	35
					OPT	92 TPG TAD TZH	13.49	15.60	35	35
					OPT	92 TRE TAD TZA	13.65	16.60	35	35
					OPT	92 TRF TAD TZA	13.65	16.60	35	35
					OPT	92 TSC TAD TZA	13.41	16.80	35	35
					OPT	92 TSC TAD TZH	13.49	15.60	35	35
					OPT	92 TSD TAD TZA	13.41	16.80	35	35
					OPT	92 TSD TAD TZH	13.49	15.60	35	35
					OPT	92 TSF TAD TZA	13.41	16.80	35	35
					OPT	92 TSF TAD TZH	13.49	15.60	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - TG11 - 401 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS P 1 & 2
OF EXECUTIVE ORDER A -9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN MFG TIME SEC	*DYNO HP	TIRE F	PRES R
AB1L52	EHC DGG RW	5000	5300	Y	STD 92	TPF TAD TZA	13.65	16.60	35	35
					OPT 92	TPF TAD TZH	13.49	15.60	35	35
					OPT 92	TPG TAD TZA	13.65	16.60	35	35
					OPT 92	TPG TAD TZH	13.49	15.60	35	35
					OPT 92	TRE TAD TZA	13.65	16.60	35	35
					OPT 92	TRF TAD TZA	13.65	16.60	35	35
					OPT 92	TSC TAD TZA	13.41	16.80	35	35
					OPT 92	TSC TAD TZH	13.49	15.60	35	35
					OPT 92	TSF TAD TZA	13.41	16.80	35	35
					OPT 92	TSF TAD TZH	13.49	15.60	35	35
AB1L52	EHC DGN RW	5000	5300	Y	STD 92	TPF TAD TZA	13.65	16.60	35	35
					OPT 92	TPF TAD TZH	13.49	15.60	35	35
					OPT 92	TPG TAD TZA	13.65	16.60	35	35
					OPT 92	TPG TAD TZH	13.49	15.60	35	35
					OPT 92	TRE TAD TZA	13.65	16.60	35	35
					OPT 92	TRF TAD TZA	13.65	16.60	35	35
					OPT 92	TSC TAD TZA	13.41	16.80	35	35
					OPT 92	TSC TAD TZH	13.49	15.60	35	35
					OPT 92	TSF TAD TZA	13.41	16.80	35	35
					OPT 92	TSF TAD TZH	13.49	15.60	35	35
AB2L11	EHC DDQ RA	4500	6010	Y	STD 92	TRE TAD TZA	13.27	16.70	35	35
					OPT 92	TRF TAD TZA	13.27	16.70	35	35
					OPT 92	TSC TAD TZA	12.90	17.40	35	35
					OPT 92	TSC TAD TZH	13.09	16.00	35	35
					OPT 92	TSD TAD TZA	12.90	17.40	35	35
					OPT 92	TSD TAD TZH	13.09	16.00	35	35
					OPT 92	TSF TAD TZA	12.90	17.40	35	35
					OPT 92	TSF TAD TZH	13.09	16.00	35	35
AB2L11	EHC DGG RW	4250	6010	Y	STD 92	TRE TAD TZA	12.06	16.80	35	35
					OPT 92	TRF TAD TZA	12.06	16.80	35	35
					OPT 92	TSC TAD TZA	11.85	17.00	35	35
					OPT 92	TSC TAD TZH	11.89	16.10	35	35
					OPT 92	TSD TAD TZA	11.85	17.00	35	35
					OPT 92	TSD TAD TZH	11.89	16.10	35	35
					OPT 92	TSF TAD TZA	11.85	17.00	35	35
					OPT 92	TSF TAD TZH	11.89	16.10	35	35
AB2L11	EHC DGN RW	4500	6010	Y	STD 92	TRE TAD TZA	12.71	16.80	35	35
					OPT 92	TRF TAD TZA	12.71	16.80	35	35
					OPT 92	TSC TAD TZA	12.49	17.00	35	35
					OPT 92	TSC TAD TZH	12.54	16.10	35	35
					OPT 92	TSD TAD TZA	12.49	17.00	35	35
					OPT 92	TSD TAD TZH	12.54	16.10	35	35
					OPT 92	TSF TAD TZA	12.49	17.00	35	35
					OPT 92	TSF TAD TZH	12.54	16.10	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - TG11 - 402 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS P 1 & 2
OF EXECUTIVE ORDER A-9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN MFG TIME SEC	*DYNO HP	TIRE F	PRES R
AB2L12	EHC DGG RW	4500	6010	Y	STD	92 TRE TAD TZA	12.71	16.80	35	35
					OPT	92 TRF TAD TZA	12.71	16.80	35	35
					OPT	92 TSC TAD TZA	12.49	17.00	35	35
					OPT	92 TSC TAD TZH	12.54	16.10	35	35
					OPT	92 TSD TAD TZA	12.49	17.00	35	35
					OPT	92 TSD TAD TZH	12.54	16.10	35	35
					OPT	92 TSF TAD TZA	12.49	17.00	35	35
					OPT	92 TSF TAD TZH	12.54	16.10	35	35
AB2L12	EHC DGN RW	4500	6010	Y	STD	92 TRE TAD TZA	12.71	16.80	35	35
					OPT	92 TRF TAD TZA	12.71	16.80	35	35
					OPT	92 TSC TAD TZA	12.49	17.00	35	35
					OPT	92 TSC TAD TZH	12.54	16.10	35	35
					OPT	92 TSD TAD TZA	12.49	17.00	35	35
					OPT	92 TSD TAD TZH	12.54	16.10	35	35
					OPT	92 TSF TAD TZA	12.49	17.00	35	35
					OPT	92 TSF TAD TZH	12.54	16.10	35	35
AB2L13	EHC DGG RW	4750	6400	Y	STD	92 TSC TAD TZA	12.94	17.20	35	35
					OPT	92 TSC TAD TZH	13.00	16.30	35	35
					OPT	92 TSD TAD TZA	12.94	17.20	35	35
					OPT	92 TSD TAD TZH	13.00	16.30	35	35
AB2L13	EHC DGN RW	4750	6400	Y	STD	92 TSC TAD TZA	12.94	17.20	35	35
					OPT	92 TSC TAD TZH	13.00	16.30	35	35
					OPT	92 TSD TAD TZA	12.94	17.20	35	35
					OPT	92 TSD TAD TZH	13.00	16.30	35	35
AB2L52	EHC DGG RW	5000	6010	Y	STD	92 TRE TAD TZA	13.65	16.60	35	35
					OPT	92 TRF TAD TZA	13.65	16.60	35	35
					OPT	92 TSC TAD TZA	13.41	16.80	35	35
					OPT	92 TSC TAD TZH	13.49	15.60	35	35
					OPT	92 TSD TAD TZA	13.41	16.80	35	35
					OPT	92 TSD TAD TZH	13.49	15.60	35	35
					OPT	92 TSF TAD TZA	13.41	16.80	35	35
					OPT	92 TSF TAD TZH	13.49	15.60	35	35
AB2L52	EHC DGN RW	5000	6010	Y	STD	92 TRE TAD TZA	13.65	16.60	35	35
					OPT	92 TRF TAD TZA	13.65	16.60	35	35
					OPT	92 TSC TAD TZA	13.41	16.80	35	35
					OPT	92 TSC TAD TZH	13.49	15.60	35	35
					OPT	92 TSD TAD TZA	13.41	16.80	35	35
					OPT	92 TSD TAD TZH	13.49	15.60	35	35
					OPT	92 TSF TAD TZA	13.41	16.80	35	35
					OPT	92 TSF TAD TZH	13.49	15.60	35	35
AB3L12	EHC DGG RW	4750	7500	Y	STD	92 TWP TAD TZH	12.41	17.20	40	40
					OPT	92 TWS TAD TZH	12.41	17.20	40	40
AB3L13	EHC DGG RW	4750	7500	Y	STD	92 TWR TAD TZH	12.41	17.20	40	40
					OPT	92 TWS TAD TZH	12.41	17.20	40	40

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - TG11 - 403 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS PGS. 1 & 2
OF EXECUTIVE ORDER A-9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN MFG TIME SEC	*DYNO HP	TIRE F	PRES R
AD1E61	EHC DDP RW	4250	5200	Y	STD	92 TPF TAD TZA	12.93	16.30	35	35
					OPT	92 TPF TAD TZH	12.85	15.50	35	35
					OPT	92 TSC TAD TZA	12.58	17.00	35	35
					OPT	92 TSC TAD TZH	12.85	15.50	35	35
					OPT	92 TSD TAD TZA	12.58	17.00	35	35
					OPT	92 TSD TAD TZH	12.85	15.50	35	35
					OPT	92 TSF TAD TZA	12.58	17.00	35	35
					OPT	92 TSF TAD TZH	12.85	15.50	35	35
					OPT	92 TSL TAD TZA	12.43	15.40	35	35
					OPT	92 TSL TAD TZH	12.72	15.40	35	35
AD1E61	EHC DGG RW	4250	5200	Y	STD	92 TPF TAD TZA	12.61	16.30	35	35
					OPT	92 TPF TAD TZH	12.52	15.60	35	35
					OPT	92 TSC TAD TZA	12.27	17.00	35	35
					OPT	92 TSC TAD TZH	12.52	15.60	35	35
					OPT	92 TSD TAD TZA	12.27	17.00	35	35
					OPT	92 TSD TAD TZH	12.52	15.60	35	35
					OPT	92 TSF TAD TZA	12.27	17.00	35	35
					OPT	92 TSF TAD TZH	12.52	15.60	35	35
					OPT	92 TSL TAD TZA	12.15	15.40	35	35
					OPT	92 TSL TAD TZH	12.41	15.40	35	35
AD1E61	EHC DGN RW	4250	5200	Y	STD	92 TPF TAD TZA	12.61	16.30	35	35
					OPT	92 TPF TAD TZH	12.52	15.60	35	35
					OPT	92 TSC TAD TZA	12.27	17.00	35	35
					OPT	92 TSC TAD TZH	12.52	15.60	35	35
					OPT	92 TSD TAD TZA	12.27	17.00	35	35
					OPT	92 TSD TAD TZH	12.52	15.60	35	35
					OPT	92 TSF TAD TZA	12.27	17.00	35	35
					OPT	92 TSF TAD TZH	12.52	15.60	35	35
					OPT	92 TSL TAD TZA	12.15	15.40	35	35
					OPT	92 TSL TAD TZH	12.41	15.40	35	35
AD1E62	EHC DDP RW	4500	5200	Y	STD	92 TPF TAD TZA	13.56	16.40	35	35
					OPT	92 TPF TAD TZH	13.50	15.60	35	35
					OPT	92 TSC TAD TZA	13.50	15.60	35	35
					OPT	92 TSC TAD TZH	13.50	15.60	35	35
					OPT	92 TSD TAD TZA	13.19	17.20	35	35
					OPT	92 TSD TAD TZH	13.50	15.60	35	35
					OPT	92 TSF TAD TZA	13.19	17.20	35	35
					OPT	92 TSF TAD TZH	13.50	15.60	35	35
					OPT	92 TSL TAD TZA	13.01	15.60	35	35
					OPT	92 TSL TAD TZH	13.34	15.50	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - TG11 - 404 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS PG. 1 & 2
OF EXECUTIVE ORDER A-9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN MFG TIME SEC	*DYNO HP	TIRE F	PRES R
AD1E62	EHC DGG RW	4250	5200	Y	STD	92 TPF TAD TZA	12.61	16.30	35	35
					OPT	92 TPF TAD TZH	12.52	15.60	35	35
					OPT	92 TSC TAD TZA	12.27	17.00	35	35
					OPT	92 TSC TAD TZH	12.52	15.60	35	35
					OPT	92 TSD TAD TZA	12.27	17.00	35	35
					OPT	92 TSD TAD TZH	12.52	15.60	35	35
					OPT	92 TSF TAD TZA	12.27	17.00	35	35
					OPT	92 TSF TAD TZH	12.52	15.60	35	35
					OPT	92 TSL TAD TZA	12.15	15.40	35	35
					OPT	92 TSL TAD TZH	12.41	15.40	35	35
AD1E62	EHC DGN RW	4250	5200	Y	STD	92 TPF TAD TZA	12.61	16.30	35	35
					OPT	92 TPF TAD TZH	12.52	15.60	35	35
					OPT	92 TSC TAD TZA	12.27	17.00	35	35
					OPT	92 TSC TAD TZH	12.52	15.60	35	35
					OPT	92 TSD TAD TZA	12.27	17.00	35	35
					OPT	92 TSD TAD TZH	12.52	15.60	35	35
					OPT	92 TSF TAD TZA	12.27	17.00	35	35
					OPT	92 TSF TAD TZH	12.52	15.60	35	35
					OPT	92 TSL TAD TZA	12.15	15.40	35	35
					OPT	92 TSL TAD TZH	12.41	15.40	35	35
AD1L61	EHC DDP RW	4250	5500	Y	STD	92 TMD TAD TZA	12.93	16.30	35	35
					OPT	92 TMT TAD TZA	12.93	16.30	35	35
					OPT	92 TSC TAD TZA	12.58	17.00	35	35
					OPT	92 TSC TAD TZH	12.85	15.50	35	35
					OPT	92 TSD TAD TZA	12.58	17.00	35	35
					OPT	92 TSD TAD TZH	12.85	15.50	35	35
					OPT	92 TSF TAD TZA	12.58	17.00	35	35
					OPT	92 TSF TAD TZH	12.85	15.50	35	35
					OPT	92 TSL TAD TZA	12.43	15.40	35	35
					OPT	92 TSL TAD TZH	12.72	15.40	35	35
AD1L61	EHC DGG RW	4250	5500	Y	STD	92 TMD TAD TZA	12.61	16.30	35	35
					OPT	92 TMT TAD TZA	12.61	16.30	35	35
					OPT	92 TSC TAD TZA	12.27	17.00	35	35
					OPT	92 TSC TAD TZH	12.52	15.60	35	35
					OPT	92 TSD TAD TZA	12.27	17.00	35	35
					OPT	92 TSD TAD TZH	12.52	15.60	35	35
					OPT	92 TSF TAD TZA	12.27	17.00	35	35
					OPT	92 TSF TAD TZH	12.52	15.60	35	35
					OPT	92 TSL TAD TZA	12.15	15.40	35	35
					OPT	92 TSL TAD TZH	12.41	15.40	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - TG11 - 405 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS PGS. 1 & 2
OF EXECUTIVE ORDER A-9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN MFG TIME SEC	*DYNO HP	TIRE F	PRES R
AD1L61	EHC DGN RW	4250	5500	Y	STD	92 TMD TAD TZA	12.61	16.30	35	35
					OPT	92 TMT TAD TZA	12.61	16.30	35	35
					OPT	92 TSC TAD TZA	12.27	17.00	35	35
					OPT	92 TSC TAD TZH	12.52	15.60	35	35
					OPT	92 TSD TAD TZA	12.27	17.00	35	35
					OPT	92 TSD TAD TZH	12.52	15.60	35	35
					OPT	92 TSF TAD TZA	12.27	17.00	35	35
					OPT	92 TSF TAD TZH	12.52	15.60	35	35
					OPT	92 TSL TAD TZA	12.15	15.40	35	35
					OPT	92 TSL TAD TZH	12.41	15.40	35	35
AD1L62	EHC DDP RW	4500	5500	Y	STD	92 TMD TAD TZA	13.56	16.40	35	35
					OPT	92 TMT TAD TZA	13.56	16.40	35	35
					OPT	92 TSC TAD TZA	13.19	17.20	35	35
					OPT	92 TSC TAD TZH	13.50	15.60	35	35
					OPT	92 TSD TAD TZA	13.19	17.20	35	35
					OPT	92 TSD TAD TZH	13.50	15.60	35	35
					OPT	92 TSF TAD TZA	13.19	17.20	35	35
					OPT	92 TSF TAD TZH	13.50	15.60	35	35
					OPT	92 TSL TAD TZA	13.01	15.60	35	35
					OPT	92 TSL TAD TZH	13.34	15.50	35	35
AD1L62	EHC DGG RW	4250	5500	Y	STD	92 TMD TAD TZA	12.61	16.30	35	35
					OPT	92 TMT TAD TZA	12.61	16.30	35	35
					OPT	92 TSC TAD TZA	12.27	17.00	35	35
					OPT	92 TSC TAD TZH	12.52	15.60	35	35
					OPT	92 TSD TAD TZA	12.27	17.00	35	35
					OPT	92 TSD TAD TZH	12.52	15.60	35	35
					OPT	92 TSF TAD TZA	12.27	17.00	35	35
					OPT	92 TSF TAD TZH	12.52	15.60	35	35
					OPT	92 TSL TAD TZA	12.15	15.40	35	35
					OPT	92 TSL TAD TZH	12.41	15.40	35	35
AD1L62	EHC DGN RW	4250	5500	Y	STD	92 TMD TAD TZA	12.61	16.30	35	35
					OPT	92 TMT TAD TZA	12.61	16.30	35	35
					OPT	92 TSC TAD TZA	12.27	17.00	35	35
					OPT	92 TSC TAD TZH	12.52	15.60	35	35
					OPT	92 TSD TAD TZA	12.27	17.00	35	35
					OPT	92 TSD TAD TZH	12.52	15.60	35	35
					OPT	92 TSF TAD TZA	12.27	17.00	35	35
					OPT	92 TSF TAD TZH	12.52	15.60	35	35
					OPT	92 TSL TAD TZA	12.15	15.40	35	35
					OPT	92 TSL TAD TZH	12.41	15.40	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - TG11 - 406 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS. 1 & 2
OF EXECUTIVE ORDER A-9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AD2L62	EHC DDP RW	4750	7400	Y	STD	92 TVG TAD TZA	12.66	16.50	35	35
					OPT	92 TVC TAD TZA	11.96	17.90	35	35
					OPT	92 TVD TAD TZA	12.47	16.30	35	35
					OPT	92 TVD TAD TZH	12.65	16.30	35	35
					OPT	92 TVG TAD TZH	12.85	16.50	35	35
					OPT	92 TVS TAD TZA	11.96	17.90	35	35
					OPT	92 TWM TAD TZA	12.47	16.30	35	35
					OPT	92 TWM TAD TZH	12.65	16.30	35	35
					OPT	92 TWV TAD TZA	12.66	16.50	35	35
					OPT	92 TWV TAD TZH	12.85	16.50	35	35
AD2L62	EHC DGG RW	4500	7400	Y	STD	92 TVG TAD TZA	11.83	16.30	35	35
					OPT	92 TVC TAD TZA	11.20	17.60	35	35
					OPT	92 TVD TAD TZA	11.68	16.00	35	35
					OPT	92 TVD TAD TZH	11.82	16.00	35	35
					OPT	92 TVG TAD TZH	12.01	16.30	35	35
					OPT	92 TVS TAD TZA	11.20	17.60	35	35
					OPT	92 TWM TAD TZA	11.68	16.00	35	35
					OPT	92 TWM TAD TZH	11.82	16.00	35	35
					OPT	92 TWV TAD TZA	11.83	16.30	35	35
					OPT	92 TWV TAD TZH	12.01	16.30	35	35
AD5E61	EHC DDP 4W	4750	6400	Y	STD	92 TSC TAD TZA	12.36	18.30	35	35
					OPT	92 TSC TAD TZH	13.13	17.60	35	35
					OPT	92 TSD TAD TZA	12.36	18.30	35	35
					OPT	92 TSD TAD TZH	13.13	17.60	35	35
					OPT	92 TSF TAD TZA	12.36	18.30	35	35
					OPT	92 TSF TAD TZH	13.13	17.60	35	35
					OPT	92 TSL TAD TZA	11.66	18.20	35	35
					OPT	92 TSL TAD TZH	12.37	17.80	35	35
					OPT	92 TUT TAD TZA	11.22	18.80	35	35
AD5E61	EHC DGR 4W	4500	6400	Y	STD	92 TSC TAD TZA	11.44	18.20	35	35
					OPT	92 TSC TAD TZH	12.10	17.60	35	35
					OPT	92 TSD TAD TZA	11.44	18.20	35	35
					OPT	92 TSD TAD TZH	12.10	17.60	35	35
					OPT	92 TSF TAD TZA	11.44	18.20	35	35
					OPT	92 TSF TAD TZH	12.10	17.60	35	35
					OPT	92 TSL TAD TZA	10.81	18.10	35	35
					OPT	92 TSL TAD TZH	11.43	17.70	35	35
					OPT	92 TUT TAD TZA	10.41	18.60	35	35
AD5E62	EHC DDP 4W	4750	6400	Y	STD	92 TSC TAD TZA	12.36	18.30	35	35
					OPT	92 TSC TAD TZH	13.13	17.60	35	35
					OPT	92 TSD TAD TZA	12.36	18.30	35	35
					OPT	92 TSD TAD TZH	13.13	17.60	35	35
					OPT	92 TSF TAD TZA	12.36	18.30	35	35
					OPT	92 TSF TAD TZH	13.13	17.60	35	35
					OPT	92 TSL TAD TZA	11.66	18.20	35	35
					OPT	92 TSL TAD TZH	12.37	17.80	35	35
					OPT	92 TUT TAD TZA	11.22	18.80	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - TG11 - 407 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS PC 1 & 2
OF EXECUTIVE ORDER A -9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN MFG TIME SEC	*DYNO HP	TIRE F	PRES R
AD5E62	EHC DGR 4W	4750	6400	Y	STD	92 TSC TAD TZA	11.98	18.30	35	35
					OPT	92 TSC TAD TZH	12.72	17.60	35	35
					OPT	92 TSD TAD TZA	11.98	18.30	35	35
					OPT	92 TSD TAD TZH	12.72	17.60	35	35
					OPT	92 TSF TAD TZA	11.98	18.30	35	35
					OPT	92 TSF TAD TZH	12.72	17.60	35	35
					OPT	92 TSL TAD TZA	11.32	18.20	35	35
					OPT	92 TSL TAD TZH	11.99	17.80	35	35
					OPT	92 TUT TAD TZA	10.90	18.70	35	35
AD5L61	EHC DDP 4W	4750	6400	Y	STD	92 TSC TAD TZA	12.36	18.30	35	35
					OPT	92 TSC TAD TZH	13.13	17.60	35	35
					OPT	92 TSD TAD TZA	12.36	18.30	35	35
					OPT	92 TSD TAD TZH	13.13	17.60	35	35
					OPT	92 TSF TAD TZA	12.36	18.30	35	35
					OPT	92 TSF TAD TZH	13.13	17.60	35	35
					OPT	92 TSL TAD TZA	11.66	18.20	35	35
					OPT	92 TSL TAD TZH	12.37	17.80	35	35
					OPT	92 TUT TAD TZA	11.22	18.80	35	35
AD5L61	EHC DGR 4W	4500	6400	Y	STD	92 TSC TAD TZA	11.44	18.20	35	35
					OPT	92 TSC TAD TZH	12.10	17.60	35	35
					OPT	92 TSD TAD TZA	11.44	18.20	35	35
					OPT	92 TSD TAD TZH	12.10	17.60	35	35
					OPT	92 TSF TAD TZA	11.44	18.20	35	35
					OPT	92 TSF TAD TZH	12.10	17.60	35	35
					OPT	92 TSL TAD TZA	10.81	18.10	35	35
					OPT	92 TSL TAD TZH	11.43	17.70	35	35
					OPT	92 TUT TAD TZA	10.41	18.60	35	35
AD5L62	EHC DDP 4W	4750	6400	Y	STD	92 TSC TAD TZA	12.36	18.30	35	35
					OPT	92 TSC TAD TZH	13.13	17.60	35	35
					OPT	92 TSD TAD TZA	12.36	18.30	35	35
					OPT	92 TSD TAD TZH	13.13	17.60	35	35
					OPT	92 TSF TAD TZA	12.36	18.30	35	35
					OPT	92 TSF TAD TZH	13.13	17.60	35	35
					OPT	92 TSL TAD TZA	11.66	18.20	35	35
					OPT	92 TSL TAD TZH	12.37	17.80	35	35
					OPT	92 TUT TAD TZA	11.22	18.80	35	35
AD5L62	EHC DGR 4W	4750	6400	Y	STD	92 TSC TAD TZA	11.98	18.30	35	35
					OPT	92 TSC TAD TZH	12.72	17.60	35	35
					OPT	92 TSD TAD TZA	11.98	18.30	35	35
					OPT	92 TSD TAD TZH	12.72	17.60	35	35
					OPT	92 TSF TAD TZA	11.98	18.30	35	35
					OPT	92 TSF TAD TZH	12.72	17.60	35	35
					OPT	92 TSL TAD TZA	11.32	18.20	35	35
					OPT	92 TSL TAD TZH	11.99	17.80	35	35
					OPT	92 TUT TAD TZA	10.90	18.70	35	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - TG11 - 408 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGX0

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS PGS. 1 & 2
OF EXECUTIVE ORDER A-9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN MFG TIME SEC	*DYNO HP	TIRE F	PRES R
AN1L31	EHC DDQ RA 4000			0	Y	STD 92 TNC TAD TZA	14.84	12.90	30	35
						OPT 92 TMD TAD TZA	14.84	12.90	30	35
						OPT 92 TME TAD TZA	14.84	12.90	30	35
						OPT 92 TMK TAD TZA	14.30	12.10	30	40
						OPT 92 TMK TAD TZA	14.30	12.10	30	40
						OPT 92 TPF TAD TZA	14.84	12.90	30	35
						OPT 92 TPF TAD TZA	14.96	12.00	30	35
						OPT 92 TPG TAD TZA	14.84	12.90	30	35
						OPT 92 TPG TAD TZA	14.96	12.00	30	35
AN1L31	EHC DGN RW 4000			0	Y	STD 92 TNC TAD TZA	14.28	13.20	30	35
						OPT 92 TMD TAD TZA	14.28	13.20	30	35
						OPT 92 TME TAD TZA	14.28	13.20	30	35
						OPT 92 TMK TAD TZA	13.78	12.50	30	40
						OPT 92 TMK TAD TZA	13.78	12.50	30	40
						OPT 92 TPF TAD TZA	14.28	13.20	30	35
						OPT 92 TPF TAD TZA	14.38	12.40	30	35
						OPT 92 TPG TAD TZA	14.28	13.20	30	35
						OPT 92 TPG TAD TZA	14.38	12.40	30	35
AN1L61	EHC DDQ RA 3750			0	Y	STD 92 TNC TAD TZA	14.15	12.80	30	35
						OPT 92 TMD TAD TZA	14.15	12.80	30	35
						OPT 92 TME TAD TZA	14.15	12.80	30	35
						OPT 92 TMK TAD TZA	13.68	12.10	30	40
						OPT 92 TMK TAD TZA	13.68	12.10	30	40
						OPT 92 TPF TAD TZA	14.15	12.80	30	35
						OPT 92 TPF TAD TZA	14.27	12.00	30	35
						OPT 92 TPG TAD TZA	14.15	12.80	30	35
						OPT 92 TPG TAD TZA	14.27	12.00	30	35
AN1L61	EHC DGN RW 3875			0	Y	STD 92 TNC TAD TZA	14.00	12.90	30	35
						OPT 92 TMD TAD TZA	14.00	12.90	30	35
						OPT 92 TME TAD TZA	14.00	12.90	30	35
						OPT 92 TMK TAD TZA	13.54	12.20	30	40
						OPT 92 TMK TAD TZA	13.54	12.20	30	40
						OPT 92 TPF TAD TZA	14.00	12.90	30	35
						OPT 92 TPF TAD TZA	14.11	12.20	30	35
						OPT 92 TPG TAD TZA	14.00	12.90	30	35
						OPT 92 TPG TAD TZA	14.11	12.20	30	35
AN1L62	EHC DDQ RA 3875			0	Y	STD 92 TNC TAD TZA	14.56	12.90	30	35
						OPT 92 TMD TAD TZA	14.56	12.90	30	35
						OPT 92 TME TAD TZA	14.56	12.90	30	35
						OPT 92 TMK TAD TZA	14.07	12.10	30	40
						OPT 92 TMK TAD TZA	14.07	12.10	30	40
						OPT 92 TPF TAD TZA	14.56	12.90	30	35
						OPT 92 TPF TAD TZA	14.68	12.10	30	35
						OPT 92 TPG TAD TZA	14.56	12.90	30	35
						OPT 92 TPG TAD TZA	14.68	12.10	30	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - T611 - 409 /

Report Date: 03/22/91
Time: 10:10:24

1992
NCR3.9T5FGXD

Chrysler Corporation
FAMILY TIRE USAGE

ATTACHMENT TO SDS. 1 & 2
OF EXECUTIVE ORDER A-9-236

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT LBS TEST GVM	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN TIME SEC	*DYNO HP	TIRE F	PRES R
AN1L62	EHC DGN RW	3875	0	Y	STD 92 TNC TAD TZA	14.00	12.90	30	35
					OPT 92 TMD TAD TZA	14.00	12.90	30	35
					OPT 92 TME TAD TZA	14.00	12.90	30	35
					OPT 92 TMK TAD TZA	13.54	12.20	30	40
					OPT 92 TMK TAD TZH	13.54	12.20	30	40
					OPT 92 TPF TAD TZA	14.00	12.90	30	35
					OPT 92 TPF TAD TZH	14.11	12.20	30	35
					OPT 92 TPG TAD TZA	14.00	12.90	30	35
					OPT 92 TPG TAD TZH	14.11	12.20	30	35

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

./ 10. - TG11 - 410 /

Report Date: 03/22/91
Time: 10:10:24