

EO B... F

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER P-9-25
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 23, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Chrysler Corporation federally certified exhaust emission control systems are certified for sale in California as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NCR3.0V5FFX9 Displacement: 3.0 Liters (181 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three-Way Catalyst
- Heated Oxygen Sensor
- Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.41	3.4	1.0

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.28	0.9	0.5

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate that the vehicle manufacturer has sufficient emission credits for its estimated California sales of federally certified 1992 model vehicles using the "Guidelines for Certification of 1983 and Subsequent Model-Year Federally Certified Light-Duty Motor Vehicles For Sale in California" (Title 13, California Code of Regulations, Section 1960.5).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28th day of June, 1991.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Manufacturer CHRYSLER CORPORATION Engine Family RCEB LOWSPEEDPass Car X Lt-Duty Truck _____ Med-Duty Vehicle _____ Fuel Type GASOLINE
SOHCEngine Config. V/6 Liter (CID) 3.0 (181) Evaporative Family RCEVCExhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC, HO+S, SMPI
(Use abbreviations per SAE J1930 Jun88)Engine: Front X Mid. _____ Rear _____ Drive: FWD X RWD _____ 4WD-FT _____ 4WD-PT _____

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign.Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
A-1 .41/3.4/1.0	AADH41, AAPH41 AGVL24, AJCH21	A4	3250	S E E A T T A C H M E N T	4639480	NONE	4427621
					4699019		4427705
					4639472		4427621
					4699016		4427705
	ACDH41, APCP41 AADP41, AADX41 AAPP41, AGVX24 AGVH24, AJCP21		3375				
	ACDP41, AJCH27 AJCP27		3500				
A-2 .41/3.4/1.0	AADH41, AAPH41 AAPP41	A3	3250		4639480		
					4699019		
	AACP41, AADP41 AADX41, AAPX41 ACDH41, ACDP41		3375				
M-1 .41/3.4/1.0	AADH41, AAPH41 AAPP41, AADP41 AAPX41, AGVL24 AJCH21, AGVH24	M5	3250		4639468 4699018		
	AACP41, AADX41 AGVX24, AJCH27		3375				

Revisions:

1290

VEHICLE MODELS/CARLINE

Engine/Evap: NCR3.0V5FFX9 / NCRVC
Exhaust Control System: TWC, H02S, SMPI
Evap. Control System: Canister
Engine Displacement: 3.0L

Carline

Model Code

CHRYSLER LE BARON LANDAU
CHRYSLER LE BARON

AACP41
AJCH21, AJCH27, AJCP21,
AJCP27

DODGE SPIRIT
DODGE DYNASTY
DODGE DAYTONA

AADH41, AADP41, AADX41
ACDH41, ACDP41
AGVH24, AGVL24, AGVX24

PLYMOUTH ACCLAIM

AAPH41, AAPP41, AAPX41

FTP HORSEPOWER

1992

MCR3.0V5FFX9

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION YR CODE TRD	COASTDOWN MFG TIME SEC	*DYN HP	TIRE F	PRES R
AGVL24	EFA DGL FW 3250			0	Y	STD TJB TAD	TZA 17.16	7.20	32	32
					OPT	92 TJB TAD	TZH 16.76	6.60	32	32
					OPT	92 TLM TAD	TZA 15.26	6.20	32	32
					OPT	92 TLM TAD	TZH 16.23	6.60	32	32
					OPT	92 TPX TAD	TZA 15.40	6.20	32	32
					OPT	92 TPX TAD	TZH 15.41	6.10	32	32
AGVX24	EFA DOM FW 3375			0	Y	STD TVK TAD	TZA 15.30	7.00	32	32
	EFA DGL FW 3375			0	Y	STD TVK TAD	TZA 16.93	6.90	32	32
AJCH21	EFA DOM FW 3250			0	Y	STD TKH TAD	TZA 18.18	7.00	29	29
					OPT	92 TKH TAD	TZH 17.58	6.30	29	29
					OPT	92 TKJ TAD	TZA 18.18	7.00	29	29
					OPT	92 TKJ TAD	TZH 17.58	6.30	29	29
					OPT	92 TPJ TAD	TZA 17.86	7.00	29	29
					OPT	92 TPJ TAD	TZH 17.58	6.30	29	29
					OPT	92 TPX TAD	TZA 16.21	6.20	29	29
					OPT	92 TPX TAD	TZH 16.18	5.90	29	29
AJCH21	EFA DGL FW 3250			0	Y	STD TKH TAD	TZA 17.84	6.90	29	29
					OPT	92 TKH TAD	TZH 17.27	6.30	29	29
					OPT	92 TKJ TAD	TZA 17.84	6.90	29	29
					OPT	92 TKJ TAD	TZH 17.27	6.30	29	29
					OPT	92 TPJ TAD	TZA 17.54	7.00	29	29
					OPT	92 TPJ TAD	TZH 17.27	6.30	29	29
					OPT	92 TPX TAD	TZA 15.97	6.20	29	29
					OPT	92 TPX TAD	TZH 15.94	5.90	29	29
AJCH27	EFA DOM FW 3375			0	Y	STD TKH TAD	TZA 17.57	7.60	29	29
					OPT	92 TKH TAD	TZH 16.98	7.00	29	29
					OPT	92 TKJ TAD	TZA 17.57	7.60	29	29
					OPT	92 TKJ TAD	TZH 16.98	7.00	29	29
					OPT	92 TPJ TAD	TZA 17.25	7.70	29	29
					OPT	92 TPJ TAD	TZH 16.98	7.00	29	29
					OPT	92 TPX TAD	TZA 15.70	6.70	29	29
					OPT	92 TPX TAD	TZH 15.65	6.50	29	29
AJCH27	EFA DGL FW 3500			0	Y	STD TKH TAD	TZA 17.74	7.30	29	29
					OPT	92 TKH TAD	TZH 17.16	7.00	29	29
					OPT	92 TKJ TAD	TZA 17.74	7.30	29	29
					OPT	92 TKJ TAD	TZH 17.16	7.00	29	29
					OPT	92 TPJ TAD	TZA 17.43	7.60	29	29
					OPT	92 TPJ TAD	TZH 17.16	7.00	29	29
					OPT	92 TPX TAD	TZA 15.88	6.60	29	29
					OPT	92 TPX TAD	TZH 15.27	6.40	29	29
AJCP21	EFA DGL FW 3375			0	Y	STD TPX TAD	TZA 17.97	6.90	29	29
					OPT	92 TPJ TAD	TZA 17.97	6.90	29	29
					OPT	92 TPJ TAD	TZH 17.68	6.30	29	29
					OPT	92 TPX TAD	TZA 17.68	6.30	29	29
					OPT	92 TPX TAD	TZH 16.31	6.10	29	29
					OPT	92 TPX TAD	TZH 16.29	5.80	29	29

FTP HORSEPOWER

1992
MCR1.0V3FFX9

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT LBS GVW	A	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	*DYN HP	TIRE F	PRES R
AAPH41	EFA DGL FV 3250	0	Y	STD	TKM	TAD	TZA	15.54	8.10	29	29
				OPT	TKM	TAD	TZH	15.11	8.00	29	29
				OPT	TKJ	TAD	TZA	15.54	8.10	29	29
				OPT	TKJ	TAD	TZH	15.11	8.00	29	29
AAPH41	EFA DGM FV 3250	0	Y	STD	TKM	TAD	TZA	15.54	8.10	29	29
				OPT	TKM	TAD	TZH	15.11	8.00	29	29
				OPT	TKJ	TAD	TZA	15.54	8.10	29	29
				OPT	TKJ	TAD	TZH	15.11	8.00	29	29
AAPP41	EFA DDM FV 3250	0	Y	STD	TKM	TAD	TZA	15.89	8.10	29	32
				OPT	TKM	TAD	TZH	15.44	8.00	29	32
				OPT	TKJ	TAD	TZA	15.89	8.10	29	32
				OPT	TKJ	TAD	TZH	15.44	8.00	29	32
AAPP41	EFA DGL FV 3375	0	Y	STD	TKM	TAD	TZA	15.89	8.10	29	29
				OPT	TKM	TAD	TZH	15.46	8.00	29	29
				OPT	TKJ	TAD	TZA	15.89	8.10	29	29
				OPT	TKJ	TAD	TZH	15.46	8.00	29	29
AAPP41	EFA DGM FV 3250	0	Y	STD	TKM	TAD	TZA	15.54	8.10	29	29
				OPT	TKM	TAD	TZH	15.11	8.00	29	29
				OPT	TKJ	TAD	TZA	15.54	8.10	29	29
				OPT	TKJ	TAD	TZH	15.11	8.00	29	29
AAPX41	EFA DDM FV 3375	0	Y	STD	TPK	TAD	TZA	16.21	8.40	29	32
				OPT	TPK	TAD	TZH	15.80	8.00	29	32
AAPX41	EFA DGL FV 3375	0	Y	STD	TPK	TAD	TZA	15.85	8.30	29	29
				OPT	TPK	TAD	TZH	15.46	8.00	29	29
AAPX41	EFA DGM FV 3375	0	Y	STD	TPK	TAD	TZA	15.85	8.30	29	29
				OPT	TPK	TAD	TZH	15.46	8.00	29	29
ACDH41	EFA DGL FV 3500	0	Y	STD	TKV	TAD	TZA	16.59	9.10	29	29
				OPT	TKL	TAD	TZH	16.59	8.10	29	29
ACDH41	EFA DGM FV 3375	0	Y	STD	TKV	TAD	TZA	16.18	8.20	29	29
				OPT	TKL	TAD	TZH	16.13	7.70	29	29
ACDP41	EFA DGL FV 3500	0	Y	STD	TKV	TAD	TZA	16.59	8.10	29	29
				OPT	TKL	TAD	TZH	16.59	7.70	29	29
ACDP41	EFA DGM FV 3375	0	Y	STD	TKV	TAD	TZA	16.18	8.20	29	29
				OPT	TKL	TAD	TZH	16.13	7.70	29	29
ACDP41	EFA DDM FV 3375	0	Y	STD	TPA	TAD	TZA	16.04	8.20	29	32
				OPT	TPA	TAD	TZH	17.18	6.20	32	32
AGVH24	EFA DGL FV 3375	0	Y	STD	TPA	TAD	TZA	15.64	6.10	32	32
				OPT	TPA	TAD	TZH	16.73	6.20	32	32
AGVH24	EFA DDM FV 3250	0	Y	STD	TJB	TAD	TZA	17.61	7.20	32	32
				OPT	TJB	TAD	TZH	17.20	6.70	32	32
AGVL24	EFA DDM FV 3250	0	Y	STD	TLM	TAD	TZA	15.63	6.20	32	32
				OPT	TLM	TAD	TZH	16.64	6.70	32	32

FTP HORSEPOWER

1992
MCR3.DYSFFX?

VEHICLE MODEL	ENGINE/ TRANS	WEIGHT TEST	LBS GVW	A C	Y	TIME USE	DESCRIPTION VR CODE	TRD	MFG	TIME SEC	*DYN HP	TIRE F	PRES R
AJCP27	EFA DGL FV 3500			0	Y	STD	92	TPK	TAD	TZA	17.43	7.60	29
						OPT	92	TPJ	TAD	TZA	17.43	7.60	29
						OPT	92	TPJ	TAD	TZM	17.16	7.00	29
						OPT	92	TPK	TAD	TZM	17.16	7.00	29
						OPT	92	TPX	TAD	TZA	15.88	6.60	29
						OPT	92	TPX	TAD	TZM	15.27	6.40	29