State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-106 Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1992 model Isuzu Motors Limited exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: N\$22.6T5FGA2 Displacement: 2.6 Liters (156 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation Secondary Air Injection Three-Way Catalyst Oxygen Sensor Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

Loaded Vehicle Weight(1bs.)			Nitrogen Oxides	
0-3750	0.41	9.0	0.4	

The certification emission values for this engine family in grams per mile are as follows:

Loaded Vehicle Weight(lbs.)	Total <u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	Nitrogen Oxides	
0-3750	0.27	4.8	0.3	

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year[s]..." for the aforementioned model-year (Title 13, California Code of Regulations, Section 1968).

٠,٠

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model-year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model-year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 3rd day of July, 1991.

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

199 <u>2</u> AIR	RESOURCES BOA	ARD SUPPLE	EMENTAL DA	TA SHEET	E.O. #	A-20-10.6	Page
ManufacturerISUZU MOTORS LIMITED Engine Family NSZ2.6T5FGA2							
Pass Cars	s Lt-Duty	Trucks _	X Med-	Duty Veh	icles	Fuel Type	Gasoline
Engine Config. <u>L4</u> Liter (CID) $2.6(156)$ Evaporative Family <u>CAN-G</u>						CAN-G	
Exhaust E (Use abbr	CS & Special reviations per	Features SAE J193	(incl. CA 0 Jun 88)	RB, MPI,	etc.) AII	R, TWC, EGR,	O2S, MPI
Engine: F	ront <u>X</u> Mid.	Rear	Dr	ive: FWD	RWD X	4WD-FT	4WD-PT <u>X</u>
Code/	Veh. Models (If Coded see attachmt.)		Equiv. Test Weight	RLHP DPA	Ign. Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
GA-1	KC-R1	М	3,250	13.1		8943323570	8251316600
	KC-R2T		3,375	15.0			
	KC-R3			13.1			
	WC-R3		3,500		PCME 8970226240 8970226270		
	WC-R3H KC-S1		3,625	14.7			
	KC-S1H		3,750	15.3			
GA-2	KC-R1	А	3,250	12 1			
	KC-R2		3,375	13.1			
	KC-R3		3,500	13.8			
	WC-R3			14.7			
	WC-R3H		3,625	14.7			
•	t Std) CO/NOx/Evap.:	0.41/9.	0/0.4/2.0				
Vehicle Model KC-R1: PICKUP 2WD, Std cab short wheelbase KC-R2: PICKUP 2WD, Std cab long wheelbase KC-R3: PICKUP 2WD, Ext cab long wheelbase KC-R2T: PICKUP 2WD, Std cab long wheelbase 1-ton payload KC-S1: PICKUP 4WD, Std cab short wheelbase, P225 tire KC-S1H: PICKUP 4WD, Std cab short wheelbase, 10.5R tire WC-R3: AMIGO 2WD, P225 tire WC-R3H: AMIGO 2WD, 10.5R tire							