State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-173 Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Mazda Motor Corporation 1994 model-year exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: RTK3.028G1EA <u>Displacement</u>: 3.0 Liters (181 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Exhaust Gas Recirculation
Three Way Catalytic Converters (Two)
Dual Heated Oxygen Sensors
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight(1bs.)	Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	
3751-5750	50,000	0.32	4.4	1.0	
	100,000	0.40	5.5	n/a	

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	
3751-5750	50,000	0.20	1.1	0.1	
	100,00 0	0.24	1.2	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board adopted the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for NMHC, or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\underline{6}$

_ day of April, 1993.

R. B. Summerfield / Assistant Division Chief

Mobile Source Division

E0 #A-16-173 E.O.#_

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer MAZDA MOTOR COMPANY Eng. Family RTK3.028G1EA									
Pass Cars Lt-Duty Trucks X Med-Duty Vehicles Fuel Type UNLEADED									
Eng. Type V-6 Liter (CID) 3.0 (181) Evap. FamilyRTK1045AYPOA									
Emission Control System & Special Features EGR/TWC(2)/2HQ25/5F1 (Use abbreviations per SAE J1930 June88)									
Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT X									
Eng. Code/ (Cert Attachmt.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	DPA	Ign. Sys. (PCME/PROM) Part No. -12A650-	_	Catalyst Part No. -5E212-Std.) -5E214-		
456TROON	PN66 4x4	A4	3875	12.0	F47F-CA	E6AE-BA	F47F-CA		
456TR00A	B3000	•	**	13.3	H	**	*		
455TROON	H .	М5	*	12.0	F47F-AA	E6AE-BA	W		
455TR00A	#		н	13.3	19	· #	*		
					·				
		·				;			
							* :		
	į						•		
							t.		

Certification Standards

NMHC: .32 (50K) .40 (100K)

CO: 4.4 (50K) 5.5 (100K)

NOx: 1.0 (50K)

EVAP: 2.0

Idle HC/CO Standards

Idle HC 220 ppm @ 2500 rpm 100 ppm @ 1dle

Idle CO 1.2% @ 2500 rpm

1.0% @ idle

ENGINE FAMILY: RIK3.028G1EA

ISSUED: REVISED: 20.09.17.02 - 1

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: MAZDA MOTOR COMPANY

Eng. Family: ATK3.028G1EA

Pass Cart__ (PC) Light-Duty Truck: T2 (T1/T2) Med-Duty Vehicle: __ (M1/M2/M3/M4/M5)

Standards Type: T-1 (Tier 0/1, A8965, TLEV, LEV, ULEV) Venicle Type: (FFV, HEV (type A/B/C)_

Fuel Type: Gaspline

Evaporative Family: RTK1045AYP0A

Engine Config: V-6

Liter (CID): 3.0L (151)

Engine: Front X Mld. Rear___

Drive: FWD___ RWO_X__4WD-FT____4WD-PT_X_

Exhaust ECS & Special Features TWC/EGR/HO2S/SFI

(Use appreviations per SAE J1930 May91)

Engine Code (Cert Std.)	Venicle Models (if coded see attachment)	Trans, Type A-Automatic M-Manual		DPA	Ignition (ECM/PCM) Part No. -12A650-	EGR System Part No. -90475-	Catalyst Part No. -5E212- -5E214-
455AR1CN	PN66 4X4	М5	3875	13.6	F47F-E3	E6AE-8A	F47A-CA
4558R10A	PN66 4X4	M5	3875	13.5	F47F-EB	E6AE-8A	•

Cardification Standards

NMHC: .32 (50K) .40 (100K) CO: 4.4 (50K) 5.5 (100K)

NOx: 1.0 (50K)

EVAP: 2.0

Idle HC/CO Standards Idle HC 220 ppm @ 2500 rpm 100 ppm @ ldie

idle CO 1.2% @ 2500 rpm