Frele.

(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-185 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: THN1.6VJG3EK Displacement: 1.6 Liters (97 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Heated Oxygen Sensors (Two) Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

Miles_	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon Monoxide (20 ⁰ F)
50,000 100,000	0.075	3.4 4.2	0.2 0.3	0.015 0.018	10.0 n/a
Reactivi	ty Adjustment	Factor (RAF)	for NMOG Ma	ss Emission:	0.94

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.94 RAF for 1996 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Mil <u>es</u>	Non-Methane Organic Gas	Carbon M <u>onoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20⁰F)</u>
50,000	0.034	0.9	0.1	0.001	4.8
100,000	0.041		0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust (mass) emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Emission Standards, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 15 day of August 1995.

age of the same

R. B Summerfield
Assistant Division Chief
Mobile Source Division

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-23-185

Page 1 of 1

Manufacturer: HONDA All Eng Codes in Eng Fam: CA X 495 50S	Exh Engine Family:
Manufacturer: HORDA 40C 50C	ARO65 Evan Engine Family: THN1077BYMAC
All Eng Codes in Eng Fam: UA A 495 July 1995	7FU • HC FDA Tier-1
Veh Class(es): PC X LDT1 LDT2 MDV1_	MDV2 MDV3 MDV3
Single Cert Std for Multi-Class Eng Fam. ATA Fuel Type(s): Dedicated X Flex-Fuel Dual	L-Fuel Bi-Fuel Gasoline_X_ Diesel
CNG LNG LPGM85 Of	rher
CNG LNG LPGMOJ O	MOS Other
Emiss Test Fuel(s): Indo Ph2 X CNG LPC	- MOJ Other
1. 12 CCD 2282 AN CFR 86.113-90	40 CFR 00-113-94
NMOG Test Procedure: N/A Std Equiv X	R/L Test Proc: SHED Pt Source
Hybrid: Type A B C, Are bycle:	Titers 97 Cubic Inches
Engine Configuration: L-4 Displacement: 1.6	_ micela _ <u>>/</u> ocose succes
Datad HD* : 186/5	/III KPM
Valves per Cylinder: 4 Rated Mr. 18070 Engine: Front X Mid Rear Drive:	EMD X KMD — 4MD-LI — 4MD-LI —
TWC/HO2S(2)/SFT	

Engine Code	Vehicle Models	Trans.	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
	Civic HB CX		2500	7.3(DU)	EI Distributor:	N/A	AD
TCL1 (CA)	Civic HB DX Civic Coupe DX	М5	2625	6.7(DU)	TD-80U ECM: 37820-		
	Civic Sedan DX Civic del Sol S			7.0(DU)			
	Civic Sedan LX		2750		ECM: 37820-	·	
	Civic HB CX Civic HB DX		2625	8.0(DU)	P1Z-L01		,
TCL1/1	Civic Coupe DX Civic Sedan DX	,		7.4(DU)			
(CA)	Civic del Sol S		2750	7.7(DU) 7.3(DU)			
	Civic Sedan LX			7.5(BS)		N/A	AT
	Civic HB CX Civic HB DX		2625		Distributor:	N/A	h.
TCM3	Civic Coupe DX Civic Sedan DX	1	2750	6.7(DU)	TD-80U PCM: 37820-		
(CA)	Civic Sedan LX	1	2,50		P2E-L71		
	Civic del Sol S	L4	2625	7.0(DU)	PCM: 37820-		
	Civic HB CX Civic HB DX		2623				
TCM3/1 (CA)	Civic Coupe DX Civic Sedan DX	_	2750				
	Civic Sedan LX			7.5(BS) 7.3(DU))		
1	Civic del Sol S	<u> </u>		7.7(DU))		<u> </u>

ISSUED: 06/20/95