State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-761 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year General Motors Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: VGM4.32PG2EK Displacement: 4.3 Liters (262 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter
Dual Heated Oxygen Sensors
Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) TLEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	<u>Miles</u>	NMOG_	<u></u>	<u>NOx</u>	НСНО	<u>CO (20⁰F)</u>
3751-5750	50,000	0.160	4.4	0.7	0.018	12.5
	100,000	0.200	5.5	0.9	0.023	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for NMOG reflect application of a 0.98 RAF for 1997 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	<u>Miles</u>	NMOG_	<u></u>	<u>NOx</u>	<u>нсно</u>	CO (20°F)
3751-5750	50,000	0.118	2.1	0.2	0.003	3.8
	100,000	0.152	2.4	0.3	0.003	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 20 day of May 1996.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

LIGHT DUTY TRUCK MODEL NUMBER DEFINITION

(Includes California Medium Duty Trucks)

E.O. #A-6-761

Example, Pattern A: CC10703+E62 Example, Pattern B: 1UM05

Digit 1 = Marketing Division

Pattern A

C = Chevrolet

T = GMC

H = Oldsmobile

G = Isuzu

Pattern B

1 = Chevrolet

2 = Pontiac

3 = Oldsmobile

Note: Digit 1 is only used for Pattern A models on engine family pages or California Supplemental Data Sheets when necessary to discriminate by division model.

Digit 2 = Chassis Type (all)

U = Conventional 4x2 Front Wheel Drive

C, S, M = Conventional 4x2 Rear Wheel Drive

G = Forward Control 4x2 Rear Wheel Drive

K, T, L = Conventional 4x4 Four Wheel Drive, All Wheel Drive

Digit 3 = Series/GVWR

Pattern A

1 = 11,15,1500/3500-7300

2 = 21,25,2500/6400-8600

3 = 31,35,3500/7100-14500

Pattern B

Letter code designates trim level

rather than series/GVWR.

Digits 4 & 5

Pattern A = Dimensional Grouping

05 = Utility: Tahoe (2Dr), Yukon (2Dr),

Blazer, Jimmy, Bravada

06 = S/T Short Box

07 = C/K Short Box, Tahoe (4Dr), Yukon (4Dr)

08 = S/T Long Box & Cab-Chassis

09 = C/K Long Box, Suburban

10 = M/L Long Body

14 = G Short Wheelbase

17 = G Long Wheelbase

Pattern B = Body Style

06 = Passenger (Venture, Trans Sport, Silhouette)

16 = Passenger (Venture, Trans Sport, Silhouette)

Dual Sliding Doors

Digits 6 & 7 = Body/Cab Codes (Pattern A Only)

03 = Conventional Cab, Cab-Chassis

05 = Cargo Van

06 = Passenger Van, 4 Door Special Purpose Vehicle

16 = 2 Door Special Purpose Vehicle

43 = Crew Cab

53 = Extended Cab

Pickup Body Codes (Optional, Used with Pattern A Only)

+E62 = Stepside, Fenderside

+E63 = Fleetside, Wideside

ISSUED: ML-VP094

REVISED:

17-VGM4.32PG2EK-1 (1997)

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

14FR: GENERAL MOTORS CORP. ENGINE FAMILY: VO	GM4.32PG2EK EVAP FAMILY: VGM1111AYMBA						
LL ENGINE CODES IN ENGINE FAMILY: CA (X)	49S() 50S() AB965()						
EXH STD: CA TIER-1() TLEV(X) LEV() ULEV	() ZEV (); U.S. EPA TIER-1 ()						
EVAP STD: 50K(X) USEFUL LIFE WITH R/L();	IN-USE EXH STD: FULL () ALTERNATIVE ()						
VEH CLASS(ES): PC() LDT1() LDT2(X) MDV	1() MDV2() MDV3() MDV4() MDV5()						
SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAI	MILY: NA						
FUEL TYPE(S): DEDICATED() GASOLINE(X); EMISSION TEST FUEL(S): INDOLENE() PHASE 2(X)							
SERVICE ACCUMULATION: STD AMA() MFR ADP(X); NMOG TEST PROCEDURE: NA() EQUIV(X)							
R/L TEST PROCEDURE: NA(X) PT SOURCE();	HYBRID TYPE: NA APU CYCLE: NA						
ENGINE CONFIGURATION: 14() V6(X) V8()	DISPLACEMENT: 4.3 LITERS / 262 CU. IN.						
VALVES / CYLINDER: 2(X)	4 () RATED HP: 190 @ 4400 RPM						
ENGINE LOCATION: FRONT (X) DRIVE	E: FWD() RWD(X) 4WD-FT() 4WD-PT()						
EXHAUST EMISSION CONTROL SYSTEM: LEGR, TWC, 2H	HO2S-HO2S(S), SFI						
RLHP / DPA VALUES: SECTION 08.13.02.00							
ENG EQUIV. CODE VEH MODELS TRANS TEST	EGR CATALYTIC IGNITION SYSTEM CONVERTER						
. <u> </u>	IGNITION SYSTEM CONVERTER PCM/CALIB PART NO.) PART NO. PART NO.						
(C) 2 M11005 A4 4250	16213175-PCM 17096188, 25161908						
111	16204025PB-OPER 17096309						
	16237509-ENG 16204041, 16204042,						
	16215610-TRANS						
2A	16213175-PCM						
	16243345PF-OPER						
	16243459-ENG 16243550, 16243551,						
	16243552-TRANS						
2B	16243345PF-OPER						
	16243493-ENG						
2C	16243345PF-OPER						
•	16243517-ENG						
2D	16256455PG-OPER						
	16256252-ENG						
	CARLINE CODE						
CHEVROLET ASTRO CARGO VAN 2WD CHEVROLET ASTRO PASSENGER VAN 2WD	55045 55060						
GMC SAFARI CARGO VAN 2WD	80035						
GMC SAFARI PASSENGER VAN 2WD	80050						

J3UED: ML-VP094

REVISED: ML-VR038, ML-VR047, ML-VR065, ML-VP178, ML-VP188, ML-VR103

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

k.	iro. CE	NERAL MOTORS	CORP FNGI	NE FAMILY:	VGM4.32PG2EK	EVAP	FAMILY: VGM	1111AYMBA
	IFK. GE	INE CODES IN EN	SINE FAMILY	CA(X)	49S () 50S	S()	AB965 ()	
_	L ENG	INE CODES IN LIN	TIEV/X) IF	=V() ULE	EV() ZEV();	U.S. E	PA TIER-1 ()	
_	XH 510	CATIERT()		(IN-USE EXH STD	: FUI	L() ALTER	RNATIVE ()
E	VAPSI	D: 50K(X) (SEPULLIFL WI	TOLL A	DV1() MDV2()	MDV3) MDV4()	MDV5 ()
S	SINGLE	CERT STANDARD	FOR MULTI-CLA		MISSION TEST FUEL	(S): IN	DOLENE()	PHASE 2 (X)
F	UEL TY	PE(S): DEDICATE	D() GASOLIN	IE (A), E	VAL NMOG TEST	PROCE	DURE: NA()	EQUIV(X)
9	SERVICE	EACCUMULATION	: STD AMA ()	MFR ADP (X); NMOG TEST	TVPF	NA APU	CYCLE: NA
F	R/L TEST	PROCEDURE:	NA(X) PTS	DURCE ();	HYBRID	111 C. 45MT: /	13 UTERS / 26	2 CU IN.
E	ENGINE	CONFIGURATION	: I4 () V6 (X) V8()	DISPLACEN		- D LIP - 190 @	4400 RPM
			VALVES / CYL	NDER: 2(X	() 4()	RAII (D) ()	4) AND ET (Y)	4\A\D_PT ()
ŀ	ENGINE	LOCATION: FRO	NT (X)	DR	IVE: FWD() RW	() U()	400D-P1 (X)	40011()
i	EXHAUS	T EMISSION CON	TROL SYSTEM:	LEGR, TWC,	, 2HO2S-HO2S(S), SF	·1		
ļ	RLHP / C	PA VALUES: SEC	CTION 08.13.02.0	0			500	CATALYTIC
	ENG		TRANC	EQUIV. TEST	IGNITION		EGR SYSTEM	CONVERTER
	CODE (LO <u>C)</u>	VEH MODELS (SEE PAGE 1)	(M5.A4.ETC.)	WEIGHT	(PCM/CALIB PART	NO.)		PART NO.
	(C)			4500	16213175-PCM		17096188,	25161908
	4	L11005	A4	4500	16204025PB-OPER			
16237503-ENG 16215610, 16204042-TRANS								
-					162 156 10, 1620404	2-110/314	.	
	4A				16213175-PCM			
					16243345PF-OPER 16243462-ENG			
					16243551, 1624355	2-TRAN	S	
					16243345PF-OPER			
	4B				16243496-ENG			
	40				16243345PF-OPER			
	4C				16243520-ENG			
					16256455PG-OPEF	₹		
	4D				16256256-ENG			
CARLINE NAME				CARLINE CODE				
	GMC SAFARI CARGO VAN AWD				80037 55047			
	CHEVE	OLET ASTRO ARC	OWA NAV OE		55047			

ISSUED: ML-VP094

REVISED: ML-VR038, ML-VR047, ML-VR065, ML-VP178, ML-VP188, ML-VR103

17-VGM4.32PG2EK-3 (1997)