Trile

(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-98-18 Relating to Certification of New Motor Vehicles

ASTON MARTIN LAGONDA LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Aston Martin Lagonda Limited exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

্ 🏃

Engine Family: WASXV03.2DB7 <u>Displacement</u>: 3.2 Liters (198 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters (two)

Dual Heated Oxygen Sensors (two)

Exhaust Gas Recirculation Secondary Air Injection

Supercharger Charge Air Cooler

Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles_	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen Oxides	Carbon <u>Monoxide (20⁰F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	Carbon	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	<u>Monoxide (20⁰F)</u>	
50,000	0.22	1.9	0.4	9.0	
100,000	0.28		0.4	n/a	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicles models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," pursuant to provisions in said standards and test procedures applicable to ultra-small volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 4 day of June 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

1998 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1

Manufacturer:	ASTON MARTIN LAGOR	NDA LTD	Exh Eng H	AW:ma	XV03.2DB7	Evap Fam:	ISXE0284087
All Engine Co	des in Engine Fam	niliy: (A 49S_	50\$_	X_ AB965,	ORVR: Y	es noX_
Exh Std: CA	Tier-1 X TLEV	/ I	EV	ULEV	SULEV	US EP.	A Tier-1_X
Veh Class(es)	: PC_X LDT1_	LDT2	MDV	/1 K	IDV2MDV3	3 MDV4	MDV5
Single Cert S	td for Multi-Clas	s Eng Fa	rw:(e	pecify:	N/A, LDT1,	MDV1, MDV2,	MDV3, MDV4)
Fuel Type(s):	Dedicated X F	lex-Fuel	Dual	-Fuel_	Bi-Fuel	_ Gasoline_	Diesel
	CNGLNG	LPG	м85	Other (specify)		
Exh Emiss Tes	t Fuel(s): Indo_	X_ CBG_	CNG	LPG_	พ85	Other (spec	ify)
	Diese	:1: 13 C	CR 2282	40 0	FR 86.113-90_	40 CFR 8	36.113-94
·Evaporative E	mission Test Proc	edure:	Californi	.a	Federal_	(50K e	evap)
	: Std AMA M						
	cedure: N/A_X_					•	
Engine Config	uration: 6 INLINE	Displace	ment:	3,23	Liters	197/64	Cubic Inches
	linder: 4				327		
	t X Mid R						
Exhaust ECS (e.g., MFI, EGR, T	c, cac) 2	7 TWC(2)/2	H025(2)/E	GR/AIR/SC/CA	c/sfi	
•			(us	e abbre	viations per	SAE J1930 JU	л 193)
gine Code	Vehicle Models	Trans.	ETW	DPA	Ignition	EGR	Catalytic
(also list CA/49ST/50ST)	(if coded see	(M5, A4	Teet Wt.	or	(ECM/PCM)		Converter Part No.
	ASTON MARTIN DB7 COUPE	ţ	1	ſ	SPD5993	DB7EGR1	SPE 6341 SPE 7077
AM1/03	ASTON MARTIN DB7 VOLANTE	MS	4500	8.78	SPD5993	DB7EGR1	SPE6341 SPE7077
AM1/04	ASTON MARTIN DB7 COUPE	A4	4250	7.79	SPD5994	DB7EGR1	SPE6341 SPE7077
4M1/04	ASTON MARTIN DB7 VOLANTE	A4	4500	8.65	SPD5994	DB7EGR1	SPE 6341 SPE 7077
							1 1 1 1 1 1 1 1 1 1 1 1 1 1