

File

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-382
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: WCRXV0165V20 Displacement: 2.7 Liters (165 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation
Dual Three Way Catalytic Converters
Dual Heated Oxygen Sensors (two)
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1998 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.105	1.2	0.3	0.002	5.0
100,000	0.131	1.7	0.3	0.002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.


BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 15th day of September 1997.

A large, stylized handwritten signature in black ink, appearing to read "R. B. Summerfield".

R. B. Summerfield, Chief
Mobile Source Operations Division

Manufacturer: Chrysler Corporation Exh Eng Fam: WCRXV0165V20 Evap Fam: WCRXR0101G1G
 All Eng Codes in Eng Fam: CA X 49S 50S AB965 ORVR: YES X NO
 Std: CA Tier-1 TLEV X LEV ULEV SULEV : US EPA Tier-1
 Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Level Gasoline X Diesel
 CNG LNG LPG M85 Other (specify)
 Emis Test Fuel(s): Indo CBG X CNG LPG M85 Other(specify)
 Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or 40 CFR 86.113-94
 Evaporative Emission Test Procedure: California Federal X
 Service Accum: Std AMA Mod AMA X Mfr ADP Other (Specify)
 NMOG Test Procedure: N/A Std Equiv X R/L Test Proce: SHED Pt Source X
 Engine Configuration: V-6 Displacement: / 2.7 Liters / 165 Cubic Inches
 Valves per Cylinder: 4 Rated HP: 185 @ 5800 RPM
 Engine: Front X Mid Rear Drive: FWD X RWD 4WD-FT 4WD-PT
 Exhaust ECS (eg., EGR, MFI, TC, CAC): 2HO2S(2), 2TWC, EGR, SFI, OBDII
 (use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100 (CA)	LHCH41 LHDH41	A4	3750	S E E A T T A C H M E N T	04606460AH	04591230AD	04581706AD 04581707AD

Issued: 08/27/97

Revisions: _____
 VE02-S05/98

1988
WCRXV0165V

Chrysler Corp.
Family Tire

ATTACHMENT TO SDS
OF EXECUTIVE ORDER

382

LOADED VEHICLE WEIGHT

ADJUSTED LOADED VEHICLE WGT

										COLD CO ELECTRIC DYNO COEFFICIENTS									
					TARGET A					B					C				
										(LINE 1 IS 20 DEG COEFFS, LINE 2 IS 50 DEG WHEN NEEDED)									
					TIRE DESCRIPTION					COAST					TIRE				
					USE YR COD MFG OPT					DOWN					PRES				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP					F					R				
					HP														

TARGET A B C SET A B C
(LINE 1 IS 20 DEG COEFFS, LINE 2 IS 50 DEG WHEN NEEDED)

* - For DYNO HP = 0.00
Ref To FRONTAL AREA

/ 10. - VE02 - 400 /

Report Date: 08/27/97
Time: 14:08:44

MODELS COVERED . CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: WCRXV0165V20
Evaporative Fam: WCRXR0101G1G

Certificate #:

Model ID

LHCH41
LHDH41

Car Line

Concorde
Intrepid

California
Sales

YES
YES

* - For U.S. Possessions the nameplate will read Chrysler

Model Codes
JA C H 41

--- Body Style
22=2 door coupe
27=2 door convertible
41=4 door sedan
42=4 door subcompact sedan

----- Trim Level
H=High Line S=Sport
P=Premium L=Low Line

----- Division
L,C=Chrysler D=Dodge
X=Eagle P=Plymouth

----- Car Line
JA=Cirrus, Stratus, Breeze PL=Neon
JX=Sebring Convertible
LH=Concorde, New Yorker, LHS, Vision, Intrepid
SR=Viper , PR=Prowler