(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-329-7-1 Relating to Certification of New Motor Vehicles

DAEWOO MOTOR CO.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Daewoo Motor Co. exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: XDWXV02.0D02 Displacement: 2.2 Liters (134 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Warm Up Three Way Catalytic Converter

Three Way Catalytic Converter

Heated Oxygen Sensor

Oxygen Sensor

Exhaust Gas Recirculation

Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gases	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon Monoxide (20°F)
50,000	0.075	3.4	0.2	0.015	10.0
100,000	0.090	4.2	0.3	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane Organic Gases	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.058	0.9	0.1	0.001	3.7
100,000	0.068	1.4	0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the disted vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year [Title 13, California Code of Fagulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Marfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Juty Tracks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Boari's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq...

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Eureau of Automotive Recair will be notified by copy of this order and attachment.

Executed at El Minte, California this 3/

day of March 1999.

R. B. Summerfield, Chief Mobile Source Operations Division

XDWXV02.0D02

200	AID	RESOURCES	DOADO	CHOOL	F18F1F1		
443	MIK	VE300KCE2	BUAKU	SUPPL	.EMENTAL	. DATA	SHEET

Manufacturer Daewoo Motor Co.

All Engine Codes in Engine Family:

50S

Engine Family XDWXV02.0D02

Evaporative Family: XDWXR0095A0L ORVR: LEGANZA-Yes

Exh Std: LEV

Fuel Type

Gasoline / Dedicated

In-Line 4

Evaporative Emission Test Procedure: NMOG Test Procedure:

Federal

Veh Class:

Pass Car

Exh Emission Test Fuel(s):

CBG

Service Accum:

Mod AMA

R/L Test Proc: Pt Source

Displacment: 2.198 Liters/2198 cc/134.1 Cubic Inches

Rated HP:

LEGANZA

131.4 HP @ 5200 RPM

Engine : Front _ x

Engine Config.

Valves per Cylinder

Drive: FWD _x

Exhaust ECS & Special Features(incl. CARB, MPI, etc.)

WU-TWC, TWC, HO2S, O2S, EGR, SFI

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attachment.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight		Ign. Sys. (PNME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
. 3	Leganza 2.2 - NB	M5(M89)	3375	8.2	96350585	17097086	MCC: 96292929 UCC: 96273660
13	Leganza 2.2 - NB	A4(ML4)	3500	8.4	96350585	17097086	MCC: 96292929 UCC: 96273660

Page i	s 🛘 satisfactory						
☐ unsatisfactory		Issue Date :					
Date	-//-	EPA REP	Revision No.				
L			Date :				