(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-841-1 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: XGMXV03.8048 Displacement: 3.8 Liters (231 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

1 / E athrone + E + f

- A. Three Way Catalytic Converter
- b Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection
- Heated Oxygen Sensors (two) (For engine codes 53, 54, 55, 56 and 59)
- e Dual Heated Oxygen Sensors (For engine codes 60, 61 and 62)
- Heated Oxygen Sensor (For engine codes 60, 61 and 62)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

| Miles | Non-Methane Organic Gases | Carbon <u>Monoxide</u> | Nitrogen <u>Oxides</u> | <u>Formaldehyde</u> | Carbon <u>Monoxide (20°F)</u> |
|---------|------------------------------|---------------------------|---------------------------|---------------------|----------------------------------|
| 50,000 | 0.125 | 3.4 | 0.4 | 0.015 | 10.0 |
| 100,000 | 0.156 | 4.2 | 0.6 | 0.018 | n/a |

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.98 RAF for 1999 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

| Miles | Non-Methane Organic Gases | Carbon <u>Monoxide</u> | Nitrogen <u>Oxides</u> | <u>Formaldehyde</u> | Carbon <u>Monoxide (20°F)</u> |
|---------|------------------------------|---------------------------|---------------------------|---------------------|----------------------------------|
| 50,000 | 0.070 | 1.1 | 0.1 | 0.001 | 3.3 |
| 100,000 | 0.083 | 1.3 | 0.2 | 0.001 | n/a |

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-6-841 dated March 10, 1998, is superseded and replaced by Executive Order A-6-841-1.

Executed at El Monte, California this 14 day of December 1998.

R. B. Summerfield, Chief Mobile Source Operations Division

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| ALL ENGINE CODE EXH STD: CA TIE EVAP STD: USEFU | ES IN ENGINE F :R-1 () TLE' JL LIFE (X) | V(X) LEV() | 49S() 50S() ULEV() SULE [\] | AB965() V(); U.S | ORVR: YES () | X) NO() |
|---|--|---|---|---------------------|-----------------------|---------------------|
| VEH CLASS(ES): | PC(X) LD | T1() LDT2() | MDV1() MDV2 | 2() MDV3(|) MDV4() | MDV5 () |
| SINGLE CERT STA | NDARD FOR M | IULTI-CLASS ENGIN | NE FAMILY: NA | | | |
| FUEL TYPE(S): DI | EDICATED (1/) | GASOLINE(X); | EXH EMIS TEST | FUEL(S): IN | DOLENE() C | :BG (X) |
| | • | CALIF () FE | | | | |
| SERVICE ACCUMU | JLATION: STD | AMA (X) MFR A | OP(); NMOG | TEST PROCE | DURE: NA() | EQUIV(X) |
| R/L TEST PROCED | URE: PT SO | URCE (X) | | | | |
| ENGINE CONFIGU | RATION: 14 (|) V6(X) V8(|) DISPL | ACEMENT: 3 | .8 LITERS / 231 | CU. IN. |
| | VAL | VES / CYLINDER: 2 | 2(X) 4() | RATE | D HP: 205 @ 5 | 5200 RPM |
| ENGINE LOCATION | N: FRONT(X |) | DRIVE: FWD (X) | RWD() | 4WD-FT() | 4WD-PT () |
| EXHAUST EMISSIO | ON CONTROL S | SYSTEM: EGR-TW | C-H02S(2)-SFI | FCCA | | |
| RLHP / DPA VALUE | ES: SECTION | 08.13.02.00 | | Con the same | | |
| | | | | | | 0.711.070 |
| GINE CODE & LETTER | LOC | VEH MODELS | TRANS | EQUIV. TEST | | CATALYTIC CONVERTER |
| DERIVATIVES*1 | (C/F/NW) | (SEE PAGE 1) | | | PART NO. | PART NO. |
| 53 | С | 4CW69 | A4/23 | 4000 | 17096199, 17125507 | 25174346 |
| | | | | | | |
| | | e as letter derivative derivative informatio | | noted. Refer to | o PCM/VCM pari | t number page |
| CAF | RLINE NAME | | CARLINE CO | ODE | | |
| BUICK PARK AVE | | | 01040 | | | |
| | | | | | | |

ISSUED: ML-XP097

(FOR CARB USE ONLY)

E.O. #A-6-841 -

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXV03.8048 EVAP FAMILY: XGMXR0133910 |
|---|
| ALL ENGINE CODES IN ENGINE FAMILY: CA(X) 49S() 50S() AB965() ORVR: YES(X) NO() |
| EXH STD: CA TIER-1() TLEV(X) LEV() ULEV() SULEV(); U.S. EPA TIER-1() |
| EVAP STD: USEFUL LIFE (X) |
| VEH CLASS(ES): PC (X) LDT1 () LDT2 () MDV1 () MDV2 () MDV3 () MDV4 () MDV5 () |
| SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA |
| FUEL TYPE(S): DEDICATED () GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE () CBG (X) |
| EVAP EMIS TEST PROCEDURE: CALIF () FED (X) |
| SERVICE ACCUMULATION: STD AMA (X) MFR ADP (); NMOG TEST PROCEDURE: NA () EQUIV (X) |
| R/L TEST PROCEDURE: PT SOURCE (X) |
| ENGINE CONFIGURATION: 14 () V6 (X) V8 () DISPLACEMENT: 3.8 LITERS / 231 CU. IN. |
| VALVES / CYLINDER: 2 (X) 4 () RATED HP: 200 @ 5200 RPM |
| ENGINE LOCATION: FRONT (X) DRIVE: FWD () RWD (X) 4WD-FT () 4WD-PT () |
| EXHAUST EMISSION CONTROL SYSTEM: EGR-TWC-HO2S -SFI - 2 40 2 S |
| RLHP / DPA VALUES: SECTION 08.13.02.00 |
| |
| ENGINE CODE EQUIV. EGR CATALYT & LETTER LOC VEH MODELS TRANS TEST SYSTEM CONVERTI |
| DERIVATIVES*1 (C/F/NW) (SEE PAGE 1) (M5,A4,ETC.) WEIGHT PART NO. PART NO. |

| & LETTER DERIVATIVES*1 | LOC (C/F/NW) | VEH MODELS (SEE PAGE 1) | TRANS (M5,A4,ETC.) | EQUIV. TEST WEIGHT | SYSTEM PART NO. | CATALYTIC CONVERTER PART NO. |
|------------------------|-----------------|----------------------------|-----------------------|--------------------------|-----------------------|------------------------------------|
| 60 | С | 1FP87 2F\$87 | A4/30 | 3750 | 17096198, 17125506 | 25314750 (24507468) |
| | | 1FP67 2FS67 | | 3875 | | |

| CARLINE NAME | CARLINE CODE |
|------------------|--------------|
| CHEVROLET CAMARO | 03125 |
| PONTIAC FIREBIRD | 07020 |

ISSUED: ML-XP097

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

(FOR CARB USE ONLY)

E.O. #A-6-841 -

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXV03.8048

EVAP FAMILY: XGMXR0133910

| ENGINE CODE & LETTER DERIVATIVES*1 | LOC (C/F/NW) | VEH MODELS (SEE PAGE 1) | TRANS (M5,A4,ETC.) | EQUIV. TEST <u>WEIGHT</u> | EGR SYSTEM PART NO. | CATALYTIC CONVERTER PART NO. |
|--|-----------------|----------------------------|-----------------------|---------------------------------|---------------------------|------------------------------------|
| 61 | С | 1FP87 | A4/31 | 3750 | 17096198, | 25314750 |
| | | 2FS87 1FP67 | | 3875 | 17125506 | (24507468) |
| | | 2FS67 | | | | |
| 62 | | 1FP87 | M5/49 | 3625 | | |
| | | 2FS87 | | 0075 | | |
| | | 1FP67 2FS67 | | 3875 | | |

| CARLINE NAME | CARLINE CODE |
|------------------|--------------|
| CHEVROLET CAMARO | 03125 |
| PONTIAC FIREBIRD | 07020 |

SUED: ML-XP097

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXV03.8048 EVAP FAMILY: XGMXR0133910

| ENGINE CODE | PCM/VCM PART NUMBER | ENGINE CALIB | OPER CALIB | TRANS CALIB |
|--------------------------|------------------------|--------------|------------|-------------|
| 53 | 16200870 | 09355584 | NA | NA |
| 60` | | 16255694 | | |
| 61 | | 16255704 | | |
| ⁵ 62 . | | 16255714 | | |

SUED: ML-XP097

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| =' | | | | | | |
|-----------------|---------------|-----------------|------------------|---------------|-----------------|-----------|
| MFR: GENERAL | MOTORS COR | P. ENGINE FAM | IILY: XGMXV03.80 | 48 EVAP | FAMILY: XGM | XR0133918 |
| | | FAMILY: CA(X) | | | | |
| | | EV(X) LEV() | | | | • • |
| EVAP STD: USER | UL LIFE (X) | | | | | |
| VEH CLASS(ES): | PC(X) L | DT1() LDT2() | MDV1() MDV | 2() MDV3 | () MDV4 (|) MDV5() |
| | | MULTI-CLASS ENG | | | | |
| FUEL TYPE(S): [| DEDICATED (I/ | GASOLINE(X); | EXH EMIS TES | T FUEL(S): IN | IDOLENE () | CBG(X) |
| | | CALIF () FE | | | | · · |
| SERVICE ACCUM | ULATION: ST | DAMA(X) MFRA | ADP(); NMOG | TEST PROCE | DURE: NA (| EQUIV(X) |
| R/L TEST PROCE | | | | | | , , |
| ENGINE CONFIGU | JRATION: 14 (|) V6(X) V8(|) DISP | LACEMENT: | 3.8 LITERS / 23 | 1 CU. IN. |
| | VAL | VES / CYLINDER: | 2(X) 4() | RATI | ED HP: 195@ | 5200 RPM |
| ENGINE LOCATIO | |) | | | | |
| | | SYSTEM: EGR-TW | וכ עספנים פדו | | | ` , |
| RLHP / DPA VALU | ES: SECTION | 08.13.02.00 | | ECS1 | | |
| ✓NGINE CODE | | | | FOUN | EGR | CATALYTY |
| & LETTER | | VEH MODELS | TRANS | TEST | SYSTEM | CONVERTE |
| DERIVATIVES*1 | (C/F/NW) | (SEE PAGE 1) | (M5 A4 ETC.) | WEIGHT | PARTNO | |

| NGINE CODE & LETTER DERIVATIVES*1 | LOC (C/F/NW) | VEH MODELS (SEE PAGE 1) | TRANS (M5,A4,ETC.) | EQUIV. TEST WEIGHT | EGR SYSTEM PART NO. | CATALYTIC CONVERTER PART NO. |
|---|-----------------|----------------------------|-----------------------|--------------------------|---------------------------|------------------------------------|
| 54 | С | 3WH69 3WS69 3WX69 | A4/24 | 3750 | 17096199 | 24507888 (24508098) |
| 55 | | 3WH69 3WS69 3WX69 | | | | |

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

| CARLINE NAME | CARLINE CODE |
|---------------------|--------------|
| OLDSMOBILE INTRIGUE | 06055 |
| | uduaa |

'SUED: ML-XP097

6052

(FOR CARB USE ONLY)

E.O. #A-6-841 =

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXV03.8048

EVAP FAMILY: XGMXR0133918

| ENGINE CODE & LETTER DERIVATIVES*1 | LOC (C/F/NW) | VEH MODELS (SEE PAGE 1) | TRANS (M5,A4,ETC.) | EQUIV. TEST WEIGHT | EGR SYSTEM PART NO. | CATALYTIC CONVERTER PART NO. |
|--|-----------------|----------------------------|-----------------------|--------------------------|---------------------------|------------------------------------|
| 56 | С | 4WB69 | A4/24 | 3750 | 17096199 | 24507888 (24508098) |
| 59 | | 2WP37 2WJ69 2WP69 | A4/25 | | | |

| CARLINE NAME | CARLINE CODE |
|--------------------|--------------|
| BUICK REGAL | 01062 |
| PONTIAC GRAND PRIX | 07055 |

3SUED: ML-XP097

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **PCM AND CALIBRATION PART NUMBERS**

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXV03.8048 EVAP FAMILY: XGMXR0133918

| ENGINE CODE | PCM/VCM PART NUMBER | ENGINE CALIB | OPER CALIB | TRANS CALIB |
|-------------|------------------------|--------------|------------|-------------|
| 54 | 16200870 | 09357234 | NA | NA |
| 55 | | 09357244 | | |
| 56 | | 16242204 | | |
| 59 | | 16232234 | | |

SUED: ML-XP097