State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-888-A Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: XGMXV03.8049 Displacement: 3.8 Liters (231 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Three Way Catalytic Converter Heated Oxygen Sensors (two) Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.075	3.4	0.2	0.015	10.0
100,000	0.090	4.2	0.3	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	:	Carbon
	Organic Gas	<u>Monoxide</u>	<u>Oxides</u>	<u>Formaldehyde</u>	<u>Monoxide (20°F)</u>
50,000	0.067	1.1	0.1	0.001	3.3
100,000	0.079	1.3	0.2	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 17

_ day of December 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXV03.8049 EVAP FAMILY: XGMXE0086903 ALL ENGINE CODES IN ENGINE FAMILY: CA(X) 49S() 50S() AB965() ORVR: YES() NO(X) EXH STD: CA TIER-1() TLEV() LEV(X) ULEV() SULEV(); U.S. EPA TIER-1() EVAP STD: USEFUL LIFE (X) PC(X) LDT1() LDT2() MDV1() MDV2() MDV3() MDV4() MDV5() VEH CLASS(ES); SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA FUEL TYPE(S): DEDICATED (1/2) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE () CBG (X) EVAP EMIS TEST PROCEDURE: CALIF () FED(X) SERVICE ACCUMULATION: STD AMA(X) MFR ADP(); NMOG TEST PROCEDURE: NA() EQUIV(X) R/L TEST PROCEDURE: PT SOURCE (X) ENGINE CONFIGURATION: I4() V6(X) V8() DISPLACEMENT: 3.8 LITERS / 231 CU. IN. VALVES/CYLINDER: 2(X) 4() RATED HP: 205 @ 5200 RPM ENGINE LOCATION: FRONT (X) DRIVE: FWD(X) RWD() 4WD-FT() 4WD-PT() EXHAUST EMISSION CONTROL SYSTEM: EGR-TWC-HO2S(2)-SFI RLHP / DPA VALUES: SECTION 08.13.02.00

GINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST <u>WEIGHT</u>	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
101	С	2HX69 3HC69 3HN69 4HP69 4HR69	A4/21	3875 3750	17096199	25174347

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME	CARLINE CODE
PONTIAC BONNEVILLE	07045
OLDSMOBILE EIGHTY-EIGHT/REGENCY	06025
BUICK LESABRE	01030

SUED: ML-XP179

REVISED:

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXV03.8049

EVAP FAMILY: XGMXE0086903

ENGINE CODE & LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST WEIGHT	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
102	С	2HZ69 3HC69	A4/22	3875	17096199	25174347
		3HY69 2HX69 3HN69		3750		
		4HP69 4HR69	;	3130		

CARLINE NAME	CARLINE CODE
PONTIAC BONNEVILLE	07045
OLDSMOBILE EIGHTY-EIGHT/REGENCY	06025
BUICK LESABRE	01030

SUED: ML-XP179

REVISED: ML-XR047

17-XGMXV03.8049-3 (1999)

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

(FOR CARB USE ONLY)

E.O. #A-6-888A

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXV03.8049 EVAP FAMILY: XGMXE0086903

ENGINE CODE	PCM/VCM PART NUMBER	ENGINE CALIB	OPER CALIB	TRANS CALIB
101	16200870, 09357440	09355594	NA	NA
102		16251094		

ISSUED: ML-XP179

REVISED:

17-XGMXV03.8049-4 (1999)

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP. ENGINE FAMILY: XGMXV03.8049 EVAP FAMILY: XGMXE0095904 ALL ENGINE CODES IN ENGINE FAMILY: CA(X) 49S() 50S() AB965() ORVR: YES() NO(X) EXH STD: CA TIER-1 () TLEV () LEV (X) ULEV () SULEV (); U.S. EPA TIER-1 () EVAP STD: USEFUL LIFE (X) VEH CLASS(ES): PC(X) LDT1() LDT2() MDV1() MDV2() MDV3() MDV4() MDV5() SINGLE CERT STANDARD FOR MULTI-CLASS ENGINE FAMILY: NA FUEL TYPE(S): DEDICATED ($\sqrt{}$) GASOLINE (X); EXH EMIS TEST FUEL(S): INDOLENE () CBG (X) EVAP EMIS TEST PROCEDURE: CALIF () FED(X) SERVICE ACCUMULATION: STD AMA (X) MFR ADP (); NMOG TEST PROCEDURE: NA () EQUIV (X) R/L TEST PROCEDURE: PT SOURCE (X) ENGINE CONFIGURATION: I4() V6(X) V8() DISPLACEMENT: 3.8 LITERS / 231 CU. IN. VALVES / CYLINDER: 2(X) 4() RATED HP: 200 @ 5200 RPM ENGINE LOCATION: FRONT (X) DRIVE: FWD(X) RWD() 4WD-FT() 4WD-PT() EXHAUST EMISSION CONTROL SYSTEM: EGR-TWC-HO2S(2)-SFI RLHP / DPA VALUES: SECTION 08.13.02.00

& LETTER DERIVATIVES*1	LOC (C/F/NW)	VEH MODELS (SEE PAGE 1)	TRANS (M5,A4,ETC.)	EQUIV. TEST <u>WEIGHT</u>	EGR SYSTEM PART NO.	CATALYTIC CONVERTER PART NO.
107	C	1WX27 1WL69 1WN69	A4/25	3625 3750	17096199	24057888 (24508098)
108		1WX27 1WL69 1WN69	j.	3625 3750		

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

CARLINE NAME
CHEVROLET LUMINA/MONTE CARLO

CARLINE CODE 03150

ISSUED: ML-XP179

REVISED:

17-XGMXV03.8049-5 (1999)

(FOR CARB USE ONLY)

E.O. #A-6-888A

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PCM AND CALIBRATION PART NUMBERS

MFR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXV03,8049

EVAP FAMILY: XGMXE0095904

 ENGINE CODE
 PCM/VCM PART NUMBER
 ENGINE CALIB
 OPER CALIB
 TRANS CALIB

 107
 16200870, 09357440
 16242144
 NA
 NA

 108
 16242174
 16242174
 NA
 NA

SUED: ML-XP179

REVISED:

17-XGMXV03.8049-6 (1999)