(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-329 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: XNSXT03.335A <u>Displacement</u>: 3.3 Liters (200 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters (two) Dual Heated Oxygen Sensors (two) Exhaust Gas Recirculation

Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	Non-Methane Organic Gases		Oxides of Nitrogen		Carbon Monoxide (20°F)
3751 - 5750	50,000	0.100	4.4	0.4	0.018	12.5
	100,000	0.130	5.5	0.5	0.023	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	Non-Methane Organic Gases		Oxides of Nitrogen		Carbon <u>Monoxide (20°F)</u>
3751-5750	50,000	0.072	1.4	0.1	0.001	9.4
	100,000	0.074	1.5	0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of July 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

E.O.#	A-15-329
	Page_1_

11.11.01	T222 MODE	-YEAR	AIR RESOUR	CES BOARD	SUPPLEMENTAL	מידימרו	CUPPM
	PASSENCER	CADC	T.TOUM DIME			DATA	SHEET
		cano,	PIGUI-DOLA	TRUCKS A	ND MEDIUM-DUT	Y VEH:	ICLES

Manufa	acturer: NISSAN MOTOR CO. LTD. Exh Eng Fam: XNSXT03.335A Evap Fam: XNSXE0110MBA
All En	ngine Codes in Engine Fam: CA X 49S 50S AB965 , ORVR : Yes No _X_
Exh St	d: CA Tier-1 TLEV LEV _X_ ULEV SULEV, US EPA Tier-1
Veh Cl	ass(es): PC LDT1 LDT2 _X _ MDV1 MDV2 MDV3 MDV4 MDV5
Single	Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Fuel T	ype(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel
	CNG LNG LPG M85 Other (specify)
Exh Emi	iss Test Fuel(s): Indo CBG _X_ CNG LPG M85 Other(specify)
	Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
Evapora	ative Emission Test Procedure : California Federal _X_
Service	Accum: Std AMA X Mod AMA Mfr ADP Other (specify)
NMOG Te	est Procedure: N/A Std X Equiv R/L Test Proc: SHED Pt Source X_
Engine	Configuration: V6 Displacement: 3.3 Litters 199.8 Cubic Inches
Valves	per Cylinder: _2_ Rated HP: _168_ 6 _4800_ RPM
Engine:	Front X Mid Rear Drive: FWD RWD 4WD-FT 4WD-PT X
Exhaust	ECS (eg., EGR, MFI, TC, CAC): <u>2TWC(2)/2HQ2S(2)/EGR/SFI</u> (use abbreviations per SAE J1930 JUN93)
Contin	ued on next page

Issue Date : 06/19/98

Revision Date :

17.11.01 1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES (cont'd)

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: XNSXT03.335A Evap Fam: XNSXE0110MBA

:::		:		•				
:Engine Code : V :(also list : (:CA/49ST/50ST): a	Wehicle Models : (if coded see : attachment) :	Trans. (M5,A4	: ETW : or :Test Wt	: DPA : or	: Ignition : (ECM/PCM)	: System	: Catalytic : Converter	:
: ;XE	SSAN FRONTIER : -V6 KING CAB : CUCK 4X4 :		:	: :16.5 :	: ECM : MECM-W730 :	:EGR Valve :VASA005	:Fr: 450	:
: : SE	SSAN FRONTIER : -V6 KING CAB : UCK 4X4 :		:	: :16.2 :	:	:	:	:
: :NI:: :XE:: : :TRU	SSAN FRONTIER : -V6 KING CAB : UCK 4X4 :	:	; ;	: :14.9	: :	:	:	: : : : : : : : : : : : : : : : : : : :
: : SE-	SSAN FRONTIER : -V6 KING CAB : UCK 4X4 :	:	:	: :14.6 :	:	:	: :	:
: : : : : : : : : : : : : : : : : : :	SSAN FRONTIER : -V6 KING CAB : JCK 4X4 :	:	:		ECM MECM-W720	: :	; ; ;	: : : : :
: :SE- : :TRU	SSAN FRONTIER : -V6 KING CAB : -CK 4X4 :	: : : M5	:	: :		· : :	· : :	:
: :XE-	SAN FRONTIER : V6 KING CAB : CK 4X4 :	:	:	: : : : 14.7	:	• • •	: : :	:
: (CA) :NIS: : :SE-1	SAN FRONTIER : V6 KING CAB : CK 4X4 :	:	:	:	; ;	: : : : : : : : : : : : : : : : : : :	: : :	: : :

Issue Date : 06/19/98

Revision Date :