#### State of California AIR RESOURCES BOARD

### EXECUTIVE ORDER A-2-107 Relating to Certification of New Motor Vehicles

#### FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for passenger cars:

<u>Emission Standard Category</u>: Low-Emission Vehicle (LEV)

<u>Fuel Type</u>: Gasoline

Engine Family: XFJXV02.2FEF Displacement: 2.2 Liters (135 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Three Way Catalytic Converters (two) Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	Non-Methane <u>Organic Gas</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon Monoxide (20°F)
50,000	0.075	3.4	0.2	0.015	10.0
100,000	0.090	4.2	0.3	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.048	0.7	0.1	0.001	5.7
100,000	0.054	0.8	0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

E IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27 day of April 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

# 1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1 of 2

Manufacturer: Fuji Heavy Industries Ltd. Exh Eng Fam: XFJXV02.2FEF Evap Fam: XFJXR01251BB
All Engine Codes in Engine Family: CA_x 49S 50S AB965, ORVR: YES_x NO
Exh Std: CA Tier-1 TLEV LEV x ULEV SULEV, US EPA Tier-1
Veh Class(es): PC_x LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5
Single Cert Std for Multi-Class Eng Fam: (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
Fuel Type(s): Dedicated x Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel
CNG LNG LPG M85 Other (specify)
Exh Emiss Test Fuel(s): Indo CBG_x CNG LPG_ M85_ Other (specify)
Diesel: 13 CCR 2282 40 CFR 86.113-90 40 CFR 86.113-94
Evaporative Emission Test Procedure: California Federal_x_
Service Accum: Std AMA_x Mod AMA Mfr ADP Other (specify)
NMOG Test Procedure: N/A Std x Equiv R/L Test Proc: SHED Pt Source x
Engine Configuration: 00 Displacement: / 2.2 Liters / 135 Cubic Inches
Valves per Cylinder:         4         Rated HP:         142         @ 5600         RPM
Engine: Front x Mid Rear Drive: FWD RWD 4WD-FT x 4WD-PT
Exhaust ECS (e.g., MFI, EGR, TC, CAC): HO2S(2), TWC(2), SFI
(use abbreviations per SAE J1930 JUN93)

## 1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 2 of 2

Engine Code (CA/ 49ST/50ST)	Vehicle Models	Trans. A-Auto M-Man.	ETW	DPA	Ignition (ECM/PCM) Part No.	Catalytic Converter Part No.
X2.2TMA (CA)	LEGACY 4D AWD L.		3250 (3125)#	7.2	Electronic Control Unit: Fuji's Part No. 22611AE41A	Fuji's Part No. Front: 20805AB21A Rear: 20805AB22A
	LEGACY 4D AWD L-Ltd		3250	7.8		
	LEGACY SW AWD Brighton					
	LEGACY SW AWD L	M-5	3375			
	LEGACY SW AWD L-Ltd					
	IMPREZA 2D AWD L		3000	7.4	Electronic Control Unit: Fuji's Part No. 22611AE520	Fuji's Part No. Front: 20805AB210 Rear: 20805AB220
	IMPREZA 4D AWD L					
	IMPREZA SW AWD L	] [	3125	7.5		
	IMPREZA SW AWD OBK			8.8		

<sup>#</sup>The model is tested at higher ETW in accordance with 40 CFR 86.094-26(a)(2).

Engine Code (CA/ 49ST/50ST)	Vehicle Models	Trans. A-Auto M-Man.	ETW	DPA	Ignition (ECM/PCM) Part No.	Catalytic Converter Part No.
X2.2TAA (CA)	LEGACY 4D AWD L		3250	7.2	Electronic Control Unit: Fuji's Part No. 22611AD63A 22611AD64A	Fuji's Part No. Front: 20805AB21A Rear: 20805AB22A  Fuji's Part No. Front: 20805AB210 Rear: 20805AB220
	LEGACY 4D AWD L-Ltd		3375 (3250)#	7.0		
	LEGACY SW AWD Brighton	A-4	3375			
	LEGACY SW AWD L		3375 (3250)#	7.8		
	LEGACY SW AWD L-Ltd		3375	7.9		
	IMPREZA 2D AWD		3125	7.6	Electronic Control Unit: Fuji's Part No. 22611AE530	
	IMPREZA 4D AWD L					
	IMPREZA SW AWD L		3250 (3125)#	8.0		
	IMPREZA SW AWD OBK		3250	8.2		

<sup>#</sup>The model is tested at higher ETW in accordance with 40 CFR 86.094-26(a)(2).

Date Issued: 3/13/'98

Revisions: