#### State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-18-94 Relating to Certification of New Motor Vehicles

#### VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type (Certification Fuel): Gasoline (Indolene)

Engine Family: XVVXV2.43AW2 <u>Displacement</u>: 2.3 Liters (142 Cubic Inches)
2.4 Liters (149 Cubic Inches)

### Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Heated Oxygen Sensors (two) Three Way Catalytic Converter Turbocharger Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	<b>0.</b> 156	4.2		0.018	n/a

The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000		1.6	0.02	0.001	4.7
100,000		1.8	0.03	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and the Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, section 1978, and listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 31 day of August 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

# 1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page\_\_1\_

	VOLVO (AR (C	.ab	wh Eng Es	m. YVV	XV2.43AW2.	Evap Fam: XVV	IXRØ133PA1
Manufacturer:	VOLVO (AR CC		XII BIIG FA	5062/	7065	ORVR: YES	NO X
All Engine Cod	des in Engine Fami	lliy: CA	495	_ 303,X	AD703/	. IIS FPA	TIPT-WILEV X
Exh Std: CA	Fier-1 TLEV	LE	VV	TEA	TO SULEY.	MDV4	MDV5
Veh Class(es):	PC LDT1	LDT2_	- H/A	#10	V2 PDV3_	myi Mnya A	MDV3. MDV4)
Single Cert St	d for Multi-Class	Eng Fam	: <u>17A-</u> (80	eciry:	N/A, LDII, I	Cagaline X	Diesel
Fuel Type(s):	Dedicated X F	ex-Fuel_	Duai-	Fuel	BI-FUEL	Gasorate	
	CNGLNG	LPG	M85 O	tner (s	pecity)	Other Aspecia	Ev.)
r- Timiss Test	Fuel(s): Indo	CBG	_ CNG	LPG	R 86.113-90_	AO CER 86	1.113-94
	Diesel	.: 13 CC	R 2282	40 02	R 86.113-90_	7 10 01.1	
Evaporative En	nission Test Proce	dure: C	alliornia		rederat_/	(5.6.1)	
Service Accum:	std AMA $X$ Mo	od AMA	Mir A	DP	Tost Pros	SHED Pt	Source X
( Test Prod	sed AMA $\triangle$ Moreover N/A $\triangle$ Iration: $\overline{I}$ $\overline{I}$	Std_X_	. 2.3	- 37	Liters 2	42 / 149 CI	bic Inches
Engine Configu	ration: <u>7-3</u> I	)isplacem	ent: _~··	177	247-129d	a 5700/5	166 RPM
Valves per Cyl	linder: Re		Rateo	EWD	Two Two	AWD-FT X	4WD-PT
Engine: Front	e.g., MFI, EGR, TO	ear	CET HA?	5/2).	TWG TC.C	AC	
Exhaust ECS (	e.g., MFI, EGR, TO	c, CAC): <u>.</u>	(use	abbrev	iations per	SAE J1930 JU	N93)
		Trans.	ETW	DPA !	Tanition	! EGR	catalytic
Engine Code	Vehicle Models (if coded see	(M5, A4	or	or	(ECM/PCM)	EGR System	Converter
CA/49ST/50ST)	attachment)	etc.)	Test Wt.	RLHP		Part No.	1
			LIKON	00	9125601	- N/A	9470133
X62AWD:2(20	V79/S70	24	1000	0.0	1,110 07		) [
- /			-				1 
							\$ \$ 
			1	,		-	
	wade .		1			‡ 1 1	
X56AWD:2(94)	V70/V70 XC/S70	124	4000	8.5	9125601	NA	9470 133
		ļ ļ		i	i !	i 1	
G: -			3875	9.1	1		
		] 	1	9.6	i I		-
-					t 1		1
		1	1	î 1	i 	1	
	1		<u> </u>				1
	-		1	1	! !		
		i i	İ		 	 	
		; !	i	1	<b>!</b> !	•	!
				 	l 1 1	! \$ !	
			i	1			
	!	i i	í	!	į	ļ	