

**AUDI AG** 

EXECUTIVE ORDER A-030-0141 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

	MODEL YEAR TEST GROUP				VEHICLE TYPE		UST EMISSION ARD CATEGORY	FUEL TYPE						
200	2 2A	2ADXV04.2345			PASSENGER CAR	Low E	Emission Vehicle (LEV)	Gasoline (Indolene)						
No.		EVAPORATIVE FAMILY (EVAP) 2ADXR0140233		No.	SPECIAL FEATURES & EMISSION CONTROL SYSTEM	S (ECS)	* = not applicable	ADSTWC=adsorber TWC OC=oxidation catalytic converter O2S = oxygen sensor						
1	2ADXR0			1	2TWC(2), 2HO2S(2),	SFI, AIR, OF	BD (F)							
2	2ADXR0	2ADXR0170252			*			HO2S = heated O2S EGR =exhaust gas recirculation AIR = secondary air injection PAIR = pulsed AIR						
3	*	* 2		3	*		MFI = multiport fuel injection SFI = sequential MFI TC/SC = turbo/super charger CAC=charge air cooler OBD (F) / OBD (P)=on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) = series							
4	*			4	*									
EVAI No.	P ECS ENGINE No. SIZE (L)					CLES SUBJ DARDS AR	ABBREVIATIONS: *							
1	1	1 4.2			Audi A6 Quattro									
2	1	4.2			Audi A8 Quattro, A8 LWB Quattro									
*	*	*				***								
*	*	* *			*									

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

NMOG FLEET AVERAGE [g/mi]							CH4 = methane NMOG = non-CH4 organic gas NMHC = non-CH4 hydrocarbon CO = carbon monoxide NOx = oxides of nitrogen HCHO = formaldehyde PM = particulate matter RAF = reactivity adjustment factor											
CERT	STD		CH4 RAF = *			CO [g/mi]			NOx [g	/mi]	HCHO [mg/mi]		Р	PM [g/mi]		Hwy NOx [g/mi]		
0.061	1 0.068		CERT		STD	CERT STE		С	ERT	STD	CERT	STD CERT		г ѕ	TD	CERT	STD	
	@	@ 50K		0.050 0.0		0.5	3.4	C	0.03	0.2	0.2 1	15	15 *	•		0.02	0.3	
K = 1000 miles	@	@ 100K		0.056	0.090	0.6 4.2		0	0.03	0.3	0.2	18	*		*	0.02	0.4	
	@ 50°	F, 4K	0	0.093	0.150	0.8	3.4	0	0.1	0.2	0.2	30	*		*	*	*	
	O [g/mi] 20°F, 50K		g = gram mg =milligram			NMHC+NOx [g/mi] (composite)			NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]		NMH	NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
CERT STD		D		mi = n		CERT	STD	С	ERT	STD	CERT	STD	CER	•	TD	CERT	STD	
2.1	10.	10.0			@ 4K	*	*		*	*	*	*	*		*	*	*	
F = degree	e Fahrenh	Fahrenheit		@ 100K		*	*		*	+	*	*	*		*	*	*	
@ 100K	EV	EVAPORATIVE FAMILY 1				EVAPORATIVE FAMILY 2				ΕV	EVAPORATIVE FAMILY 3			EVAPORATIVE FAMILY 4				
	3-D	2-0		RL	ORVR	3-D	2-D	RL.	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	
CERT	1.0	1.2	2	0.00	0.03	1.6	1.7	0.002	0.03	*	*	*	*	*	*	*	•	
STD	2.0	2.0 2.5		0.05	0.20	2.0	2.5 0.0		0.20	*	*	*	*	*	*	+	*	
2-D, 3-	D [g/test] =	2-day	, 3-d	ay diurr	al and hot-	soak	RL [g/m	i] = runi	ning loss	ORV	R [g/gallon	of fuel dis	pensed) =	on-board	l refuelin	g vapor re	covery	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 26th day of July 2001.

R. B. Summerfield, Chief
Mobile Source Operations Division