

DAIMLERCHRYSLER CORPORATION

EXECUTIVE ORDER A-009-0518 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODE YEAR		TEST GROUP		VEHICLE TYPE		AUST EMISSION DARD CATEGORY	FUEL TYPE					
2002	2CR)	(T02.42D5	5	3751-5750 Pounds Loaded Vehicle Weight Light Duty Truck	Low	Emission Vehicle (LEV)	Gasoline					
No.		EVAPORATIVE FAMILY (EVAP)		SPECIAL FEATURE EMISSION CONTROL SYST		* = not applicable	TWC = 3-way catalytic converter WUTWC = warm-up TWC ADSTWC = adsorber TWC OC = oxidation					
1	2CRXR01	55GCH	1	TWC(2), HO2	S(2), SFI, OBD	(F)	catalytic converter O2S = oxygen sensor HO2S = heated O2S EGR = exhaust gas recirculation					
2	*	•			*	AIR = secondary air injection PAIR = pulsed AIR						
3	*		3		*	MFI = multiport fuel injection SFI = sequential MF TC/SC = turbo/super charger CAC = charge air coole						
4	*		4	•	*	OBD (F) / OBD (P) = on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) = serie						
EVAF No.	ECS No.		ENGINE VEHICLE VEHICLES SUBJECT TO SFTP SIZE (L) MAKES & MODELS STANDARDS ARE UNDERLINED			ABBREVIATIONS:						
1	1	2.4			Jee	D/4WD)						
*	*	*		*								
*	*	*		*								
*	*	*		*								

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

NMOG FLEET NM AVERAGE [g/mi] @R		NMO @RA	G [g/mi] F = 0.94		14 = methane NMOG = non-CH4 organic gas NMHC = non-CH4 hydrocarbon CO = carbon monoxide bx = oxides of nitrogen HCHO = formaldehyde PM = particulate matter RAF = reactivity adjustment factor												
CERT	T STD		CH4 RAF = *		CO [g/mi]		NOx [g/mi]		HCHO [mg/mi]		P	PM [g/mi]		Hwy NOx [g/mi]			
0.098	0.095	5	CERT STD		CERT	STD	CERT	r	STD	CERT	STD	CER	T S	TD	CERT	STD	
	@:	50K	0.039	0.100	2.9	4.4	0.1		0.4	1	18	*		•	0.2	0.5	
K = 1000 miles	@ 10	юк	0.039	0.130	2.9	5.5	0.1	7	0.5	1	23	*		•	0.2	0.7	
	@ 50°F,	4K	+	*	*	*	*		*	*	*	*		*	*	*	
CO [g/mi] g = gram @ 20°F, 50K mg = milligram				NMHC+ (con		NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]		NMH	NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]				
CERT	STD 12.5			mile	CERT	STD	CERT	Г	STD	CERT	STD	CER	r s	TD	CERT	STD	
10.2				@ 4K		* *	*		*	•	*	*		•	*	*	
F = degree Fahrenhei		it	in .	@ 120K	*	*	•		*	*	*	*		•	*	*	
@	EVAPORATIVE FAMILY 1				EVAPORATIVE FAMILY 2				EV	EVAPORATIVE FAMILY 3				EVAPORATIVE FAMILY 4			
100K	3-D	2-D	RL	ORVR	3-D	2-D	RL C	DRVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	
CERT	1.1	0.7	0.00	1 0.03	*	*	•	*	*	*	*	*.	*	*	*	+	
STD	2.0	2.5	0.0	0.20	*	*	*	*	+	*	*	•	*	•	*	*	
2-D, 3-D [g/	/test] = 2-da	ay, 3-d	lay diurna	and hot-soal	k	RL [g/mi] =	running lo	oss		ORVR [g/g	alion of fue	dispense	d] = on-bo	oard refu	eling vapo	r recovery	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emis	(O)(e)	regulations
The Bureau of Automotive Repair will be notified by copy of this Executive Order	//	·

Executed at El Monte, California on this ______ day

_ day of November 2001.

R. B. Summerfield, Chief Mobile Source Operations Division