## DAIMLERCHRYSLER CORPORATION

EXECUTIVE ORDER A-009-0562 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODE YEAR					VEHICLE TYPE		UST EMISSION ARD CATEGORY	FUEL TYPE							
2002	2CR)	(A0488)	<b>(11</b>		8,501-10,000 Pounds Adjusted Loaded Vehicle Weight Medium Duty Vehicle		Tier 1	Gasoline							
No.		VAPORATIVE AMILY (EVAP) CRXE0174GEL		No.	SPECIAL FEATURES & EMISSION CONTROL SYSTEM		TWC = 3-way catalytic converter WUTWC = warm-up TWC ADSTWC = adsorber TWC OC = oxidation catalytic converter O2S = oxygen sensor								
1	2CRXE01			1	TWC, 2HO2S, HO2	S(2), SFI, OB									
2	*	*			*		HO2S = heated O2S EGR = exhaust gas recirculation AR = secondary air injection PAIR = pulsed AIR								
3	*			3	*		MFI = multiport fuel injection   SFI = sequential MFI   TC/SC = turbo/super charger   CAC = charge air cooler								
4	*			4	*			OBD (F) / OBD (P) = on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) = series							
EVAF No.	ECS No.	ENGINE SIZE (L)			VEHICLE VEH MAKES & MODELS STAI	ICLES SUBJ	ECT TO SFTP	ABBREVIATIONS:							
1	1	1 8.0			Dodge Ram 3500: Cab Chassis 4WD, Pickup 2WD/4WD										
*	*				*										
*	*	* *			*										
*	*	*		_		*									

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

	G FLEET RAGE [g/m	FLEET GE [g/mi]		NMHC [g/mi] @RAF = *		CH4 = methane NMOG = non-CH4 organic gas NMHC = non-CH4 hydrocarbon CO = carbon monoxide NOx = oxides of nitrogen HCHO = formaldehyde PM = particulate matter RAF = reactivity adjustment factor											
CERT	ST	STD		RAF = *	CO [g/mi]		NO	NOx [g/mi]			HCHO [mg/mi]		PM [g/mi]		Hwy NOx [g/mi]		
*	*	*		STD	CERT STD		CERT		STD	CERT STD		CER	CERT STE		CERT	STD	
	_	@ 50K		0.46	4.9	4.9 5.5 0.4			1.3	*	* *			*	0.1	2.6	
K = 1000 miles	@	@ 120K		0.66	6.2	8.1	0.55		1.81	*	* .		•		0.10	3.62	
	@ 50°	@ 50°F, 4K		*	*	*	*		*	*	*	*	<del></del>	*	*	*	
	0 [g/mi] 20°F, 50K			gram = milligram	NMHC+NOx [g/mi] (composite)		NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]		NMH	NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]			
CERT S		STD		mi = mile		STD	CERT		STD	CERT	STD	CER	•	TD	CERT	STD	
*	*			@ 4K	*	*	*		*	*	*	*	_	•	*	*	
F = degree Fahrenheit			@ 120K		*	*	•		*	*	*	*		•	*	*	
@ 120K	EV	EVAPORATIVE FAMILY 1			EVAPORATIVE FAMILY 2			ΕV	VAPORATIVE FAMILY 3			EVAPORATIVE FAMILY 4					
	3-D	2-D	RL	ORVR	3-D	2-D	RL 0	RVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	
CERT	1.1	0.7	0.00	1 *	*	*	*	•	*	*	*	*	*	*	*	*	
STD	2.5	3.0 0.05 * * * * *		*	*	*	*	*	*		+	*					
2-D, 3-D [	g/test] = 2-	day, 3-d	lay diurna	and hot-soal	(	RL [g/mi] =	running lo	ss		ORVR [g/g:	allon of fue	l dispense	d] = on-b	oard refu	ueling vapo	r recovery	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of June 2001.

R. B. Summerfield, Chief
Mobile Source Operations Division