

ROLLS-ROYCE & BENTLEY MOTOR CARS LTD.

EXECUTIVE ORDER A-048-0047 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODI YEA		TEST GROUP		VEHICLE TYPE S	EXHAUST EMISSION TANDARD CATEGORY	FUEL TYPE						
200	2 2R	RXV05.4NA	AT	PASSENGER CAR	TIER-1	Gasoline (Indolene)						
No.		RATIVE (EVAP)	No.	SPECIAL FEATURES & EMISSION CONTROL SYSTEMS (EC	s) = not applicable	TWC=3-way catalytic converter WUTWC=warm-up TWC ADSTWC=adsorber TWC OC=oxidation catalytic						
1	2RRXR	0200E96	1	TWC(2), 2HO2S(2), SFI, A	converter O2S = oxygen sensor HO2S = heated O2S EGR =exhaust gas recirculation							
2		•	2	*		AIR = secondary air injection PAIR = pulsed AIR						
3		•	3	*	MFI = multiport fuel injection SFI = sequential MFI TC/SC = turbo/super charger CAC=charge air cooler							
4		•	4	*	OBD (F) / OBD (P)=on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) ≃ series							
EVAF No.	ECS No.				SUBJECT TO SFTP	ABBREVIATIONS: *						
1	1	5.4		Silver Seraph, Park Ward								
•	•	• •		. *								
•	•											
•	-			*								

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium-duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

	FLEET (GE [g/ml]		NMHC @RA	[g/mi] F = *		methane oxides of n			l4 organi: formaldel		AHC = non- particuiat				carbon m adjustme	
CERT	STD		CH4 RAF = *		CO [g/mi]		N	NOx [g/mi]		HCHO [mg/mi]		PM [g/mi]			Hwy NOx [g/mi]	
0.061	880.0		CERT	STD	CERT	STD	CER	т	STD	CERT	STD	CERT	S	TD	CERT	STD
•	@ 501	ĸ	0.15	0.25	1.8	3.4	0.3		0.4	*	•	•		*	0.02	0.5
K = 1000 miles	@ 1001	ĸ	0.19 0.3	0.31	2.6	4.2	0.3	- (	0.6	•	•	*		•	0.02	0.8
	@ 50°F, 4F	۲	*	•	•	•	•		*	*	*	+		•	*	•
			g = gram mg =milligram		NMHC+NOx [g/mi] (composite)		NMH	NMHC+NOx [g/mi] [US06]		CO [g/mi] [U\$06]		NMHC+NOx [g/mi] [SC03]		/mi]	CO [g/mi] [SC03]	
CERT	CERT STD		mi = mile		CERT	STD	CER	Т	STD	CERT	STD	CERI	· s	TD	CERT	STD
4.4	10.0		@ 4K		*	•	*		•	*	*	•		*	*	•
F = degree	Fahrenheit	$\Box$	@ 100K		*	•	•		*	•	•	•		*	•	•
0	EVAPORATIVE FAMILY 1			EVAPORATIVE FAMILY 2			EV	EVAPORATIVE FAMILY 3			EVAPORATIVE FAMILY 4					
@ 100K	3-D 2	2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR
CERT	1.0	1.2	0.00	0.10	•	•	*	*	•	*	*	*	•	*	*	•
STD	2.0	2.5	0.05	0.20	•	•	•	*	•	•	•	*	*		•	•
2-D, 3-D	[g/test] = 2-d	lay, 3-	day diurn	al and hot-	soak	RL [g/m	i] = runnin	g loss	ORV	R [g/gallon	of fuel dis	pensed] =	on-board	refuelir	ig vapor re	covery

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; full or partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

3+h day of August 2001.

R. B. Summerfield, Chief Mobile Source Operations Division