## GENERAL MOTORS CORPORATION

EXECUTIVE ORDER A-006-1093-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODI		TEST GROUP			VEHICLE TYPE C=passenger car; LDT=light-duty IDV=medium-duty vehicle; LVW= vehicle weight; ALVW=adjusted i	truck; CATE	EGORY hicle: TL	MISSION STANDA (LEV=low emis EV= transitional LEV EV; SULEV=super UL	sion :	EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)			
200:	3 3	3GMXA04.2187			MDV: 3,751-5,750 pounds Al	_VW		LEV		120K / 120K	Gasoline			
No.	FAMIL	EVAPORATIVE FAMILY (EVAF)			SPECIAL FEAT EMISSION CONTROL		S)	* = not applicable	OC.	/TWC=oxidizing/3-way	cat. ADSTWC=adsorbing TWC IO2S=oxygen sensor/heated O2S			
1	3GMX	E021	2924	1	SFI, TV	/C, HO2S(2), O	MAF	5/HAF5=air-fuel ratio s	ensor/heated AFS_EGR=avhauct					
2		*		2		*	gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI							
3	*			3	*					I I BI= throttle body injection TC/SC=turbo /super charges				
4		*		4		*		CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series						
EVAF No.			ENGINE SIZE (L		VEHICLE MAKES & MODELS		HICLES SUBJECT TO SFTP			ABBREVIATIONS: *				
1	1 4.2			Chevrolet Trailblazer Ext 2WD/4WD; GMC Envoy XL 2WD/4WD; Isuzu Ascender 2WD/4WD										
*	*	* *			*									
*	*		*		*									
*	* *													

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	NMOG FLEET AVERAGE [g/mi]			NMOG @ RAF=0.94 CH4 RAF = *		CH4=methane NMOG=non-CH4 organic gas NMHC=non-CH4 hydrocarbon CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day											
CER	T	STD	NMOG	NMHC	NMHC STD	diurnal+hot-soak RL [g/mi]=running loss ORVR [g/gallon dispensed]=on-board refueling vapor recovery g=gram mg=milligram mi=mile K=1000 miles F=degrees Fahrenheit SFTP=supplemental federal test procedure											
		*	CERT [g/mi]	CERT [g/mi]	[g/mi]		CO [g/mi]		NOx [g/mi]		HCHO [mg/mi]		PM [g				
						CERT	STD	CERT	ST	)	CERT	STD	CERT	STD	CERT	STD	
		@ 50K	0.097	*	0.160	1.1	4.4	0.2	0.4		2	18	*	•	0.04	0.8	
-	24.9	@ UL	0.097	*	0.230	1.1	6.4	0.2	0.6		2	27	*	*	0.04	1.2	
	@ 50	°F & 4K	*	*	*	•	*	*	*		*	*	*	•	*	*	
CO [ @ 20		LEV) or 50K (Tier 1, TLEV			NMHC+NOx [g/mi] CO [g/mi] (composite) (composite)							O [g/mi] NMHC+NOx [US06] [g/mi] [SC03			CO [g/mi] [SC03]		
50	50K		SFTP 2 = @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CERT	ST	D CE	RT ST			CERT	STD	
CERT	11.2			SFTP 1	*	*	•	*	*				*	•	*	*	
STD	12.5			SFTP 2	*	*	*	•	*	•			+	*	*	+	
@ UL	EVAPORATIVE FAMILY 1				EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E'	EVAPORATIVE FAMILY 4			
	3-D	2-[	RL	ORVR	3-D	2-D	RL (	DRVR	3-D	2-D	RL	ORV		2-D	RL	ORVR	
CERT	0.9	1.1	0.00	*	•	*	*	*	*	*	*	*	•	*	*	•	
STD	2.0	2.5	0.05	*	*	*	*	*	*	*	*	*	*	*	+	*	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

This Executive Order hereby supersedes Executive Order A-006-1093 dated April 2, 2002.

Executed at El Monte, California on this \_\_\_\_\_\_ day of April 2002.

Allen Lyons, Chief

New Vehicle/Engine Programs Branch