## GENERAL MOTORS CORPORATION

EXECUTIVE ORDER A-006-1114
New Passenger Cars, Light-Duty Trucks
and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR TEST GROUP 2003 3GMXA08.1201			XA08.1201	N	VEHICLE TYPE C=passenger car; LDT=light-duty DV=medium-duty vehicle; LVW=k vehicle weight; ALVW=adjusted L MDV: 5,751-8,500 pounds AL	truck; CATEG paded vehic VW) ULEV=	ST EMISSION STAND ORY (LEV=low emis le; TLEV= transitional LEV litra LEV; SULEV=super UI	sion EVAPORATIVE	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas) Gasoline				
No.	FAMI	ILY (E		No.	SPECIAL FEAT EMISSION CONTROL S	SYSTEMS (ECS)		OC/TWC=oxidizing/3-way	y cat. ADSTWC=adsorbing TWC HO2S=oxygen sensor/heated O2S				
1	3GM2	MXE0111917			SFI, 2WUTWC, 2T	WC, 2HO2S(2),	AFS/MAFS=air-fuel ratio sensor/heated AFS EGR=exhaust gas recirculation AIR/PAIR=secondary air injection/outset						
2	3GM)	3GMXE0133917				*							
3		*				*	AIR MFI/SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series						
4		*				*							
EVAF		CS	ENGINE		VEHICLE	VEHICLES S	JBJECT TO SFTP		(,,				
No.	N	No. SIZE (L)		l_	MAKES & MODELS   STANDARDS ARE UNDERLINED   ABBREVIATIONS: *								
1		1	8.1		Chevrolet C2500 HD Silver	ado 2WD, K2500	HD Silverado 4WD: G	MC C2500 HD Sierra 2WI	K2500 HD Siorra AMD				
2	1 8.1			Chevrolet C2500 HD Silverado 2WD, K2500 HD Silverado 4WD; GMC C2500 HD Sierra 2WD, K2500 HD Sierra 4WD Chevrolet C2500 HD Silverado 2WD, K2500 HD Silverado 4WD, C2500 Avalanche 2WD, K2500 Avalanche 4WD, C2500 Suburban 2WD, K2500 Suburban 4WD; GMC C2500 HD Sierra 2WD, K2500 HD Sierra 4WD, C2500 Yukon XL 2WD, K2500 Yukon XL 4WD									
*		*	•		52500 TUROTI AL 241D, A2500 TURON XL 4WD								
*	1	*	*	+	· · · · · · · · · · · · · · · · · · ·		*						

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

				MOG @ RAF≃0.94 CH4 RAF = *		CH4=methane NMOG=non-CH4 organic gas NMHC=non-CH4 hydrocarbon CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day diurnal-hot-soak RL [g/mi]=running loss ORVR [g/gallon dispensed]=on-board refueling vapor recovery g=gram masmilligram missible RF-1000-sibs											
CER	T	STD NMOG NMHC		NMHC STD	mg=millig	M-SOAK ILL	. լց/ույ-լա	nning loss 1000 miles	OKVK	g/gallon c grees Fal	(spensed):	≂on-board re	fuelina van	or recovery	GEGram		
*	*   *		CERT [g/mi]	CERT [g/mi]	[g/mi]	CO [g/mi]			x [g/mi]	[g/mi] F		HCHO [mg/mi]		/mi]	Hwy NOx [g/n		
						CERT	STD	CERT	ST	D C	ERT	STD	CERT	STD	CERT	STD	
		@ 50K	0.100	*	0.195	2.3	5.0	0.2	0.0	6	2	22	*	*	0.1	1.2	
		@ UL	0.100	*	0.280	2.3	7.3	0.2	0.9	•	2	32	*	*	0.1	1.8	
	@ 50	°F & 4K	*	*	•	*	*	*	•			*	*	•	*	*	
CO [ @ 20	°F&	LE	= @ 4K (SUL V) or 50K (T	ier 1, TLEV)	NMHC+NC (compo		CO [g/mi] (composite)		NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]		NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
50	ĸ	SFIFZ	= @ UL (Tier	1, ILEV)	CERT	STD	CERT	STD	CERT	STD	CER	T STE	CERT	STD	CERT	STD	
CERT	*			SFTP 1	*	*	*	*	*	*	*	*	*	*	•	*	
STD	*			SFTP 2	*	*	*	*	*	•	*	-	*	-	*	<del>                                     </del>	
@ UL	EVAPORATIVE FAMILY 1				EVAPORATIVE FAMILY 2			EVAPORATIVE FAMILY 3				EV	EVAPORATIVE FAMILY 4				
	3-D	2-0	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVE		2-D	RL	ORVR	
CERT	1.3	1.4	0.00	*	1.6	1.7	0.00	*	*	*	*	*	*	*	*	OKVK	
STD	3.0	3.5	0.05	*	3.0	3.5	0.05	•	* -	*	*	+	*		*	*	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this // day of March 2002.

Allen Lyons, Chief

New Vehicle/Engine Programs Branch