

## PANOZ AUTO-DEVELOPMENT CORPORATION

EXECUTIVE ORDER A-323-0009 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODE YEA		TEST GROUP			VEHICLE TYPE (PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)			STANDA (LEV=lov UL	UST EMISSION ARD CATEGORY w emission vehicle; EV=ultra LEV; EV=super ULEV)	EXHAUST & ORVR/ EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas)				
2004		4P3XV04.600A			PC				S EPA Bin 8 ed as ARB ULEV	100K / 100K	Gasoline (Tier 2 Unleaded)				
No.		VAPORATIVE NMILY (EVAF)			Э.	SPECIAL FEATURES & * = not applicable				OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S					
1	4P3XR0115BAE			1		2TWC(2), 2H	IO2S(2), S	FI, EGR, OB	AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust						
2		*				2TWC(2), 2HO2S	(2), SFI, E	GR, SC, CAC	AIR MFI/SFI= multiport	gas recirculation AIR/PAIR=secondary air injection/pulsed   AIR MFI/SFI= multiport fuel injection/sequential MFI					
3		•					*		TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series						
4		•					*								
EVAF No.		CS No.	ENGINE SIZE (L)		M	VEHICLE AKES & MODELS			CT TO SFTP UNDERLINED	ABBREVIATIONS:					
1		1	4.6			PANOZ: ESPERANTE, ESPERANTE GT									
1	2 4.6					PANOZ: ESPERANTE GTLM									
*	*		*												
*	*		*		•										

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

	NMOG FLEET NMOG @ RAF = * AVERAGE [g/mi] CH4 RAF = *				NMOG or	CH4=methane NMOG=non-CH4 organic gases NMHC=non-CH4 hydrocarbons CO=carbon monoxide NOx=oxides of nitrogen HCHO=formaldehyde PM=particulate matter RAF=reactivity adjustment factor 2/3 D [g/test]=2/3 day dlurnal+hot-soak RL [g/mt]=running loss ORVR [g/gallon dispensed]=on-board refueling vapor recovery g=gram											
CER	CERT STD		NMOG	NMHC	NMHC	mg=milligi	ram mi≖	∟ [g/mı]≖run ≔mile K≃1	ning loss	ORVR [g	/gallon arees Fa	dispensed) ihrenheit	on-board re- SFTP=supp				
0.046	o	0.075	CERT	CERT [g/mi]	[g/mi]		[g/mi]	NO	NOx [g/mi]		CHO [	mg/mi]	PM (g		Hwy NC		
			[g/mi]			CERT	STD	CERT	STE	) CE	ERT	STD	CERT	STD	CERT	STD	
			0.036	*	0.100	0.3	3.4	0.06	0.14	4	*	15	*	*	0.02	0.19	
1		@ UL	0.043	*	0.125	0.4	4.2	0.07	0.20	.20 *		18	•	*	0.03	0.27	
	@ 50	°F & 4K	*	*	*		*	*	*		*	*	*	*	*	*	
CO @ 20	[g/mi] )°F &		SFTP 1 = @ 4K (SULEV, ULEV, LEV) or 50K (Tier 1, TLEV)						CO [g/mi] NMHC composite) [g/mi]				NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]		
50	50K		SFTP 2 = @ UL (Tier 1, TLEV)			STD	CERT	STD	CERT	STD	CE	RT ST	CERT	STD	CERT	STD	
CERT	6.8	SFTP @ 4K			*	*	*	*	0.03	0.14	2.	2 8.0	0.02	0.20	0.2	2.7	
STD	10.0		SFTP @ UL			0.71	*	*	*	*	2.	4 11.	1 *	+	0.4	3.7	
@ UL		EVAPOR.	ATIVE FAI	MILY 1	EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E'	EVAPORATIVE FAMILY 4			
س عد	3-D	2-[	RL	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORV	₹ 3-D	2-D	RL	ORVR	
CERT	1.0	0.8	0.01	0.07	*	*	*	*	*	*	*	*	•	*	*	*	
STD	2.0	2.5	0.05	0.20	*	*	*	*	*	*	*	*	*	*	•	*	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_ day of March 2004.

Allen Lyons, Chief

Mobile Source Operations Division