Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: The following diesel or incomplete medium-duty vehicles (MDV) with a manufacturer's GVWR from 8501 to 14000 pounds are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

. 10 00										
						ENGINE DESCRIPTION		t Ave i		OBD
		E FAMIL	v F	ENGINE	EMISSION	FUEL TYPE	STANDARDS	ENGINE SIZES (L)	ECS & SPECIAL FEATURES 3	COMPLI
MODEL YEAR	7GMXH08.0584		- MANI	MANUFACTURER			& TEST PROCEDURE	SIZES (L)		ANOL
		EXECUTIVE ORDER		GENERAL MOTORS		Gasoline		6.0	2TWC, 2HO2S(2), SFI	OBD(F)
			COR	PORATION	ULEV	1	Otto			
2007		06-1427		V 4	The state of the	THE RESIDENCE OF THE VIEW		OBD		
Gasoline, LPG or Alcohol Vehi			/ehicles Only FUEL TANK	Only SHICLE ENGINE ENGINE ENGINE ENGINE AND ENGINE ENGINE ENGINE MODELS						COMPLI
EV	EVAPORATI		CAPACITY	MODEL) v	EMICLE MARE & MOD	610	(L)	(ligited beauty) marty	ANCE
FAN	IILY	UL (K)	(gallons)	YEAR		t Silverado: 2500, 2500	HD Classic 2500			OBD(F)
ZGMYE	130099R	150	26, 27, 34	2007		Classic 2500HD; 2500, 2500HD, Classic		LY6 / 10 (330)	OBO(F)	
/ GMAL	7GMXE0300998		l	<u> </u>	CK20 GMC Sterra:	2500, 2500 PD, Classic Silverado: 3500, 3500 (sic			
ZCHYE	0300998	150 26, 27, 34, 50		50 2007	350	0, Classic 3500 Cab Ch		LY6 / 10 (330)	OBD(F)	
I GMAL	.0300000	-		\	01000	Classic 3500 Cab Cha			1	
	*	-	*	1						+
		 	*	*					Section Section	86.abc;
I	*			11.00	Title 12 Californ	ia Code of Regulations.	ection xyz.; 40 CFR	86.abc≕Title 40,		nav26)

=not applicable; GVWR=gross vehicle weight rating; 13 CCR xyz=Title 13, California Code of Regulations, Section xyz; 40 CFR 85.abc=Title 40, Code of Federal Regulations, Section 86.abc;

=itter; hp=horsepower; kw=kilowatt,
CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85=85% ethanol fuel; MF=multi fuel a.k.a BF=bi fuel; DF=dual fuel; FF=flexible fuel;

SOLEY / LEV=super utra / utra / iow emission venice;

ECS-emission control system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel perticulate filter; HO2S/O2S=heated/oxygen sensor; HAFS/AFS=heated/air-lucture system; TWC/OC=three-way/oxidizing catalyst; WU (prefix) =warm-up catalyst; DPF=diesel perticulate filter; HO2S/O2S=heated/oxygen sensor; CARB=gaseous carburetor; utel-injection; DGI=direct gasoline injection; GCARB=gaseous carburetor; lucl-injection; DGI=direct gasoline injection; GCARB=gasoline injection; DGI=direct gasoline injection; DGI=direct gasoline injection; GCARB=gasoline injection; DGI=direct gasoline injecti

Following are: 1) the FTP exhaust emission standards or family emission limit(s) as applicable under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, in g/bhp-hr, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For dual- and flexible-fuel, the CERT values in brackets [] are those when tested on conventional test fuel.)

nose when	lesieu on	CONTACTION	1121 1001					·0	1 1	PM	HC	НО
	NMHC		NOx		NMHC+NOx		CO FTP EURO		FTP EURO		FTP	EURO
Ì	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	1	*	0.050	•
STD	*		• \			*	14.4		 .	*		-
FEL		/ · ·	•	7	6.8	*		ļ	 		0.001	•
CERT	•			*	0.6	*	6.8			<u>.</u>		+
						*		*				- emineion test
NTE				B-Fadami Tari	Procedure: El	IRO=Euro III Eu	ropean Sleady	State Cycle; N	TE=Not-to-Exc	eed emission lim	it; STD=standard i	or emission test ormaldehyde;

g/bhp-hr=grains per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle; NTE=Not-to-Exceed emission limit; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde;

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: The listed engine models have been certified to the optional emission standards and test procedures in 13 CCR 1956.8 applicable to diesel or incomplete MDV with a 8501-14000 pound GVWR and shall be subject to 13 CCR 2139(c) (in-use testing of engines certified for use in diesel or incomplete MDV with a 8501-14000 pound GVWR).

BE IT FURTHER RESOLVED: The listed engine models have been certified to the Option 1 federal NMHC+NOx emission standard listed above pursuant to 13 CCR 1956.8.

BE IT FURTHER RESOLVED: For the listed vehicle models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels), 13 CCR 1968.2 (on-board diagnostic, full or partial compliance), 13 CCR 1976(b)(1)(F) (evaporative emission standards), 13 CCR 2035 et seq. (emission control warranty), and 13 CCR 2235 [fill pipes and openings of motor vehicle fuel tanks]. (The braces { } are for gasoline, LPG or alcohol fueled vehicles only. The brackets [] are for gasoline or alcohol fueled vehicles only.)

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of January 2007.

Annette Hebert, Chief Mobile Source Operations Division